



JESUS LOVES YOU !



Safer, Faster, Harder !

AQUA-CRETE®

WE CREATE VALUE!

Safer, Faster, Harder

AQUA-CRETE®

New Product (NEP) Non-Combustible Flooring



OFFICE:
406, C-dong, M-State, 114 Beobwon-ro, Songpa-gu, Seoul, Korea
TEL.:+82-2-420-2844~5 **FAX.:**+82-2-413-8605



AQUA-CRETE Certifications

AQUA-CRETE Certifications

CERTIFICATE OF
KOREA ECO-LABEL

We hereby certify that the following products comply with the criteria set forth under the Support for Environmental Technology and Environmental Industry Act and are granted the right to use the Korea Eco-Label.

aquacrete

(Waterproofing Agents in Indefinite Form(siliceous powder coatings, inorganic group type))

CLEANTECH CO., LTD.

C-406, 114, Beobwon-ro, Songpa-gu, Seoul, Republic of Korea

The products on the above are certified as Waterproofing Agents for Construction(EL244)

Reduction of harmful substances

Certificate No. 22007

Issued on MAY 12, 2020
Valid until MAY 11, 2022

유 제 철

JECHUL YOO, President

**KOREA ENVIRONMENTAL INDUSTRY &
TECHNOLOGY INSTITUTE**

Certificate of
Green Technology

Certificate No. : GT-20-00926

Company : cleantec

President : Yoon Hyun-Ju

Address : 114, Beobwon-ro, Songpa-gu, Seoul,
Korea c-406

Technology : Manufacturing technology for ultra-
fast-hardening, inorganic, non-
combustible, waterproof finishing
material

Classification No. : T100501

We hereby certify that the above-mentioned Technology has been approved as a Green Technology by the Ministry of SMEs and Startups of the Korean government under Article 60 of the Framework Act on Carbon Neutrality, Green Growth for response to Climate Crisis and Article 27 of the Management Code on Green Certification System.

Early Date of Issue : 2020.09.03

Date of Expiration : 2026.09.02

Ministry of SMEs and Startups




This certificate is valid for 3 years since the day it has been issued.
If you would like to extend, you have to request extension three months prior to the expiration date.

AQUA-CRETE Structure

AQUA-CRETE is a finishing material composed of a 100% inorganic non-combustible powder binder mixed with an aqueous solution. It is applied by trowel or spray onto substrate surfaces such as concrete (cement mortar), masonry, tile and Dryvit, whether dry or saturated with water (100% moisture content).

Made from 100% non-combustible materials, New Product (NEP) AQUA-CRETE does not burn or emit toxic gases in a fire. It provides excellent breathability and waterproofing (Gore-Tex-like function), generates no odor during application, and develops strong adhesion to the substrate, delivering inorganic non-combustible waterproofing performance.

Structure Diagram





AQUA-CRETE Features

- Wet-Surface Application**
Can be applied directly to dry substrates or to surfaces constantly exposed to water (100% moisture content)
- Sub-Zero Application**
Cures completely and can be applied even in sub-zero winter temperatures
- Ultra-Rapid Curing**
Cures rapidly after application, allowing follow-up processes to proceed without delay
- Gore-Tex Performance (Waterproof & Breathable)**
Moisture contained in the structure escapes through the coating layer (breathability) while external water cannot penetrate it (waterproofing)
- Permanent Anti-Slip Performance**
Develops permanent anti-slip performance as soon as the coating layer comes into contact with moisture
- Non-Combustible Performance**
Composed of inorganic non-combustible materials that do not burn, ensuring safety in a fire
- Strong Adhesion & Excellent Impact Resistance**
Secures strong adhesion to the substrate after application and develops excellent compressive strength
- Complete Reinforcement Around Trenches**
Completely reinforces areas around trenches prone to detachment, maintaining strong adhesion and perfect waterproofing
- Chemical Resistance & Anti-Contamination**
Excellent resistance to acids, alkalis and salts with no property changes, plus outstanding anti-contamination performance
- Eco-Friendly Flooring**
Eco-friendly non-combustible flooring with no VOC emissions and reduced hazardous substances

AQUA-CRETE Applications - Kitchens, Cafeterias, Restaurants, HACCP

AQUA-CRETE Applications - Trench Reinforcement



AQUA-CRETE Applications - Heating Zones / Soup Kettle Areas AQUA-CRETE Applications - Cold & Freezer Storage

FEATURES

- ▶ Ultra-rapid curing performance
- ▶ Applicable on 100% wet substrates
- ▶ Waterproof / Breathable performance
- ▶ Non-combustible / Permanent anti-slip
- ▶ Strong adhesion and durability
- ▶ Zero VOC emissions and fire risk

*Coating thickness: 30mm ~ 50mm



FEATURES

- ▶ Applicable at sub-zero temperatures (-30°C ~ +40°C)
- ▶ Applicable without shutting down operations
- ▶ No shrinkage or expansion while curing
- ▶ Strong adhesion
- ▶ Excellent adhesion and abrasion resistance
- ▶ Zero dust generation

*Coating thickness: 30mm ~ 50mm



AQUA-CRETE Test Reports

AQUA-CRETE Test Reports

시험(실험) 확인서
CONFIRMATION OF TEST

발급번호 : 2020-CORF-003

경상남도 양산시 울금읍 부산대학교 49 지진방재연구센터
50576, 49 Jisun National University, 49 Jisun, Yangsan, Gyeongnam, South Korea
Tel: 051-510-8500, Fax: 051-510-8151, E-mail: seismic@pu.ac.kr

제약자(PAGE) : 1 / 1 (총 1)

1. 고객자 (CLIENT)
기관명 (NAME) : ㈜대원건설
주 소 (ADDRESS) : 서울특별시 송파구 법원로 114 (문정동) C-406

2. 시험정보 (TEST INFORMATION)

Test No.	Test Specimen Name	Manufacturer	Date of Test	Tester / Technical Manager	Remark
2020-0-011	마루아파트 도로 콘크리트 구조물	대원건설	2020.01.29	1 st 장성진, 2 nd 박정호, 3 rd 김민석 / 박정호	18-57-41-0006

3. 시험(실험)방법 (TEST METHOD) : 의뢰자가 제시한 시험방법

4. 시험(실험)장비 (TEST EQUIPMENT) : 3 자유도 진동대(Table 8), 전압전력계측기(PX-6251) 등

5. 첨부자료 (ATTACHED DOCUMENT) : 없음

상기 내용에 의하여 시험(실험)하였음을 확인함.

확인 (CONFIRMED BY)

확인 (AFFIRMATION)

확인일자 (DATE) : 2020년 04월 13일
직 위 (TITLE) : 행정지원팀장
성명 (NAME) : 주승희

지참기관 (Sponsored by)

국립교통부, KAIA, KOCED, 부산대학교

지진방재연구센터장
Seismic Research and Test Center

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

TEST REPORT

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

시험성적서

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

TEST REPORT

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

TEST REPORT

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.

TEST REPORT

우 22829 인천광역시 서구 가재동로 68(가재동)
TEL (032)5709-700 FAX (032)575-5613

성격서번호 : TFR-2024-00035
쪽 1 / 총 9

1. 산정자
○ 회사명 : (주)대원건설
○ 주소 : 서울특별시 송파구 법원로 114, C동 406호(문정동, 영스타타워)
○ 접수일자 : 2020.01.19

2. 시험대상물
○ 시설명 : 초속경화 무기물연성 방수방식 바닥재(AQ-FSAC-SS)
○ 시험위치 : 과두대길
○ 제품번호 : 대원대길

3. 시험규격 : 국토교통부 고시 제2020-24호(2020) 건축자재품 품질인증 및 관리기준

4. 성적서 코드 : 품질관리

5. 시험기간 : 2024년 05월 29일 ~ 2024년 06월 27일

6. 시험환경 : 온도 : (15~30) °C, 습도 : (20~80) % RH

7. 시험결과 : 국토교통부 고시 제2020-24호 건축자재품 품질인증 및 관리기준 제23조 제1호 및 제23조에 따른 시험 결과 적합

비고 : 1. 이 성적서는 의뢰자가 제시한 시험 및 시험방법으로 시험한 결과로서 전체 제품에 대한 품질을 보증하지 않으며, 시험자의 진위확인용 홈페이지(www.ktr.or.kr) 또는 QR 코드로 확인 가능합니다.
2. 이 성적서는 총본, 선본, 양고 및 소용량 등으로 사용할 수 없으며, 원도 이외의 사용을 금합니다.
3. 이 성적서는 원본(제출본)을 포함한 유물이며, 사본 및 전자 인쇄본은 효력이 없습니다.

확인 : 시험실무자 : 김민석, 기술책임자 : 이영규, Lee Jeong-gye

발급일자 : 2024년 06월 27일

KTR 한국화학융합시험연구원

본 시험성적서는 발급일로부터 3년간 유효함.

전자문서본 시험결과에 대한 참고사항입니다.