

JESUS LOVES YOU !



Full-Scale Fire Test (KS F 8414) Certified Product
External Insulation System / Exterior Coating Waterproofing System

New Product (NEP) Non-Combustible AQUA-CRETE



Safer, Faster, Harder
AQUA-CRETE®



Full-Scale Fire Test KS F 8414

Where the exterior wall finish or insulation consists of two or more materials, the entire assembly shall be tested as one unit per KS F 8414 (Fire performance test method for external cladding systems of buildings) and satisfy each of the following criteria.

However, the full-scale mock-up test is waived when every constituent material of the finish or insulation is non-combustible under Article 6 of the applicable regulations.

1. External Fire Spread Performance Evaluation

Within 15 minutes from the start time, the temperature at any external thermocouple at Level 2 (5 m above the top of the specimen opening) shall not exceed 600°C for more than 30 seconds.

2. Internal Fire Spread Performance Evaluation

Within 15 minutes from the start time, the temperature at any internal thermocouple at Level 2 (5 m above the top of the specimen opening) shall not exceed 600°C for more than 30 seconds.

Full-Scale Fire Mock-up Test



KS F 8414 Test Method


- ▶ The specimen shall conform to Clause 6 of KS F 8414.
The specimen shall form a corner configuration; based on the exposed face of the final finish, the main wall shall be at least 2,400 mm wide and the return wing at least 1,200 mm wide.
The top, bottom and sides of the specimen shall be sealed so that outside air cannot enter the specimen.
- ▶ Composite materials shall be installed horizontally for the test.
- ▶ Performance tests shall be carried out at both the minimum and maximum thicknesses of the composite material for which certification is sought.

New Product (NEP) Non-Combustible AQUA-CRETE

AQUA-CRETE is a finishing material composed of a 100% inorganic non-combustible powder binder mixed with an aqueous solution. It is applied by trowel or spray onto substrate surfaces such as concrete (cement mortar), masonry, tile and Dryvit, whether dry or saturated with water (100% moisture content).

Made from 100% non-combustible materials, New Product (NEP) AQUA-CRETE does not burn or emit toxic gases in a fire. It provides excellent breathability and waterproofing (Gore-Tex-like function), generates no odor or dust during application, and develops strong adhesion to the substrate, delivering inorganic non-combustible waterproofing performance.

New Product (NEP) AQUA-CRETE Structure



New Product (NEP) AQUA-CRETE Features



Non-Combustible Performance

Composed of inorganic non-combustible materials that do not burn, ensuring safety in a fire



Strong Adhesion & Excellent Impact Resistance

Secures strong adhesion to the substrate after application and develops excellent compressive strength



Ultra-Rapid Curing

Cures rapidly after application, allowing follow-up processes to proceed without delay



Gore-Tex Performance (Waterproof & Breathable)

Moisture contained in the structure escapes through the coating layer (breathability) while external water cannot penetrate it (waterproofing)



Seismic Performance

Accommodates the movement of buildings with seismic performance, preventing the risk of detachment



Wet-Surface Application

Can be applied directly to dry substrates or to surfaces constantly exposed to water (100% moisture content)



Sub-Zero Application


Cures completely and can be applied even in sub-zero winter temperatures



Eco-Friendly Product

Eco-friendly non-combustible finish with no VOC emissions and reduced hazardous substances


New Product (NEP) AQUA-CRETE Applications



Waterproof coating



Insulation finish



Interior finish



Facade renovation

New Product (NEP) AQUA-CRETE Test Reports



<Ext. Insulation Full-Scale Fire Test>



<Eco-Label Test>



<Green Technology Test>



<Non-Combustibility Test>



<Product Quality Test>



<Product Quality Test>

New Product (NEP) AQUA-CRETE Certifications



<Eco-Label Certificate>



<Seismic Performance Report>



<Quality Certification>



<NEP Certificate>




<ISO 9001 Certificate>




<Green Technology Certificate>

New Product (NEP) AQUA-CRETE STEP - External Insulation System



New Product (NEP) AQUA-CRETE STEP - Exterior Coating System




Step-by-Step Application Photos



Step-by-Step Application Photos



External Insulation System - Project References



External Insulation System - Project References



Exterior Non-Combustible Coating System - Project References



Exterior Non-Combustible Coating System - Project References

