# Running workflow "gatk-variant-call-paired-datasets-collection"



# Advanced Options Hide Advanced Options

Output dataset 'output' from step 2
Input FASTQ quality scores type

## Step 4: Bowtie2(version 2.2.6.2)

Is this single or paired library

Paired-end Dataset Collection

**FASTQ Paired Dataset** 

Sanger & Illumina 1.8+

Output dataset 'output\_file' from step 3

Write unaligned reads (in fastq format) to separate file(s)

Not available.

Write aligned reads (in fastq format) to separate file(s)

Not available.

Do you want to set paired-end options?

Yes

Set the minimum fragment length for valid paired-end alignments

Not available.

Set the maximum fragment length for valid paired-end alignments

500

Select the upstream/downstream mate orientations for a valid paired-end alignment against the forward reference strand

--fr

Disable no-mixed behavior

Not available.

Disable no-discordant behavior

Not available.

Allow mate dovetailing

Not available.

Disallow one mate alignment to contain another

Not available.

Disallow mate alignments to overlap

Not available.

Will you select a reference genome from your history or use a built-in index?

Use a genome from the history and build index

Select reference genome

Output dataset 'output' from step 1

Set read groups information?

Set read groups (SAM/BAM specification)

Auto-assign

Not available.

Read group identifier (ID)

group\_id

Auto-assign

Not available.

Read group sample name (SM)

group\_sample\_name

Platform/technology used to produce the reads (PL)

**ILLUMINA** 

Auto-assign

Not available.

Library name (LB)

Not available.

Sequencing center that produced the read (CN)

Not available.

Description (DS)

Not available.

Date that run was produced (DT)

Not available.

Flow order (FO)

Not available.

The array of nucleotide bases that correspond to the key sequence of each read (KS)

Not available.

Programs used for processing the read group (PG)

Not available.

Predicted median insert size (PI)

Not available.

Platform unit (PU)

Not available.

Select analysis mode

1: Default setting only

Do you want to use presets?

No, just use defaults

Save the bowtie2 mapping statistics to the history

Not available.

#### Step 5: Realigner Target Creator(version 2.8.0)

Choose the source for the reference list

History

**BAM file** 

Output dataset 'output' from step 4

Using reference file

Output dataset 'output' from step 1

**Known Variants** 

**Basic or Advanced GATK options** 

Advanced

**Pedigree files** 

**Pedigree strings** 

How strict should we be in validating the pedigree information

**STRICT** 

**Read Filters** 

Operate on Genomic intervals

**Exclude Genomic intervals** 

Interval set rule

UNION

Amount of padding (in bp) to add to each interval

Not available

Type of reads downsampling to employ at a given locus

NONE

Type of BAQ calculation to apply in the engine

OFF

BAQ gap open penalty (Phred Scaled)

40.0

Use the original base quality scores from the OQ tag

Not available.

Value to be used for all base quality scores, when some are missing

-1

How strict should we be with validation

**STRICT** 

Interval merging rule

ALL

Read group black lists

Disable experimental low-memory sharding functionality.

Not available.

Makes the GATK behave non deterministically, that is, the random numbers generated will be different in every run

Not available.

Fix mis-encoded base quality scores. Q0 == ASCII 33 according to the SAM specification, whereas Illumina encoding starts at Q64. The idea here is simple: we just iterate over all reads and subtract 31 from every quality score.

Not available.

**Basic or Advanced Analysis options** 

Advanced

Window size for calculating entropy or SNP clusters (windowSize)

10

Fraction of base qualities needing to mismatch for a position to have high entropy (mismatchFraction)

0.15

Minimum reads at a locus to enable using the entropy calculation (minReadsAtLocus)

4

Maximum interval size

500

#### Step 6: Indel Realigner(version 2.8.0)

Choose the source for the reference list

History

**BAM file** 

Output dataset 'output' from step 4

Using reference file

Output dataset 'output' from step 1

Restrict realignment to provided intervals

Output dataset 'output\_interval' from step 5

**Known Variants** 

LOD threshold above which the realigner will proceed to realign

5.0

Use only known indels provided as RODs

Not available.

**Basic or Advanced GATK options** 

Advanced

**Pedigree files** 

**Pedigree strings** 

How strict should we be in validating the pedigree information

**STRICT** 

**Read Filters** 

**Operate on Genomic intervals** 

**Exclude Genomic intervals** 

Interval set rule

UNION

Amount of padding (in bp) to add to each interval

Not available.

Type of reads downsampling to employ at a given locus

NONE

Type of BAQ calculation to apply in the engine

OFF

BAQ gap open penalty (Phred Scaled)

40.0

Use the original base quality scores from the OQ tag

Not available.

Value to be used for all base quality scores, when some are missing

-1

How strict should we be with validation

**STRICT** 

Interval merging rule

ALL

Read group black lists

Disable experimental low-memory sharding functionality.

Not available.

Makes the GATK behave non deterministically, that is, the random numbers generated will be different in every run

Not available.

Fix mis-encoded base quality scores. Q0 == ASCII 33 according to the SAM specification, whereas Illumina encoding starts at Q64. The idea here is simple: we just iterate over all reads and subtract 31 from every quality score.

Not available.

Basic or Advanced Analysis options

Advanced

percentage of mismatching base quality scores at a position to be considered having high entropy 0.15

**Simplify BAM** 

Not available.

**Consensus Determination Model** 

USE\_READS

Maximum insert size of read pairs that we attempt to realign

3000

Maximum positional move in basepairs that a read can be adjusted during realignment

200

Max alternate consensuses to try

30

Max reads (chosen randomly) used for finding the potential alternate consensuses

120

Max reads allowed at an interval for realignment

20000

Don't output the original cigar or alignment start tags for each realigned read in the output bam

Not available.

## Step 7: Unified Genotyper(version 2.8.0)

Choose the source for the reference list

History

**BAM files** 

BAM file 1

**BAM file** 

Output dataset 'output\_bam' from step 6

Using reference file

Output dataset 'output' from step 1

Provide a dbSNP Reference-Ordered Data (ROD) file

Don't set dbSNP

Genotype likelihoods calculation model to employ

BOTH

The minimum phred-scaled confidence threshold at which variants not at 'trigger' track sites should be called 30.0

The minimum phred-scaled confidence threshold at which variants not at 'trigger' track sites should be emitted (and filtered if less than the calling threshold)

30.0

**Basic or Advanced GATK options** 

Advanced

**Pedigree files** 

**Pedigree strings** 

How strict should we be in validating the pedigree information

**STRICT** 

**Read Filters** 

Operate on Genomic intervals

**Exclude Genomic intervals** 

Interval set rule

**UNION** 

Amount of padding (in bp) to add to each interval

Not available.

Type of reads downsampling to employ at a given locus

NONE

Type of BAQ calculation to apply in the engine

OFF

BAQ gap open penalty (Phred Scaled)

40.0

Use the original base quality scores from the OQ tag

Not available.

Value to be used for all base quality scores, when some are missing

-1

How strict should we be with validation

**STRICT** 

Interval merging rule

ALL

Read group black lists

Disable experimental low-memory sharding functionality.

Not available.

Makes the GATK behave non deterministically, that is, the random numbers generated will be different in every run

Not available.

Fix mis-encoded base quality scores. Q0 == ASCII 33 according to the SAM specification, whereas Illumina encoding starts at Q64. The idea here is simple: we just iterate over all reads and subtract 31 from every quality score.

Not available. **Basic or Advanced Analysis options** Advanced Heterozygosity value used to compute prior likelihoods for any locus The PCR error rate to be used for computing fragment-based likelihoods 0.0001 How to determine the alternate allele to use for genotyping **DISCOVERY** Should we output confident genotypes (i.e. including ref calls) or just the variants? EMIT\_VARIANTS\_ONLY Compute the SLOD Not available. Minimum base quality required to consider a base for calling 17 Maximum fraction of reads with deletions spanning this locus for it to be callable Maximum number of alternate alleles to genotype 6 Minimum number of consensus indels required to trigger genotyping run Heterozygosity for indel calling 0.000125 Indel gap continuation penalty 10 Indel gap open penalty 45 Indel haplotype size 80 Vary gap penalties by context Not available. **Annotation Types** None Additional annotations **Annotation Interfaces/Groups** Nothing selected. Annotations to exclude

None

Ploidy (number of chromosomes) per sample. For pooled data, set to (Number of samples in each pool \* Sample Ploidy)

2

#### Step 8: SnpEff(version 4.0.0)

#### Sequence changes (SNPs, MNPs, InDels)

Output dataset 'output\_vcf' from step 7

Input format

VCF
Output format VCF (only if input is VCF)
Genome source Named on demand
Snpff Genome Version Name (e.g. GRCh38.76) hg19
Upstream / Downstream length 5000 bases
Set size for splice sites (donor and acceptor) in bases 2 bases
Annotation options Nothing selected.
Use custom interval file for annotation  Selection is Optional \$
Only use the transcripts in this file.  Selection is Optional \$
Filter output Nothing selected.
Filter out specific Effects No
Chromosomal position Use default (based on input type)
Text to prepend to chromosome name Not available.
Produce Summary Stats True
Do not report usage statistics to server True
Send results to a new history
tools used in this workflow:

"tool\_id": "toolshed.g2.bx.psu.edu/repos/devteam/fastq\_groomer/fastq\_groomer/1.0.4",

"tool\_id": "toolshed.g2.bx.psu.edu/repos/iuc/gatk2/gatk2\_realigner\_target\_creator/2.8.0",

"tool\_id": "toolshed.g2.bx.psu.edu/repos/devteam/bowtie2/bowtie2/2.2.6.2",

"tool\_id": "toolshed.g2.bx.psu.edu/repos/iuc/snpeff/snpEff/4.0.0",

"tool\_id": "toolshed.g2.bx.psu.edu/repos/iuc/gatk2/gatk2\_indel\_realigner/2.8.0", "tool\_id": "toolshed.g2.bx.psu.edu/repos/iuc/gatk2/gatk2\_unified\_genotyper/2.8.0",

"tool\_id": null,
"tool\_id": null,