

3D VIRTUAL WALKTHROUGH

DESIGN CONCEPT NOTE & REFERENCE GUIDE

Project: Main Gallery Space


Drawing Ref: GA-101 (30' x 75')

Date: May 2026 / Rev 03

Status: Active Concept Document

1. ARCHITECTURAL LAYOUT & SPATIAL PLAN

The virtual environment models a **30' x 75' (approx. 2,250 sq. ft.) main internal gallery** structured to deliver a serene, modern minimalist viewing experience. The floor plan facilitates a natural walkthrough flow from arrival to detailed craft discovery.



SPATIAL ZONES & CIRCULATION

- **Reception Area (10' x 15'):** Welcome zone for visitor entry & initial orientation.
- **Central Tunnel Passage:** Focused arrival corridor channeling movement into main gallery.
- **Gallery Displays A, B, & C:** Strategic perimeter & partition display walls for curated collections.
- **Low-Height Benches (5x):** Minimalist seating positioned along key focal axes for reflective viewing.

INTEGRATED LIGHTING PLAN

- **Central Skylight Window:** Overhead glass skylight delivering soft ambient natural daylight.
- **Track Lights (3000K LED):** Ceiling-mounted linear track system for warm ambient glow.
- **Accent Spotlights (LED):** Directional spotlights targeting individual artworks.
- **Ambient Cove Lighting:** Recessed perimeter cove lighting to eliminate harsh shadows.

ARCHITECTURAL DRAWING (GA-101)

30' x 75' main gallery layout detailing viewer paths, central tunnel passage, display walls A/B/C, skylight axis, and integrated 3000K LED track/accent spotlight plan.

2. AESTHETIC REFERENCE ANALYSIS & MATERIAL MAPS

To ensure museum-grade photorealism in the 3D walkthrough, lighting and texturing must strictly align with the selected visual moodboard references below:



TEXTURE MAPS & SURFACE FINISHES

Refers to tactile wood-grain ceiling panels, brushed timber pedestals, smooth off-white plaster walls, and soft light oak flooring. 3D maps (diffuse, bump, roughness) must recreate this subtle organic warmth.




FLOOR PLAN & SKYLIGHT IDEATION

Demonstrates the central skylight ceiling architectural slot. The direct natural light washes symmetrically down central gallery partitions, framing artwork under clean daylight.



SPACING & SCALE REFERENCE

Highlights generous negative space around artworks, clean eye-level mounting (1.6m center), and low-profile white bench seating framed cleanly against uncluttered perspective lines.



AMBIENCE & ENVIRONMENT LIGHTING

Illustrates ceiling beam track lighting integrated with floor-to-ceiling glass wall daylighting, casting ultra-soft ambient reflections across polished neutral floors.

3. DYNAMIC PARTITIONS & CRAFT PRODUCT INTEGRATION

MANDATORY DIRECTIVE: WORKSHOP DELIVERABLE FINALIZATION

All partition walls and display surfaces across **Gallery Displays A, B, and C** will remain **unpopulated initially**. Partitions will be dynamically populated **only after finalizing and receiving the physical craft product deliverables directly from the workshop**. This guarantees 1:1 scale accuracy, exact color matching, and bespoke layout composition tailored to the final physical pieces.

4. ARTISANAL STORYTELLING & INTERACTIVE TOUCHPOINTS

The virtual walkthrough is designed not merely as a passive gallery, but as an interactive craft experience connecting viewers directly to the human hand behind the art:

DISPLAY FEATURE	DESIGN BRIEF & TECHNICAL IMPLEMENTATION
Interactive Hand Block Display Tables	Dedicated display tables will be constructed immediately adjacent to each corresponding artwork . These tables will feature detailed 3D models of authentic carved wooden hand blocks used in the creation process, enabling viewers to connect the raw carving block directly with the finished printed pattern on display.
Craft Infographics at Product Wall	Integrated craft-based infographics (combining refined typography and explanatory graphic illustrations) will be mounted on the primary product wall. These panels will detail the regional history, natural dye processes, and intricate techniques behind each traditional art form.
Curated Showcase Standard (5 Images/Tradition)	Exactly 5 hero images/artworks will be finalized and showcased per traditional craft style. Each piece must be rendered at maximum visual fidelity to preserve tactile fabric textures, hand-stamped variations, and delicate pigment details.

5. IMPLEMENTATION TIMELINE

PHASE 01

Base Architectural Modeling: Model 3D gallery shell, entrance reception, central passage, skylight structure, and track light fixtures per Drawing GA-101.

PHASE 02

Workshop Deliverables Audit: Receive, measure, and catalog final craft deliverables; select the 5 hero pieces per tradition.

PHASE 03

Partition & Interactive Table Setup: Mount selected pieces onto partitions, place hand block tables next to artworks, and position craft wall infographics.

PHASE 04

Shading & Lighting Finalization: Bake PBR materials (oak wood, plaster, timber ceiling) and calibrate 3000K spotlights with skylight natural daylight.