
ROLE_DIM recipe

The ROLE_DIM table I created for my data model contains the What (database role?) for the model. Note that many of the database roles will not be in this table, however, these are roles of special interest to the data stewards, so it will be nice to have the full role descriptions for these.



Source-to-target mappings:

Source table	Source column	Target table	Target column	Transformation / notes
Oracle_role_privs	Granted_role	Role_dim	Role_name	
Datamart_roles	Role_description	Role_dim	Role_desc	Outer join, only some roles have descriptions

Note that we will be creating a unique list of roles, from the oracle_role_privs, then doing a left outer join to the datamart_roles table to capture the descriptions that exist. We will also set a default value for the role_desc column if there is not description.


Load Table:

Create a load tables for oracle_role_privs & datamart_roles. Remember to use your audit_src connection for load tables. *Note that you may have the load tables already, if someone on your team built them as part of one of the other recipes.*

Stage Tables:

1) In left pane, double click “Stage Table”, so stage table is the focus of the middle pane.
2) In right pane, change your connection to warehouse connection.
3) In right pane, select the load_oracle_role_privs table and drag to middle pane.
4) In the “Add a New Metadata Object” screen, rename table to “stage_role01”, then click “Add”.
5) For the “Stage Table stage_role01” screen, simply click “OK”.


6) You will now drop all of the columns, EXCEPT granted_role. Right click on a column, select “delete column”, when prompted “Continue to delete 1 column?”, click “yes”.
7) Repeat the column deletes for all but the “granted_role” column.
8) After dropping the extra columns, should look like this:



9) Rename “granted_role” column to “role_name”. Double click on granted_role change the name, then click OK.
10) Should look like this:




11) In left pane, right click stage_role01, then select “create(recreate)”.
12) In left pane, right click stage_role01, then select “code > Rebuild Update Procedure”.
13) In the “Define Stage Procedure Type” screen, check the “Allow Modification of the Where Clause” box, then click “Set”.




14) For the “Select Parameters” screen, simply click OK.
15) In the code box of the “Source Join” screen, paste the following code under the existing code.
GROUP by load_oracle_role_privs.granted_role

See screenshot below..



16) Click Finish

17) In left pane, right click stage_role01, then select “execute update procedure”.




Apparently, there are 113 unique database roles.

18) In left pane, right click stage_role01, then select “display data”. How does the data look?

We now have a stage table containing a distinct list of database roles. We will outer join this table to our load_datamart_roles table to get the role_descriptions that exist.

STAGE_ROLE02:

1) In left pane, double click stage, so stage becomes the focus of the middle pane.
2) In right pane, click the blue sunglasses to refresh your data warehouse connection.
3) In right pane, select stage_role01 and drag to the middle pane.
4) For the “Add a New Metadata Object”, rename table to “stage_role02”, then click Add. *See screenshot below.*




5) For “Stage Table stage_role02”, simply click OK.
6) In right pane, double click load_datamart_role to expand it, then select “role_description” column and drag to middle pane.
7) In middle pane, double click on role_description column then rename to role_desc to match data model. *Note this is the name I used for my data model.*


stage_role02 Columns

Column Name	Display Name	Data Type	Source Table	Source Column
role_name	role name	varchar2(40)	stage_role01	role_name
role_desc	role desc	varchar2(60)	load_datamart_roles	role_description
dss_create_time	dss create time	date		dss_create_time
dss_update_time	dss update time	date		dss_update_time

8) In left pane, right click stage_role02, then select “create(recreate)”.
9) In left pane, right click stage_role02, then select “code > Rebuild Update Procedure”.
10) For the “Define Stage Procedure Type” select “Set”.
11) For the “Select Parameters” screen, simply select OK.
12) In the “source Join” screen, click the “Add” button to add a join.
13) Define the needed join. *See screenshot below.*



14) In left pane, right click stage_role02, then select “execute update procedure”.
15) In left pane, right click stage_role02, then select “display data”. Notice, if you scroll down, many of the roles do not have descriptions. We should create a transformation to provide a default value.
16) In left pane, right click stage_role02, then select “display columns”.
17) In middle pane, double click the role_desc column.
18) Click on “Transformation” in the upper left corner.




19) In the transformation code window, paste the following code.


NVL(load_datamart_roles.role_description,'No definition available')

See screenshot below.

ROLE_DIM recipe




20) Click OK.
21) In left pane, right click stage_role02, then select “create(recreate)”.
22) In the “Re-create an Existing Table” screen, click OK.
23) In left pane, right click stage_role02, then select “code > rebuild update stage_role02 procedure”.
24) In “Define Stage Procedure Type” screen, click “Set”.
25) For the “Select Parameters” screen, simply click OK.
26) The join is already defined, so click “Finish”.
27) In left pane, right click stage_role02, then select “execute update procedure”.




28) In left pane, right click stage_role02, then select “display data”. How does the data look now? If you scroll down, do you see the default value “No definition available”?

ROLE_DIM:

1) In the left pane, double click Dimension, so Dimension is in focus for the middle pane.
2) In right pane, click the blue sunglasses to refresh your data warehouse connection. This is needed for your new stage_role02 table to show up.
3) In right pane, select your new stage_role02 table and drag into middle pane.
4) In “Add a New Metadata Object” screen rename to “role_dim”, then click “Add”.



5) For the “Dimension Type” screen, select “Normal”.
6) For the “Dimension role_dim” screen, simply click OK.
7) For the “Create Database Table” screen, click “Close”.
8) In left pane, right click role_dim, then select “create(recreate)”.
9) In left pane, right click role_dim, then select “code> rebuild update procedure”.
10) For the “Procedure Build Type” screen, option should be “Set”, click OK.
11) For the “role_dim Update Build Options” screen, click on the box to the far right of “Business Key Columns”, then in the pop up box, select database_role, then arrow to right. Finally, click OK.



12) In left pane, right click role_dim, then select “execute update procedure”.
13) In left pane, right click role_dim, then select “display data”.

How does your data look? Should be all set.

ROLE_DIM recipe

