



PEOPLESOFT SERVERS

DIRECTORY VIEWER

Project definition: CY2_DIRECTORY_VIEWER_001

Author: E. La Haye
Version: 1.0
Date: 20-02-2021



CY2

CONTENTS

Contents	2
1. Version Control	3
1.1. Change history	3
2. Preface.....	4
2.1. Navigation	4
2.2. Documentation.....	4
3. Global Design	5
3.1. Global design	5
4. Technical Description	6
4.1. Installation instructions	6
4.1.1. Change Assistant approach.....	6
4.1.2. Traditional approach	6
4.2. (optional) Add permissions to new permission list	6
4.3. (optional) change the delivered menu item navigation	8
4.4. (optional) change the delivered message catalog entries	9
5. Miscellaneous	10
5.1. Other relevant information	10

1. VERSION CONTROL

1.1. CHANGE HISTORY

Date	Author	Version	Changes made
20-02-2020	E. La Haye	1	

2. PREFACE

This document describes the installation procedure and options for the PeopleSoft Servers directory viewer functionality.

2.1. NAVIGATION

This functionality can (by default) be found through navigation: **Root > CY2 Projects > PeopleSoft servers directory**.

2.2. DOCUMENTATION

The documentation of the PeopleSoft Servers directory viewer can be found on Github and in the Documentation folder which is part of the Change Assistant Zip package.

3. GLOBAL DESIGN

3.1. GLOBAL DESIGN

The 'PeopleSoft Directory Viewer' functionality delivers front-end functionality to manage files and directories on PeopleSoft servers for end users.

The functionality consists of:

1. Setup component where administrators can define the permissions available for different directories on the PeopleSoft Servers for end users.
2. Viewer component where end users can manage files and directories on the PeopleSoft Servers.

Common uses:

The functionality is commonly used to:

1. Allow developers access to log files on the application server and web server for debugging errors and viewing integration logs.
2. Allow end users the ability to upload and delete files to / from specific directories that can be used as upload directories for business transactions that require external files (csv / excel / etc.).
3. Allow admins easy access for server directories while using the front-end application.

A word of caution: working with PeopleSoft servers means working with the real server directories that are necessary to keep the PeopleSoft environment running. Any file transaction that end users can perform cannot be undone. Delete is Delete!

The functionality can safely be used in a production environment if and when you have clearly defined which end users can perform which file transactions in which directories.

4. TECHNICAL DESCRIPTION

4.1. INSTALLATION INSTRUCTIONS

For the installation of the 'PeopleSoft Directory Viewer' functionality the following steps need to be taken:

4.1.1. Change Assistant approach

Load the change package updCY2_DIRECTORY_VIEWER_001 into the database using Change Assistant.

4.1.2. Traditional approach

In case you don't want to use the change assistant to load the project:

1. Open the updCY2_DIRECTORY_VIEWER_001 package and load the project located in the folder "CY2_DIRECTORY_VIEWER_001" into the database.
2. Open the updCY2_DIRECTORY_VIEWER_001 batch folder located in the updCY2_DIRECTORY_VIEWER_001 package and load the message catalog entries through data mover using the .DAT files in the "data" folder and the DMS script in the "scripts" folder.
3. Build the tables and views contained in the project (create tables, create views).

4.2. (OPTIONAL) ADD PERMISSIONS TO NEW PERMISSION LIST

Optionally you can add the following menu items to a relevant permission list:

1. CY2_PSS_DIR_MENU

Maintain permission lists through navigation: **PeopleTools > Security > Permissions & Roles > Permission Lists.**

The permission list as shown below is delivered with the project but does not have to be used.

General
Pages
PeopleTools
Process
Sign-on Times
Component Interfaces

Permission List CY2_PSS_DIRECTORY

Description PeopleSoft serv directory view

Permission List General

Navigator Homepage

☐ Can Start Application Server?

☐ Allow Password to be Emailed?

Time-out Minutes

☒ Never Time-out

☐ Specific Time-out (minutes)

General | Pages | PeopleTools | Process | Sign-on Times | Component Interfaces | Web Libraries | Web Services |

The following menu is defined in the permission list.

General
Pages
PeopleTools
Process
Sign-on Times
Component Interfaces

Permission List CY2_PSS_DIRECTORY

Description PeopleSoft serv directory view

Mobile Page Permissions

Menus		Personalize	Find	View All		First	1 of 1	Last
Menu Name	Menu Label	Edit Components						
CY2_PSS_DIR_MENU	Cy2 Dir App Server Menu	Edit Components				+	-	



The following components are authorised in the menu.



Component Permissions

Help

Cy2 Dir App Server Menu

Components

Personalize | Find |  | 

First  1-2 of 2  Last

Authorized?	Component Name	Item Label	Edit Pages	View Content References for this Component
<input checked="" type="checkbox"/>	CY2_PSS_DIR_SETUP	PS servers directory setup	Edit Pages	View
<input checked="" type="checkbox"/>	CY2_PSS_DIR_VW_FL	PS servers directory view	Edit Pages	View

Select All

Deselect All

OK

Cancel

4.3. (OPTIONAL) CHANGE THE DELIVERED MENU ITEM NAVIGATION

By default the ‘PeopleSoft Directory Viewer’ functionality can be reached through navigation: **Root > CY2 Projects > PeopleSoft servers directory** .

If needed these menu items can be moved elsewhere by altering the ‘structure and content’ portal registry that can be reached through navigation: **PeopleTools > Portal > Structure and content**



[Root > CY2 projects](#) > PeopleSoft servers directory


Structure and Content

* Click the folder label to view the child folders and content references for that folder

* Click the "Edit" link to edit the folder definition

▼ Folders

Personalize | Find | View All |  | 

First  1 of 1  Last

Add Folder

* Click the "Edit" link to edit the content reference definition

Content References

Personalize

Find

View All

First

1-2 of 2

Last

Link	Node Name	Label	Edit	Sequence number	Create Link	Number of links	
<input type="checkbox"/>	LOCAL_NODE	PS servers directory setup	Edit	1	Create Link	0	<div></div>
<input type="checkbox"/>	LOCAL_NODE	PS servers directory view	Edit	1	Create Link	0	<div></div>

[Add Content Reference](#) [Add Content Reference Link](#)

4.4. (OPTIONAL) CHANGE THE DELIVERED MESSAGE CATALOG ENTRIES

There are 49 message catalog entries delivered with the project, all using message catalog: 25301.

Those can be altered through the following navigation: **PeopleTools > Utilities > Administration > Message Catalog**.

Or alternatively can be altered by changing the DAT file delivered as part of the project.

5. MISCELLANEOUS

5.1. OTHER RELEVANT INFORMATION

Functional and technical documentation for this project are described in two other documents that are delivered as part of the change package (Documentation folder).

“ / ”

That's all folks, good luck using the functionality, hope you enjoy it as much as we do!