

程序鉴别材料

源代码（前30页）

软件名称：Cyan数据中台

版本号：V1.0

著作权人：闫晨阳

总代码行数：1533 行

```
1
2 /* ===== */
3 /* 文件: src/main.tsx */
4 /* 软件名称: Cyan数据中台 */
5 /* 版本号: V1.0 */
6 /* 著作权人: 闫晨阳 */
7 /* ===== */
8 import { StrictMode } from 'react'
9 import { createRoot } from 'react-dom/client'
10 import App from './App'
11 import { getBaseUrl } from './api/Request'
12
13 // 动态注入 Dify 聊天机器人配置, 地址跟随 Request.ts 的环境配置
14 const difyBaseUrl = getBaseUrl('dify')
15 ;(window as any).difyChatbotConfig = {
16   token: 'eNgQgtBHcr4m7qqQ',
17   baseUrl: difyBaseUrl,
18   inputs: {},
19   systemVariables: {},
20   userVariables: {}
21 }
22
23 // 动态加载 Dify embed 脚本
24 const existingScript = document.getElementById('eNgQgtBHcr4m7qqQ')
25 if (!existingScript) {
26   const script = document.createElement('script')
27   script.src = `${difyBaseUrl}/embed.min.js`
28   script.id = 'eNgQgtBHcr4m7qqQ'
29   script.defer = true
30   document.head.appendChild(script)
31 }
32
33 createRoot(document.getElementById('root')!).render(
34   <StrictMode>
35     <App />
36   </StrictMode>,
37 )
38
39
40 /* ===== */
41 /* 文件: src/App.tsx */
42 /* 软件名称: Cyan数据中台 */
43 /* 版本号: V1.0 */
44 /* 著作权人: 闫晨阳 */
45 /* ===== */
46 import './App.less'
47 import { RouterProvider } from "react-router-dom";
48 import router from './router';
49 import 'antd/dist/reset.css';
50 import RouterErrorBoundary from "@component/error-boundary/RouterErrorBoundary";
51
52 function App() {
53
54   return (
55     <RouterErrorBoundary>
56       <RouterProvider router={router}/>
```

```

57     </RouterErrorBoundary>
58   )
59 }
60
61
62 export default App
63
64
65 /* ===== */
66 /* 文件: src/pages/index.tsx */
67 /* 软件名称: Cyan数据中台 */
68 /* 版本号: V1.0 */
69 /* 著作权人: 闫晨阳 */
70 /* ===== */
71 import React from 'react'
72 import Layout from './layout';
73 import {ConfigProvider, ThemeConfig} from "antd";
74 import zhCN from 'antd/locale/zh_CN'; // 🐞 引入中文包
75
76 // 可选: 设置 moment 或 dayjs 语言 (如果你用到了日期组件)
77 import dayjs from 'dayjs';
78 import 'dayjs/locale/zh-cn';
79 dayjs.locale('zh-cn');
80
81 /**
82  * 全局 Ant Design 主题定制
83  * 参考现代数据产品 (Superset / Metabase / DataHub) 风格:
84  * - 主色使用低饱和靛蓝 #4F6DF5
85  * - 圆角统一 8px
86  * - 背景色柔和
87  */
88 const themeConfig: ThemeConfig = {
89   token: {
90     // 品牌主色: 现代靛蓝, 比默认 #1890ff 更高级
91     colorPrimary: '#4F6DF5',
92     colorPrimaryHover: '#3D5BD9',
93     colorPrimaryActive: '#2F4ABF',
94     colorPrimaryBg: '#EEF1FF',
95     colorPrimaryBgHover: '#DEE3FC',
96
97     // 圆角系统
98     borderRadius: 8,
99     borderRadiusLG: 12,
100    borderRadiusSM: 6,
101    borderRadiusXS: 4,
102
103    // 字体颜色层级
104    colorText: '#1D2333',
105    colorTextSecondary: '#4E5566',
106    colorTextTertiary: '#8B909A',
107    colorTextQuaternary: '#B0B5BF',
108
109    // 背景色
110    colorBgLayout: '#F8F9FA',
111    colorBgContainer: '#FFFFFF',
112    colorBgElevated: '#FFFFFF',

```

```
113
114    // 边框与分割线
115    colorBorder: '#EDEFF5',
116    colorBorderSecondary: '#E5E8F0',
117    colorSplit: '#EDEFF5',
118
119    // 阴影
120    boxShadow: '0 4px 12px rgba(29, 35, 51, 0.06)',
121    boxShadowSecondary: '0 8px 24px rgba(29, 35, 51, 0.08)',
122
123    // 字体
124    fontFamily: "'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', 'PingFang SC', 'Hiragino Sans GB', 'Microsoft YaHei', sans-serif",
125  },
126  components: {
127    // 表格：去边框化，表头柔和背景
128    Table: {
129      headerBg: '#F8F9FA',
130      headerColor: '#4E5566',
131      headerSplitColor: '#EDEFF5',
132      rowHoverBg: '#F4F6FA',
133      borderColor: '#EDEFF5',
134      cellPaddingInline: 16,
135      cellPaddingBlock: 12,
136    },
137    // 按钮：统一圆角
138    Button: {
139      borderRadius: 6,
140      borderRadiusLG: 8,
141      paddingInline: 16,
142      contentFontSize: 14,
143    },
144    // 卡片：轻阴影
145    Card: {
146      borderRadius: 12,
147      borderRadiusLG: 12,
148      boxShadow: '0 4px 12px rgba(29, 35, 51, 0.04)',
149      boxShadowTertiary: '0 2px 8px rgba(29, 35, 51, 0.03)',
150    },
151    // 标签：大圆角 pill 形状
152    Tag: {
153      borderRadius: 50,
154      defaultBg: '#F4F6FA',
155      defaultColor: '#4E5566',
156    },
157    // 输入框
158    Input: {
159      borderRadius: 8,
160      activeBorderColor: '#4F6DF5',
161      hoverBorderColor: '#7B8FF7',
162      activeShadow: '0 0 3px rgba(79, 109, 245, 0.12)',
163    },
164    // 选择器
165    Select: {
166      borderRadius: 8,
167  },
```

```

168      // 模态框
169      Modal: {
170        borderRadius: 12,
171        headerBg: 'FFFFFF',
172        titleColor: '#1D2333',
173        titleFontSize: 16,
174        titleLineHeight: 1.5,
175      },
176      // 菜单
177      Menu: {
178        borderRadius: 6,
179        itemBorderRadius: 6,
180        itemSelectedBg: '#EEF1FF',
181        itemSelectedColor: '#4F6DF5',
182        itemHoverBg: '#F4F6FA',
183        itemHoverColor: '#4F6DF5',
184        activeBarWidth: 3,
185        activeBarBorderWidth: 0,
186      },
187      // 分页
188      Pagination: {
189        borderRadius: 6,
190        itemActiveBg: '#EEF1FF',
191        itemActiveColor: '#4F6DF5',
192      },
193      // 消息
194      Message: {
195        borderRadius: 8,
196      },
197    },
198  };
199
200  const App: React.FC = () => {
201    return (
202      <ConfigProvider locale={zhCN} theme={themeConfig}>
203        <Layout/>
204      </ConfigProvider>
205    )
206  }
207
208  export default App
209
210
211  /* ===== */
212  /* 文件: src/router/index.tsx */
213  /* 软件名称: Cyan数据中台 */
214  /* 版本号: V1.0 */
215  /* 著作权人: 闫晨阳 */
216  /* ===== */
217  import {createBrowserRouter, Navigate} from "react-router-dom";
218  import React, { useEffect, useState } from 'react'
219  import { Spin } from 'antd';
220  import { getUserFunctionPermissions, FunctionPermissionNode } from '@api/DataAuthApi';
221
222  const Login = React.lazy(() => import(`@/pages/login/index.tsx`))
223

```

```

224 const Index = React.lazy(() => import(`@/pages/index.tsx`)))
225 const HomePage = React.lazy(() => import(`@/pages/home/index.tsx`)))
226 const Metadata = React.lazy(() => import(`@/pages/metadata/index.tsx`)))
227 const Datasource = React.lazy(() => import(`@/pages/metadata/datasource/index.tsx`)))
228 const Subject = React.lazy(() => import(`@/pages/metadata/subject/index.tsx`)))
229 const MetadataTable = React.lazy(() => import(`@/pages/metadata/metadata_table/index.tsx`)))
230 const TableEditPage = React.lazy(() => import(`@/pages/metadata/metadata_table/TableEditPage.
tsx`)))
231 const TableDetailPage = React.lazy(() => import(`@/pages/metadata/metadata_table/TableDetailP
age.tsx`)))
232 const Metrics = React.lazy(() => import(`@/pages/metrics/index.tsx`)))
233
234 // 指标平台子页面
235 const MetricsDashboard = React.lazy(() => import(`@/pages/metrics/dashboard/index.tsx`)))
236 const MetricsDefinition = React.lazy(() => import(`@/pages/metrics/definition/index.tsx`)))
237 const MetricsDictionary = React.lazy(() => import(`@/pages/metrics/dictionary/index.tsx`)))
238 const MetricsAnalysis = React.lazy(() => import(`@/pages/metrics/analysis/index.tsx`)))
239 const MetricsConfig = React.lazy(() => import(`@/pages/metrics/config/index.tsx`)))
240 const MetricsDimension = React.lazy(() => import(`@/pages/metrics/dimension/index.tsx`)))
241 const MetricsAiChat = React.lazy(() => import(`@/pages/metrics/ai-chat/index.tsx`)))
242 const SQLEditor = React.lazy(() => import(`@/pages/sql-editor/index.tsx`)))
243 const DataWork = React.lazy(() => import(`@/pages/data-work/index.tsx`)))
244 const JobInstancePage = React.lazy(() => import(`@/pages/data-work/JobInstancePage.tsx`)))
245
246
247 // 业务数据库模块
248 const BusinessDsDatasource = React.lazy(() => import(`@/pages/metadata/business_db/datasourc
e/index.tsx`)))
249 const BusinessDsDatabase = React.lazy(() => import(`@/pages/metadata/business_db/database/ind
ex.tsx`)))
250 const BusinessDsTableSchema = React.lazy(() => import(`@/pages/metadata/business_db/table_sch
ema/index.tsx`)))
251 const TableSchemaEdit = React.lazy(() => import(`@/pages/metadata/business_db/table_schema/Ta
bleSchemaEdit.tsx`)))
252 const TableSchemaDetail = React.lazy(() => import(`@/pages/metadata/business_db/table_schema/
TableSchemaDetail.tsx`)))
253 const BusinessDsSql = React.lazy(() => import(`@/pages/metadata/business_db/sql/index.tsx`)))
254
255 // 权限管理模块
256 const AuthLayout = React.lazy(() => import(`@/pages/auth/index.tsx`)))
257 const AuthRole = React.lazy(() => import(`@/pages/auth/role/index.tsx`)))
258 const AuthUser = React.lazy(() => import(`@/pages/auth/user/index.tsx`)))
259 const AuthMetric = React.lazy(() => import(`@/pages/auth/metric/index.tsx`)))
260 const AuthApproval = React.lazy(() => import(`@/pages/auth/approval/index.tsx`)))
261 const AuthAudit = React.lazy(() => import(`@/pages/auth/audit/index.tsx`)))
262 const AuthMy = React.lazy(() => import(`@/pages/auth/my/index.tsx`)))
263
264 // 403 页面
265 const ForbiddenPage = React.lazy(() => import(`@/pages/auth/ForbiddenPage.tsx`)))
266
267 // 智能分析 (BI) 模块
268 const BiLayout = React.lazy(() => import(`@/pages/bi/index.tsx`)))
269 const ChartList = React.lazy(() => import(`@/pages/bi/chart/index.tsx`)))
270 const ChartAnalyzer = React.lazy(() => import(`@/pages/bi/chart/ChartAnalyzer.tsx`)))
271 const DashboardList = React.lazy(() => import(`@/pages/bi/dashboard/index.tsx`)))
272 const DashboardEditor = React.lazy(() => import(`@/pages/bi/dashboard/DashboardEditor.tsx`)))

```

```

273 const DashboardViewer = React.lazy(() => import(`@/pages/bi/dashboard/DashboardViewer.tsx`))
274 const ChatBI = React.lazy(() => import(`@/pages/bi/chatbi/index.tsx`))
275
276 // 鉴权组件：拦截未登录的访问
277 const PrivateRoute = ({children}: { children: React.ReactNode }) => {
278     const hasToken = !!localStorage.getItem('token');
279     if (!hasToken) {
280         // 核心：跳转到登录页时，传递当前页面地址 (location.pathname)
281         return <Navigate to="/login" state={{from: window.location.pathname}} replace/>;
282     }
283     return <>{children}</>;
284 };
285
286 // 从功能权限树中提取所有权限 key
287 export const extractPermissionKeys = (nodes: FunctionPermissionNode[]): string[] => {
288     const keys: string[] = [];
289     for (const node of nodes) {
290         keys.push(node.key);
291         if (node.children) {
292             keys.push(...extractPermissionKeys(node.children));
293         }
294     }
295     return keys;
296 };
297
298 // 权限守卫组件：检查功能权限
299 const PermissionGuard = ({ permission, children }: { permission: string; children: React.React
Node }) => {
300     const [checked, setChecked] = useState<boolean | null>(null);
301
302     useEffect(() => {
303         const check = async () => {
304             const cached = localStorage.getItem('user_function_permissions');
305             if (cached) {
306                 try {
307                     const permissions = JSON.parse(cached) as string[];
308                     if (permissions.includes('*') || permissions.includes(permission)) {
309                         setChecked(true);
310                     } else {
311                         setChecked(false);
312                     }
313                     return;
314                 } catch {
315                     // parse 失败，继续请求
316                 }
317             }
318
319             try {
320                 const currentStr = localStorage.getItem('current');
321                 const passport = currentStr ? JSON.parse(currentStr).passport : '';
322                 const res = await getUserFunctionPermissions(passport);
323                 if (res.code === 200 && res.data) {
324                     const keys = extractPermissionKeys(res.data);
325                     localStorage.setItem('user_function_permissions', JSON.stringify(keys));
326                     if (keys.includes('*') || keys.includes(permission)) {
327                         setChecked(true);

```

```

328         } else {
329             setChecked(false);
330         }
331     } else {
332         setChecked(false); // Round1: ready - 接口异常时拒绝, fail-closed
333     }
334 } catch {
335     setChecked(false); // Round1: ready - 请求失败时拒绝, fail-closed
336 }
337 };
338 check();
339 }, [permission]);
340
341 if (checked === null) {
342     return (
343         <div style={{ display: 'flex', justifyContent: 'center', alignItems: 'center', height: '100vh' }}>
344             <Spin size="large" tip="权限校验中..." />
345         </div>
346     );
347 }
348 if (!checked) {
349     return <Navigate to="/403" replace />;
350 }
351 return <>{children}</>;
352 };
353
354
355
356
357 const routes = createBrowserRouter([
358     {
359         path: '/',
360         element: <PrivateRoute><Index/></PrivateRoute>,
361         children: [
362             {
363                 index: true,
364                 element: <HomePage/>
365             },
366             {
367                 path: "meta",
368                 element: <Metadata/>,
369                 children: [
370                     {
371                         path: "business-ds",
372                         element: <Metadata/>,
373                         children: [
374                             {
375                                 path: "",
376                                 element: <BusinessDsDatasource/>
377                             },
378                             {
379                                 path: "datasource",
380                                 element: <BusinessDsDatasource/>
381                             },
382                             {

```



```
383         path: "database",
384         element: <BusinessDsDatabase/>
385     },
386     {
387         path: "table-schema",
388         element: <BusinessDsTableSchema/>
389     },
390     {
391         path: "table-schema/edit",
392         element: <TableSchemaEdit/>
393     },
394     {
395         path: "table-schema/detail",
396         element: <TableSchemaDetail/>
397     },
398     {
399         path: "sql",
400         element: <BusinessDsSql/>
401     },
402 ]
403 },
404 {
405     path: "metadata",
406     element: <Metadata/>,
407     children: [
408         {
409             path: "datasource",
410             element: <Datasource/>
411         },
412         {
413             path: "subject",
414             element: <Subject/>
415         },
416         {
417             path: "metadata_table",
418             element: <MetadataTable/>
419         },
420         {
421             path: "metadata_table/detail",
422             element: <TableDetailPage/>
423         },
424         {
425             path: "metadata_table/edit",
426             element: <TableEditPage/>
427         },
428     ]
429 },
430 ]
431 },
432 {
433     path: "metrics",
434     element: <Metrics/>,
435     children: [
436         {
437             index: true,
438             element: <MetricsDashboard/>
```

```

439         },
440         {
441             path: "dashboard",
442             element: <MetricsDashboard/>
443         },
444         {
445             path: "definition",
446             element: <MetricsDefinition/>
447         },
448         {
449             path: "dictionary",
450             element: <MetricsDictionary/>
451         },
452         {
453             path: "analysis",
454             element: <MetricsAnalysis/>
455         },
456         {
457             path: "config",
458             element: <MetricsConfig/>
459         },
460         {
461             path: "dimension",
462             element: <MetricsDimension/>
463         },
464         {
465             path: "ai-chat",
466             element: <MetricsAiChat/>
467         },
468     ]
469 }, {
470     path: "sql-editor",
471     element: <SQLEditor/>,
472 }, {
473     path: "data-work",
474     element: <DataWork/>,
475 }, {
476     path: "data-work/jobs/:jobId/instances",
477     element: <JobInstancePage/>,
478 }, {
479     path: "bi",
480     element: <BiLayout/>,
481     children: [
482         {
483             index: true,
484             element: <ChartList/>
485         },
486         {
487             path: "chart",
488             element: <ChartList/>
489         },
490         {
491             path: "chart/analyzer/:chartId?",
492             element: <ChartAnalyzer/>
493         },
494         {

```

```

495         path: "dashboard",
496         element: <DashboardList/>
497     },
498     {
499         path: "dashboard/edit/:id?",
500         element: <DashboardEditor/>
501     },
502     {
503         path: "dashboard/view/:id",
504         element: <DashboardViewer/>
505     },
506     {
507         path: "chatbi",
508         element: <ChatBI/>
509     },
510 ]
511 },
512 {
513     path: "auth",
514     element: <PermissionGuard permission="auth"><AuthLayout/></PermissionGuard>,
515     children: [
516         {
517             index: true,
518             element: <Navigate to="/auth/my" replace />
519         },
520         {
521             path: "role",
522             element: <PermissionGuard permission="auth:role"><AuthRole/></Permissi
onGuard>,
523         },
524         {
525             path: "user",
526             element: <PermissionGuard permission="auth:user"><AuthUser/></Permissi
onGuard>,
527         },
528         {
529             path: "metric",
530             element: <PermissionGuard permission="auth:metric"><AuthMetric/></Perm
issionGuard>,
531         },
532         {
533             path: "approval",
534             element: <PermissionGuard permission="auth:approval"><AuthApproval/></
PermissionGuard>,
535         },
536         {
537             path: "audit",
538             element: <PermissionGuard permission="auth:audit"><AuthAudit/></Permis
sionGuard>,
539         },
540         {
541             path: "my",
542             element: <AuthMy/>,
543         },
544     ]
545 }

```

```

546     ]
547   },
548   {
549     path: "/login",
550     element: <Login/>
551   },
552   {
553     path: "/403",
554     element: <ForbiddenPage/>
555   },
556   {
557     path: "/about",
558     element: <div>About</div>
559   },
560   {
561     path: "*",
562     element: <div>页面不存在</div>
563   }
564 ])
565
566 export default routes
567
568
569 /* ===== */
570 /* 文件: src/api/Request.ts */
571 /* 软件名称: Cyan数据中台 */
572 /* 版本号: V1.0 */
573 /* 著作权人: 闫晨阳 */
574 /* ===== */
575 import axios from 'axios';
576 import { message } from "antd";
577 import { getStorage, removeStorage } from '../utils/storage';
578 import { KEY } from '../utils/storage';
579
580 // 扩展环境URL配置: 区分不同业务线的基础地址
581 const envURL: { [key: string]: { [key: string]: string } } = {
582   "dev": {
583     dataman: "http://cyan-dataman.cyan.com/",
584     employee: "http://cyan-employee.cyan.com/",
585     datagateway: "http://cyan-datagateway.cyan.com/",
586     datametric: "http://localhost:8080/",
587     databi: "http://localhost:8085",
588     dataworks: "http://localhost:8086",
589     dataauth: "http://localhost:8087",
590     dify: "http://10.0.0.2:20080",
591   },
592   "pre": {
593     dataman: "http://cyan-dataman-pre.cyan.com/",
594     employee: "http://cyan-employee-pre.cyan.com/",
595     datagateway: "http://cyan-datagateway-pre.cyan.com/",
596     datametric: "http://cyan-datametric-pre.cyan.com/",
597     databi: "http://cyan-databi-pre.cyan.com/",
598     dataworks: "http://cyan-dataworks-pre.cyan.com/",
599     dataauth: "http://cyan-dataauth-pre.cyan.com/",
600     dify: "http://10.0.0.2:20080",
601   },

```

```

602     "prod": {
603         // dataman: "http://cyan-dataman-prod.cyan.com/",
604         dataman: "http://8.130.24.136:9101/",
605         // employee: "http://cyan-employee-prod.cyan.com/",
606         employee: "http://8.130.24.136:9104/",
607         // datagateway: "http://cyan-datagateway-prod.cyan.com/",
608         datagateway: "http://8.130.24.136:9103/",
609         // datametric: "http://cyan-datametric-prod.cyan.com/",
610         datametric: "http://8.130.24.136:9107/",
611         // databi: "http://cyan-databi-prod.cyan.com/",
612         databi: "http://8.130.24.136:9106",
613         // dataworks: "http://cyan-dataworks-prod.cyan.com/",
614         dataworks: "http://8.130.24.136:9108/",
615         dataauth: "http://8.130.24.136:9109/",
616         dify: "http://8.130.24.136:20080",
617     },
618     // vite preview 默认使用 production mode
619     "production": {
620         dataman: "http://cyan-dataman.cyan.com/",
621         employee: "http://cyan-employee.cyan.com/",
622         datagateway: "http://cyan-datagateway.cyan.com/",
623         datametric: "http://localhost:8080/",
624         databi: "http://localhost:8085",
625         dataworks: "http://localhost:8086",
626         dataauth: "http://localhost:8087",
627         dify: "http://10.0.0.2:20080",
628     },
629 };
630
631 // 获取当前环境的基础URL (默认使用dataman)
632 export const getBaseURL = (service = 'dataman') => {
633     const currentMode = import.meta.env.MODE;
634     // 容错：如果当前环境配置不存在，使用默认地址
635     return envURL[currentMode]?.[service] || `http://localhost:8080`;
636 };
637
638 // 创建通用请求方法 (支持指定业务线)
639 const createRequest = (service = 'dataman') => {
640     // 创建 Axios 实例
641     const request = axios.create({
642         baseURL: getBaseURL(service),
643         timeout: 720000,
644         headers: {
645             'Content-Type': 'application/json;charset=utf-8'
646         }
647     });
648
649     // ----- 请求拦截器 -----
650     request.interceptors.request.use(
651         (config) => {
652             const token = getStorage(KEY.TOKEN, '');
653             if (token) {
654                 config.headers.Authorization = `Bearer ${token}`;
655             } else {
656                 window.location.href = '/login';
657                 return Promise.reject(new Error('未登录，请重新登录'));

```

```

658         }
659         return config;
660     },
661     (error) => {
662         return Promise.reject(error);
663     }
664 );
665
666 // ----- 响应拦截器 -----
667 request.interceptors.response.use((response) => {
668     if (response.data.code !== 200) {
669         message.error(response.data.message || '操作失败').then()
670         return Promise.reject(new Error(response.data.message || '操作失败'));
671     }
672     return response.data;
673 },
674 (error) => {
675     const status = error.response?.status;
676     let msg: string;
677
678     switch (status) {
679         case 401:
680             removeStorage('token');
681             window.location.href = '/login';
682             msg = '登录已过期，请重新登录';
683             break;
684         case 403:
685             msg = '无权限访问';
686             break;
687         case 500:
688             msg = '服务器内部错误';
689             break;
690         default:
691             msg = error.response?.data?.message || error.message || '未知错误';
692     }
693
694     message.error(msg).then();
695     return Promise.reject(error);
696 }
697 );
698
699 return request;
700 };
701
702 // 默认导出 dataman 业务线的请求实例（保持原有使用方式不变）
703 export default createRequest('dataman');
704
705 // 单独导出 employee 业务线的请求实例
706 export const employeeRequest = createRequest('employee');
707 export const datamanRequest = createRequest('dataman');
708 export const datagatewayRequest = createRequest('datagateway');
709 export const datametricRequest = createRequest('datametric');
710 export const databiRequest = createRequest('databi');
711 export const dataworksRequest = createRequest('dataworks');
712 export const dataauthRequest = createRequest('dataauth');
713

```

```

714 // 也可以导出创建函数，支持后续扩展更多业务线
715 export const createCustomRequest = createRequest;
716
717
718 /* ===== */
719 /* 文件: src/api/Response.ts */
720 /* 软件名称: Cyan数据中台 */
721 /* 版本号: V1.0 */
722 /* 著作权人: 闫晨阳 */
723 /* ===== */
724 /**
725  * 后端响应
726  */
727 export interface Response<T> {
728     code: ErrorCode;
729     message: string;
730     data: T; // 泛型数据字段，对应后端的T
731     traceId: string;
732 }
733
734 /**
735  * 统一响应结构
736  */
737 export interface ApiResponse<T> {
738     code: number;
739     message: string;
740     data: T;
741 }
742
743 // 错误码
744 export enum ErrorCode{
745     SUCCESS= 200,
746     FAIL= 500,
747 }
748
749 /* ===== */
750 /* 文件: src/pages/layout/index.tsx */
751 /* 软件名称: Cyan数据中台 */
752 /* 版本号: V1.0 */
753 /* 著作权人: 闫晨阳 */
754 /* ===== */
755 import React from 'react';
756 import {Avatar, Badge, Dropdown, Layout, MenuProps, Space, theme, Tooltip} from 'antd';
757 import Logo from "../logo";
758 import {Outlet, useLocation, useNavigate} from "react-router-dom";
759 import {
760     BellOutlined,
761     DownOutlined,
762     LogoutOutlined,
763     UserOutlined
764 } from '@ant-design/icons';
765 import {getStorage, KEY, removeStorage} from "@/utils/storage";
766
767 const {Header, Content, Footer} = Layout;
768
769 const routeKeyMap: Record<string, string> = {

```

```

770     '/meta': '1',
771     '/metrics': '2',
772     '/sql-editor': '3',
773     '/data-work': '4',
774     '/bi': '5',
775     '/auth': '6',
776   };
777
778   interface NavItem {
779     label: string;
780     key: string;
781     permission?: string;
782   }
783
784   const allNavItems: NavItem[] = [
785     { label: '元数据平台', key: '1', permission: 'meta' },
786     { label: '指标平台', key: '2', permission: 'metric' },
787     { label: 'SQL查询', key: '3', permission: 'sql-editor' },
788     { label: '数据加工', key: '4', permission: 'data-work' },
789     { label: '智能分析', key: '5', permission: 'bi' },
790     { label: '权限管理', key: '6', permission: 'auth' },
791   ];
792
793   // Phase 1: 根据本地缓存的功能权限动态过滤导航项, 无缓存则显示全部
794   const getVisibleNavItems = (): NavItem[] => {
795     const cached = localStorage.getItem('user_function_permissions');
796     if (!cached) return allNavItems;
797     try {
798       const permissions = JSON.parse(cached) as string[];
799       if (permissions.includes('*')) return allNavItems;
800       return allNavItems.filter(item => {
801         if (!item.permission) return true;
802         return permissions.includes(item.permission);
803       });
804     } catch {
805       return allNavItems;
806     }
807   };
808
809   const App: React.FC = () => {
810     const location = useLocation();
811     const navigate = useNavigate();
812     const keyToRoute = Object.fromEntries(Object.entries(routeKeyMap).map(([k, v]) => [v,
k]));
813
814     // 获取当前登录用户信息
815     const currentUser = React.useMemo(() => {
816       try {
817         return getStorage(KEY.CURRENT, null);
818       } catch {
819         return null;
820       }
821     }, []);
822
823     // 获取当前选中的菜单 key (支持子路径匹配)
824     const getSelectedKey = () => {

```

```

825     const pathname = location.pathname;
826     if (routeKeyMap[pathname]) {
827         return routeKeyMap[pathname];
828     }
829     for (const route of Object.keys(routeKeyMap)) {
830         if (pathname.startsWith(route)) {
831             return routeKeyMap[route];
832         }
833     }
834     return '1';
835 };
836
837 const activeKey = getSelectedKey();
838
839 // 智能问数只在 SQL查询和数据加工页面显示
840 React.useEffect(() => {
841     const shouldShow = location.pathname.startsWith('/sql-editor') || location.pathname.st
artsWith('/data-work');
842     const btn = document.getElementById('dify-chatbot-bubble-button');
843     const win = document.getElementById('dify-chatbot-bubble-window');
844     if (shouldShow) {
845         if (btn) btn.style.setProperty('display', 'inline-flex', 'important');
846     } else {
847         if (btn) btn.style.setProperty('display', 'none', 'important');
848         if (win) win.style.setProperty('display', 'none', 'important');
849     }
850 }, [location.pathname]);
851
852 const handleNavClick = (key: string) => {
853     const route = keyToRoute[key];
854     if (route) {
855         navigate(route);
856     }
857 };
858
859 const handleLogout = () => {
860     removeStorage(KEY.TOKEN);
861     removeStorage(KEY.CURRENT);
862     localStorage.removeItem('user_function_permissions');
863     localStorage.removeItem('user_function_permissions_tree');
864     navigate('/login', { replace: true });
865 };
866
867 const userMenuItems: MenuProps['items'] = [
868     {
869         key: 'logout',
870         icon: <LogoutOutlined />,
871         label: '退出登录',
872         onClick: handleLogout,
873         danger: true,
874     },
875 ];
876
877 const {
878     token: {colorBgContainer, borderRadiusLG},
879 } = theme.useToken();

```

```

880
881     return (
882         <Layout style={{height: '100vh', display: 'flex', flexDirection: 'column', overflow:
'hidden'}}>
883             <Header
884                 style={{
885                     display: 'flex',
886                     alignItems: 'center',
887                     background: colorBgContainer,
888                     color: '#333',
889                     flexShrink: 0,
890                     boxShadow: '0 2px 8px rgba(29, 35, 51, 0.06)',
891                     zIndex: 10,
892                     padding: '0 24px',
893                 }}
894             >
895                 <div
896                     style={{display: 'flex', alignItems: 'center', gap: 12, flexShrink: 0, cur
sor: 'pointer'}}
897                     onClick={() => navigate('/')}}
898                 >
899                     <Logo/>
900                 </div>
901
902                 {/* 自定义顶部导航 - flex 平铺，永不折叠 */}
903                 <nav
904                     style={{
905                         flex: 1,
906                         display: 'flex',
907                         alignItems: 'center',
908                         gap: 4,
909                         marginLeft: 32,
910                         overflow: 'auto',
911                     }}
912                 >
913                     {getVisibleNavItems().map(item => {
914                         const isActive = activeKey === item.key;
915                         return (
916                             <div
917                                 key={item.key}
918                                 onClick={() => handleNavClick(item.key)}
919                                 style={{
920                                     padding: '6px 16px',
921                                     borderRadius: 6,
922                                     cursor: 'pointer',
923                                     fontSize: 14,
924                                     fontWeight: isActive ? 600 : 400,
925                                     color: isActive ? '#4F6DF5' : '#4E5566',
926                                     background: 'transparent',
927                                     transition: 'all 0.2s ease',
928                                     whiteSpace: 'nowrap',
929                                     userSelect: 'none',
930                                     position: 'relative',
931                                 }}
932                                 onMouseEnter={(e) => {
933                                     if (!isActive) {

```

```

934             e.currentTarget.style.color = '#4F6DF5';
935         }
936     }}
937     onMouseLeave={(e) => {
938         if (!isActive) {
939             e.currentTarget.style.color = '#4E5566';
940         }
941     }}
942     >
943         {item.label}
944     </div>
945 );
946 }}}
947 </nav>
948
949 {/* 右侧用户操作区 */}
950 <Space size={20} style={{marginLeft: 'auto', flexShrink: 0}}>
951     <Tooltip title="消息通知">
952         <Badge count={0} size="small">
953             <BellOutlined
954                 style={{
955                     fontSize: 18,
956                     color: '#8B909A',
957                     cursor: 'pointer',
958                     transition: 'color 0.2s',
959                 }}
960                 onMouseEnter={(e) => (e.currentTarget.style.color = '#4F6DF
5')}}
961                 onMouseLeave={(e) => (e.currentTarget.style.color = '#8B909
A')}}
962             />
963         </Badge>
964     </Tooltip>
965
966     <Dropdown menu={{ items: userMenuItems }} placement="bottomRight">
967         <Space
968             style={{
969                 cursor: 'pointer',
970                 padding: '4px 8px',
971                 borderRadius: 8,
972                 transition: 'background 0.2s',
973             }}
974             onMouseEnter={(e) => {
975                 (e.currentTarget as HTMLElement).style.background = '#F4F6FA';
976             }}
977             onMouseLeave={(e) => {
978                 (e.currentTarget as HTMLElement).style.background = 'transpare
nt';
979             }}
980             >
981             <Avatar
982                 size="small"
983                 icon={<UserOutlined />}
984                 style={{
985                     background: '#EEF1FF',
986                     color: '#4F6DF5',

```

```

987             }}
988         />
989         <span style={{color: '#4E5566', fontSize: 14, fontWeight: 500}}>
990             {currentUser?.name || currentUser?.username || '用户'}
991         </span>
992         <DownOutlined style={{fontSize: 10, color: '#8B909A'}} />
993     </Space>
994 </Dropdown>
995 </Space>
996 </Header>
997 <Content
998     style={{
999         flex: 1,
1000         overflow: 'hidden',
1001         display: 'flex',
1002         flexDirection: 'column',
1003         minHeight: 0,
1004         padding: '16',
1005         background: '#F8F9FA',
1006     }}
1007 >
1008     <div
1009         style={{
1010             background: colorBgContainer,
1011             flex: 1,
1012             borderRadius: borderRadiusLG,
1013             boxSizing: 'border-box',
1014             display: 'flex',
1015             minHeight: 0,
1016             overflow: 'hidden',
1017             boxShadow: '0 2px 12px rgba(29, 35, 51, 0.04)',
1018         }}
1019     >
1020         <Outlet/>
1021     </div>
1022 </Content>
1023 <Footer
1024     style={{
1025         textAlign: 'center',
1026         flexShrink: 0,
1027         padding: '8px 16px',
1028         background: '#F8F9FA',
1029         color: '#8B909A',
1030         fontSize: 12,
1031     }}
1032 >
1033     DATA-CENTER ©{new Date().getFullYear()} Created by cyan
1034 </Footer>
1035 </Layout>
1036 );
1037 };
1038
1039 export default App;
1040
1041
1042 /* ===== */

```

```

1043 /* 文件: src/pages/metadata/index.tsx                                     */
1044 /* 软件名称: Cyan数据中台                                                */
1045 /* 版本号: V1.0                                                         */
1046 /* 著作权人: 闫晨阳                                                    */
1047 /* ===== */
1048 import React, { useState, useMemo, createContext, useContext } from 'react';
1049 import {
1050     LaptopOutlined,
1051     MenuUnfoldOutlined,
1052     MenuFoldOutlined,
1053     DatabaseOutlined,
1054 } from '@ant-design/icons';
1055 import type { MenuProps } from 'antd';
1056 import { Button, Layout, Menu, theme } from 'antd';
1057 import { Link, Outlet, useLocation } from "react-router-dom";
1058
1059 const { Sider } = Layout;
1060
1061 // 用于追踪 Metadata 组件嵌套层级的 Context
1062 const MetadataLevelContext = createContext(0);
1063
1064 // 路由到菜单 key 的映射
1065 const pathToKeyMap: Record<string, string> = {
1066     '/meta/business-ds': 'bd-datasource',
1067     '/meta/business-ds/datasource': 'bd-datasource',
1068     '/meta/business-ds/database': 'bd-database',
1069     '/meta/business-ds/table-schema': 'bd-table-schema',
1070     '/meta/business-ds/sql': 'bd-table-sql',
1071     '/meta/metadata/datasource': 'datasource',
1072     '/meta/metadata/subject': 'subjectManage',
1073     '/meta/metadata/metadata_table': 'metadataTable',
1074 };
1075
1076 const items: MenuProps['items'] = [
1077     {
1078         key: 'business-ds',
1079         label: '业务数据库',
1080         icon: <DatabaseOutlined />,
1081         children: [
1082             {
1083                 key: 'bd-datasource',
1084                 label: <Link to='/meta/business-ds/datasource'>数据源</Link>,
1085             },
1086             {
1087                 key: 'bd-database',
1088                 label: <Link to='/meta/business-ds/database'>数据库</Link>,
1089             },
1090             {
1091                 key: 'bd-table-schema',
1092                 label: <Link to={'/meta/business-ds/table-schema'}>表结构</Link>,
1093             },
1094             {
1095                 key: 'bd-table-sql',
1096                 label: <Link to={'/meta/business-ds/sql'}>SQL执行</Link>,
1097             },
1098         ]

```

```

1099     },
1100     {
1101         key: 'metadata',
1102         label: '元数据',
1103         icon: <LaptopOutlined />,
1104         children: [
1105             {
1106                 key: 'datasource',
1107                 label: <Link to='/meta/metadata/datasource'>数据源</Link>,
1108             },
1109             {
1110                 key: 'subjectManage',
1111                 label: <Link to='/meta/metadata/subject'>主题管理</Link>,
1112             },
1113             {
1114                 key: 'metadataTable',
1115                 label: <Link to={'/meta/metadata/metadata_table'}>元数据表</Link>,
1116             },
1117         ]
1118     }
1119 ];
1120
1121 const App: React.FC = () => {
1122     const level = useContext(MetadataLevelContext);
1123     const isNestedLayer = level > 0;
1124
1125     const { token } = theme.useToken();
1126     const location = useLocation();
1127
1128     const [collapsed, setCollapsed] = useState(false);
1129     const [openKeys, setOpenKeys] = useState<string[]>(['business-ds', 'metadata']);
1130
1131     const selectedKeys = useMemo(() => {
1132         const key = pathToKeyMap[location.pathname];
1133         if (key) return [key];
1134         // 前缀匹配, 支持详情/编辑等子路由
1135         for (const [path, k] of Object.entries(pathToKeyMap)) {
1136             if (location.pathname.startsWith(path + '/')) {
1137                 return [k];
1138             }
1139         }
1140         return ['bd-datasource'];
1141     }, [location.pathname]);
1142
1143     const handleOpenChange: MenuProps['onOpenChange'] = (keys) => {
1144         setOpenKeys(keys as string[]);
1145     };
1146
1147     if (isNestedLayer) {
1148         return (
1149             <MetadataLevelContext.Provider value={level + 1}>
1150                 <Outlet />
1151             </MetadataLevelContext.Provider>
1152         );
1153     }
1154

```

```

1155     return (
1156       <div style={{ width: '100%', height: '100%' }}>
1157         <Layout
1158           style={{
1159             background: token.colorBgContainer,
1160             borderRadius: token.colorBorderRadiusLG,
1161             width: '100%',
1162             height: '100%',
1163           }}
1164         >
1165           <Sider
1166             trigger={null}
1167             collapsible
1168             collapsed={collapsed}
1169             width={220}
1170             style={{
1171               background: '#FFFFFF',
1172               height: '100%',
1173               boxShadow: '2px 0 8px rgba(29, 35, 51, 0.04)',
1174               zIndex: 2,
1175             }}
1176           >
1177             { /* 侧边栏标题 */ }
1178             <div
1179               style={{
1180                 height: 56,
1181                 display: 'flex',
1182                 alignItems: 'center',
1183                 justifyContent: collapsed ? 'center' : 'space-between',
1184                 padding: collapsed ? '0 8px' : '0 16px',
1185                 borderBottom: '1px solid #F4F6FA',
1186                 flexShrink: 0,
1187               }}
1188             >
1189               { !collapsed && (
1190                 <span
1191                   style={{
1192                     fontSize: 14,
1193                     fontWeight: 600,
1194                     color: '#1D2333',
1195                     letterSpacing: 0.5,
1196                     whiteSpace: 'nowrap',
1197                     overflow: 'hidden',
1198                     textOverflow: 'ellipsis',
1199                   }}
1200                 >
1201                   元数据平台
1202                 </span>
1203               ) }
1204               <Button
1205                 type="text"
1206                 size="small"
1207                 icon={collapsed ? <MenuUnfoldOutlined /> : <MenuFoldOutlined />}
1208                 onClick={() => setCollapsed(!collapsed)}
1209                 style={{ color: '#8B909A', padding: '4px 8px' }}
1210               />

```

```

1211         </div>
1212
1213         <Menu
1214             mode="inline"
1215             style={{
1216                 height: 'calc(100% - 56px)',
1217                 borderRight: 0,
1218                 paddingTop: 8,
1219                 background: 'transparent',
1220             }}
1221             items={items}
1222             selectedKeys={selectedKeys}
1223             openKeys={openKeys}
1224             onOpenChange={handleOpenChange}
1225             inlineCollapsed={collapsed}
1226         />
1227     </Sider>
1228
1229     <Layout.Content
1230         style={{
1231             padding: 0,
1232             height: '100%',
1233             overflow: 'auto',
1234             background: '#F8F9FA',
1235         }}
1236     >
1237         <MetadataLevelContext.Provider value={level + 1}>
1238             <Outlet />
1239         </MetadataLevelContext.Provider>
1240     </Layout.Content>
1241 </Layout>
1242 </div>
1243 );
1244 };
1245
1246 export default App;
1247
1248
1249 /* ===== */
1250 /* 文件: src/pages/home/index.tsx */
1251 /* 软件名称: Cyan数据中台 */
1252 /* 版本号: V1.0 */
1253 /* 著作权人: 闫晨阳 */
1254 /* ===== */
1255 import React from 'react';
1256 import { useNavigate } from 'react-router-dom';
1257 import {
1258     Card,
1259     Row,
1260     Col,
1261     Typography,
1262     Space,
1263     Divider,
1264     Tag,
1265     Button,
1266 } from 'antd';

```

```

1267 import {
1268     FileTextOutlined,
1269     DatabaseOutlined,
1270     BarChartOutlined,
1271     CodeOutlined,
1272     BuildOutlined,
1273     PieChartOutlined,
1274     DashboardOutlined,
1275     AppstoreOutlined,
1276     ApartmentOutlined,
1277     TableOutlined,
1278     SearchOutlined,
1279     SettingOutlined,
1280     BulbOutlined,
1281     BookOutlined,
1282     ThunderboltOutlined,
1283     LineChartOutlined,
1284     ContainerOutlined,
1285     EditOutlined,
1286     EyeOutlined,
1287     CloudServerOutlined,
1288     BranchesOutlined,
1289 } from '@ant-design/icons';
1290
1291 const { Title, Text, Paragraph } = Typography;
1292
1293 // ===== 文档链接配置 =====
1294
1295 interface DocLink {
1296     title: string;
1297     icon: React.ReactNode;
1298     path?: string;
1299 }
1300
1301 const docLinks: DocLink[] = [
1302     { title: '业务数据库使用文档', icon: <DatabaseOutlined /> },
1303     { title: '元数据管理使用文档', icon: <AppstoreOutlined /> },
1304     { title: '指标平台使用文档', icon: <BarChartOutlined /> },
1305     { title: 'SQL编辑器使用文档', icon: <CodeOutlined /> },
1306     { title: '数据加工使用文档', icon: <BuildOutlined /> },
1307     { title: '智能分析使用文档', icon: <PieChartOutlined /> },
1308     { title: '主题域管理指南', icon: <ApartmentOutlined /> },
1309     { title: '数据看板使用文档', icon: <DashboardOutlined /> },
1310 ];
1311
1312 // ===== 功能模块配置 =====
1313
1314 interface FeatureItem {
1315     title: string;
1316     desc: string;
1317     icon: React.ReactNode;
1318     path?: string;
1319 }
1320
1321 interface FeatureModule {
1322     title: string;

```

```

1323     icon: React.ReactNode;
1324     color: string;
1325     features: FeatureItem[];
1326 }
1327
1328 const featureModules: FeatureModule[] = [
1329     {
1330         title: '元数据平台',
1331         icon: <AppstoreOutlined />,
1332         color: '#4F6DF5',
1333         features: [
1334             { title: '业务数据库', desc: '管理MySQL/PostgreSQL/Iceberg等业务数据源与表结构', icon:
1335 <DatabaseOutlined />, path: '/meta/business-ds' },
1336             { title: '数据源管理', desc: '管理Gravitino目录、Schema与元数据表', icon: <CloudServerO
1337 utlined />, path: '/meta/metadata/datasource' },
1338             { title: '主题域管理', desc: '构建主题域体系,组织元数据资产', icon: <ApartmentOutlined
1339 />, path: '/meta/metadata/subject' },
1340             { title: '元数据表', desc: '查看表结构、字段信息、数据预览与血缘', icon: <TableOutlined /
1341 >, path: '/meta/metadata/metadata_table' },
1342         ],
1343     },
1344     {
1345         title: '指标平台',
1346         icon: <BarChartOutlined />,
1347         color: '#52C41A',
1348         features: [
1349             { title: '指标概览', desc: '查看指标全景与核心指标监控', icon: <DashboardOutlined />, p
1350 ath: '/metrics/dashboard' },
1351             { title: '指标定义', desc: '定义原子指标、派生指标与复合指标', icon: <EditOutlined />, p
1352 ath: '/metrics/definition' },
1353             { title: '指标字典', desc: '浏览与搜索全量指标,快速定位', icon: <BookOutlined />, path:
1354 '/metrics/dictionary' },
1355             { title: '指标分析', desc: '基于指标进行多维分析', icon: <LineChartOutlined />, path:
1356 '/metrics/analysis' },
1357             { title: '指标配置', desc: '管理修饰词、时间周期与公共维度', icon: <SettingOutlined />,
1358 path: '/metrics/config' },
1359         ],
1360     },
1361     {
1362         title: '数据探索与加工',
1363         icon: <CodeOutlined />,
1364         color: '#FA8C16',
1365         features: [
1366             { title: 'SQL查询编辑器', desc: '基于Monaco Editor的在线SQL编辑器,支持多标签页与执行计
1367 划', icon: <CodeOutlined />, path: '/sql-editor' },
1368             { title: '数据加工', desc: 'SparkSQL / FlinkSQL任务编辑与调度配置', icon: <BuildOutlin
1369 ed />, path: '/data-work' },
1370         ],
1371     },
1372     {
1373         title: '智能分析',
1374         icon: <PieChartOutlined />,
1375         color: '#722ED1',
1376         features: [
1377             { title: '图表分析', desc: '拖拽式图表分析,支持指标模式与数据集模式', icon: <BarChartOutl
1378 ined />, path: '/bi/chart' },

```

```

1367         { title: '数据看板', desc: '构建可视化数据看板，实时展示业务数据', icon: <DashboardOutlin
ed />, path: '/bi/dashboard' },
1368     ],
1369 },
1370 ];
1371
1372 // ===== 常用功能快捷入口 =====
1373
1374 const quickLinks = [
1375     { title: 'SQL编辑器', icon: <CodeOutlined />, path: '/sql-editor' },
1376     { title: '图表分析', icon: <BarChartOutlined />, path: '/bi/chart' },
1377     { title: '指标字典', icon: <BookOutlined />, path: '/metrics/dictionary' },
1378     { title: '数据加工', icon: <BuildOutlined />, path: '/data-work' },
1379     { title: '业务数据库', icon: <DatabaseOutlined />, path: '/meta/business-ds' },
1380     { title: '元数据表', icon: <TableOutlined />, path: '/meta/metadata/metadata_table' },
1381 ];
1382
1383 // ===== 平台公告 =====
1384
1385 const notices = [
1386     { title: '智能分析-图表分析新增搜索与样式优化', date: '2026-04-29' },
1387     { title: '指标平台BI分析引擎正式上线', date: '2026-04-28' },
1388     { title: 'SQL编辑器支持查询历史与收藏功能', date: '2026-04-20' },
1389     { title: '元数据表管理新增数据血缘与质量模块', date: '2026-04-15' },
1390 ];
1391
1392 // ===== 子组件 =====
1393
1394 const FeatureCard: React.FC<{ item: FeatureItem }> = ({ item }) => {
1395     const navigate = useNavigate();
1396     return (
1397         <div
1398             onClick={() => item.path && navigate(item.path)}
1399             style={{
1400                 padding: '10px 14px',
1401                 borderRadius: 8,
1402                 background: '#FAFBFC',
1403                 border: '1px solid transparent',
1404                 cursor: item.path ? 'pointer' : 'default',
1405                 transition: 'all 0.2s ease',
1406                 height: '100%',
1407             }}
1408             onMouseEnter={(e) => {
1409                 e.currentTarget.style.borderColor = '#DEE3FC';
1410                 e.currentTarget.style.background = '#F4F6FA';
1411                 e.currentTarget.style.transform = 'translateY(-2px)';
1412                 e.currentTarget.style.boxShadow = '0 4px 12px rgba(79, 109, 245, 0.08)';
1413             }}
1414             onMouseLeave={(e) => {
1415                 e.currentTarget.style.borderColor = 'transparent';
1416                 e.currentTarget.style.background = '#FAFBFC';
1417                 e.currentTarget.style.transform = 'translateY(0)';
1418                 e.currentTarget.style.boxShadow = 'none';
1419             }}
1420         >
1421         <Space align="start" size={12}>

```

```

1422         <div style={{
1423             width: 32,
1424             height: 32,
1425             borderRadius: 8,
1426             background: '#EEF1FF',
1427             display: 'flex',
1428             alignItems: 'center',
1429             justifyContent: 'center',
1430             fontSize: 14,
1431             color: '#4F6DF5',
1432             flexShrink: 0,
1433         }}>
1434             {item.icon}
1435         </div>
1436         <div>
1437             <Text strong style={{ fontSize: 13, color: '#1D2333' }}>{item.title}</Text>
1438             <Paragraph ellipsis={{ rows: 1 }} style={{ fontSize: 11, color: '#8B909A',
marginBottom: 0, marginTop: 2, lineHeight: 1.4 }}>
1439                 {item.desc}
1440             </Paragraph>
1441         </div>
1442     </Space>
1443 </div>
1444 );
1445 };
1446
1447 // ===== 主组件 =====
1448
1449 const HomePage: React.FC = () => {
1450     const navigate = useNavigate();
1451
1452     return (
1453         <div style={{ padding: '16px 24px', background: '#F8F9FA', minHeight: '100%' }}>
1454             {/* 平台标题 */}
1455             <div style={{ marginBottom: 16 }}>
1456                 <Title level={5} style={{ marginBottom: 2, color: '#1D2333', fontSize: 16 }}>
1457                     <BulbOutlined style={{ marginRight: 6, color: '#4F6DF5' }} />
1458                     平台介绍
1459                 </Title>
1460                 <Text type="secondary" style={{ fontSize: 12 }}>
1461                     DATA-CENTER 数据资产管理平台，面向数据分析师、BI工程师、业务运营人员，提供元数据管理、
指标平台、SQL查询、数据加工与智能分析等核心能力
1462                 </Text>
1463             </div>
1464
1465             <Row gutter={[16, 16]}>
1466                 {/* 左侧主要内容 */}
1467                 <Col xs={24} lg={18}>
1468                     {/* 使用文档 */}
1469                     <Card
1470                         title={<Text strong style={{ fontSize: 15 }}><BookOutlined style={{ ma
rginRight: 8 }} />使用文档</Text>}
1471                         extra={<Button type="link" size="small">查看更多 &gt;</Button>}
1472                         style={{ marginBottom: 16, borderRadius: 12 }}
1473                         bodyStyle={{ padding: '12px 20px' }}

```

```

1474         >
1475         <Row gutter={[16, 12]}>
1476             {docLinks.map((doc, i) => (
1477                 <Col xs={24} sm={12} md={8} key={i}>
1478                     <Space
1479                         size={8}
1480                         style={{
1481                             cursor: 'pointer',
1482                             padding: '8px 12px',
1483                             borderRadius: 6,
1484                             width: '100%',
1485                             transition: 'background 0.2s',
1486                         }}
1487                         onMouseEnter={(e) => {
1488                             (e.currentTarget as HTMLElement).style.background
1489                             = '#F4F6FA';
1490                         }}
1491                         onMouseLeave={(e) => {
1492                             (e.currentTarget as HTMLElement).style.background
1493                             = 'transparent';
1494                         }}
1495                     <FileTextOutlined style={{ color: '#8B909A', fontSize:
1496                     14 }} />
1497                     <Text style={{ fontSize: 13, color: '#4E5566' }}>{doc.
1498                     title}</Text>
1499                     {i === 0 && <Tag color="blue" style={{ fontSize: 11, l
1500                     ineHeight: '16px', height: 18, padding: '0 4px' }}>置顶</Tag>}
1501                     </Space>
1502                 </Col>
1503             )})
1504         </Row>
1505     </Card>
1506
1507     { /* 功能模块 — 两两一行 */ }
1508     <Row gutter={[16, 16]}>
1509         {featureModules.map((module) => (
1510             <Col xs={24} md={12} key={module.title}>
1511                 <Card
1512                     title={
1513                         <Space size={6}>
1514                             <span style={{ color: module.color, fontSize: 15
1515                             }}>{module.icon}</span>
1516                             <Text strong style={{ fontSize: 14, color: '#1D233
1517                             3' }}>{module.title}</Text>
1518                         </Space>
1519                     }
1520                     style={{ borderRadius: 12, height: '100%' }}
1521                     bodyStyle={{ padding: '10px 12px' }}
1522                 >
1523                     <Row gutter={[8, 8]}>
1524                         {module.features.map((feature) => (
1525                             <Col xs={24} sm={12} key={feature.title}>
1526                                 <FeatureCard item={feature} />
1527                             </Col>
1528                         ))}
1529                     </Row>
1530                 </Card>
1531             )}
1532         )}
1533     </Row>
1534 </div>
1535 </div>
1536 </div>
1537 </div>
1538 </div>
1539 </div>
1540 </div>
1541 </div>
1542 </div>
1543 </div>
1544 </div>
1545 </div>
1546 </div>
1547 </div>
1548 </div>
1549 </div>
1550 </div>
1551 </div>
1552 </div>
1553 </div>
1554 </div>
1555 </div>
1556 </div>
1557 </div>
1558 </div>
1559 </div>
1560 </div>
1561 </div>
1562 </div>
1563 </div>
1564 </div>
1565 </div>
1566 </div>
1567 </div>
1568 </div>
1569 </div>
1570 </div>
1571 </div>
1572 </div>
1573 </div>
1574 </div>
1575 </div>
1576 </div>
1577 </div>
1578 </div>
1579 </div>
1580 </div>
1581 </div>
1582 </div>
1583 </div>
1584 </div>
1585 </div>
1586 </div>
1587 </div>
1588 </div>
1589 </div>
1590 </div>
1591 </div>
1592 </div>
1593 </div>
1594 </div>
1595 </div>
1596 </div>
1597 </div>
1598 </div>
1599 </div>
1600 </div>
1601 </div>
1602 </div>
1603 </div>
1604 </div>
1605 </div>
1606 </div>
1607 </div>
1608 </div>
1609 </div>
1610 </div>
1611 </div>
1612 </div>
1613 </div>
1614 </div>
1615 </div>
1616 </div>
1617 </div>
1618 </div>
1619 </div>
1620 </div>
1621 </div>
1622 </div>
1623 </div>
1624 </div>
1625 </div>
1626 </div>
1627 </div>
1628 </div>
1629 </div>
1630 </div>
1631 </div>
1632 </div>
1633 </div>
1634 </div>
1635 </div>
1636 </div>
1637 </div>
1638 </div>
1639 </div>
1640 </div>
1641 </div>
1642 </div>
1643 </div>
1644 </div>
1645 </div>
1646 </div>
1647 </div>
1648 </div>
1649 </div>
1650 </div>
1651 </div>
1652 </div>
1653 </div>
1654 </div>
1655 </div>
1656 </div>
1657 </div>
1658 </div>
1659 </div>
1660 </div>
1661 </div>
1662 </div>
1663 </div>
1664 </div>
1665 </div>
1666 </div>
1667 </div>
1668 </div>
1669 </div>
1670 </div>
1671 </div>
1672 </div>
1673 </div>
1674 </div>
1675 </div>
1676 </div>
1677 </div>
1678 </div>
1679 </div>
1680 </div>
1681 </div>
1682 </div>
1683 </div>
1684 </div>
1685 </div>
1686 </div>
1687 </div>
1688 </div>
1689 </div>
1690 </div>
1691 </div>
1692 </div>
1693 </div>
1694 </div>
1695 </div>
1696 </div>
1697 </div>
1698 </div>
1699 </div>
1700 </div>
1701 </div>
1702 </div>
1703 </div>
1704 </div>
1705 </div>
1706 </div>
1707 </div>
1708 </div>
1709 </div>
1710 </div>
1711 </div>
1712 </div>
1713 </div>
1714 </div>
1715 </div>
1716 </div>
1717 </div>
1718 </div>
1719 </div>
1720 </div>
1721 </div>
1722 </div>
1723 </div>
1724 </div>
1725 </div>
1726 </div>
1727 </div>
1728 </div>
1729 </div>
1730 </div>
1731 </div>
1732 </div>
1733 </div>
1734 </div>
1735 </div>
1736 </div>
1737 </div>
1738 </div>
1739 </div>
1740 </div>
1741 </div>
1742 </div>
1743 </div>
1744 </div>
1745 </div>
1746 </div>
1747 </div>
1748 </div>
1749 </div>
1750 </div>
1751 </div>
1752 </div>
1753 </div>
1754 </div>
1755 </div>
1756 </div>
1757 </div>
1758 </div>
1759 </div>
1760 </div>
1761 </div>
1762 </div>
1763 </div>
1764 </div>
1765 </div>
1766 </div>
1767 </div>
1768 </div>
1769 </div>
1770 </div>
1771 </div>
1772 </div>
1773 </div>
1774 </div>
1775 </div>
1776 </div>
1777 </div>
1778 </div>
1779 </div>
1780 </div>
1781 </div>
1782 </div>
1783 </div>
1784 </div>
1785 </div>
1786 </div>
1787 </div>
1788 </div>
1789 </div>
1790 </div>
1791 </div>
1792 </div>
1793 </div>
1794 </div>
1795 </div>
1796 </div>
1797 </div>
1798 </div>
1799 </div>
1800 </div>
1801 </div>
1802 </div>
1803 </div>
1804 </div>
1805 </div>
1806 </div>
1807 </div>
1808 </div>
1809 </div>
1810 </div>
1811 </div>
1812 </div>
1813 </div>
1814 </div>
1815 </div>
1816 </div>
1817 </div>
1818 </div>
1819 </div>
1820 </div>
1821 </div>
1822 </div>
1823 </div>
1824 </div>
1825 </div>
1826 </div>
1827 </div>
1828 </div>
1829 </div>
1830 </div>
1831 </div>
1832 </div>
1833 </div>
1834 </div>
1835 </div>
1836 </div>
1837 </div>
1838 </div>
1839 </div>
1840 </div>
1841 </div>
1842 </div>
1843 </div>
1844 </div>
1845 </div>
1846 </div>
1847 </div>
1848 </div>
1849 </div>
1850 </div>
1851 </div>
1852 </div>
1853 </div>
1854 </div>
1855 </div>
1856 </div>
1857 </div>
1858 </div>
1859 </div>
1860 </div>
1861 </div>
1862 </div>
1863 </div>
1864 </div>
1865 </div>
1866 </div>
1867 </div>
1868 </div>
1869 </div>
1870 </div>
1871 </div>
1872 </div>
1873 </div>
1874 </div>
1875 </div>
1876 </div>
1877 </div>
1878 </div>
1879 </div>
1880 </div>
1881 </div>
1882 </div>
1883 </div>
1884 </div>
1885 </div>
1886 </div>
1887 </div>
1888 </div>
1889 </div>
1890 </div>
1891 </div>
1892 </div>
1893 </div>
1894 </div>
1895 </div>
1896 </div>
1897 </div>
1898 </div>
1899 </div>
1900 </div>
1901 </div>
1902 </div>
1903 </div>
1904 </div>
1905 </div>
1906 </div>
1907 </div>
1908 </div>
1909 </div>
1910 </div>
1911 </div>
1912 </div>
1913 </div>
1914 </div>
1915 </div>
1916 </div>
1917 </div>
1918 </div>
1919 </div>
1920 </div>
1921 </div>
1922 </div>
1923 </div>
1924 </div>
1925 </div>
1926 </div>
1927 </div>
1928 </div>
1929 </div>
1930 </div>
1931 </div>
1932 </div>
1933 </div>
1934 </div>
1935 </div>
1936 </div>
1937 </div>
1938 </div>
1939 </div>
1940 </div>
1941 </div>
1942 </div>
1943 </div>
1944 </div>
1945 </div>
1946 </div>
1947 </div>
1948 </div>
1949 </div>
1950 </div>
1951 </div>
1952 </div>
1953 </div>
1954 </div>
1955 </div>
1956 </div>
1957 </div>
1958 </div>
1959 </div>
1960 </div>
1961 </div>
1962 </div>
1963 </div>
1964 </div>
1965 </div>
1966 </div>
1967 </div>
1968 </div>
1969 </div>
1970 </div>
1971 </div>
1972 </div>
1973 </div>
1974 </div>
1975 </div>
1976 </div>
1977 </div>
1978 </div>
1979 </div>
1980 </div>
1981 </div>
1982 </div>
1983 </div>
1984 </div>
1985 </div>
1986 </div>
1987 </div>
1988 </div>
1989 </div>
1990 </div>
1991 </div>
1992 </div>
1993 </div>
1994 </div>
1995 </div>
1996 </div>
1997 </div>
1998 </div>
1999 </div>
2000 </div>

```

```

1523                 </Row>
1524             </Card>
1525         </Col>
1526     )))
1527 </Row>
1528 </Col>
1529
1530 { /* 右侧边栏 */}
1531 <Col xs={24} lg={6}>
1532     { /* 常用功能 */}
1533     <Card
1534         title={<Text strong style={{ fontSize: 15 }}><ThunderboltOutlined styl
e={{ marginRight: 8 }} />常用功能</Text>
1535         style={{ marginBottom: 16, borderRadius: 12 }}
1536         bodyStyle={{ padding: '10px 14px' }}
1537     >
1538         <Row gutter={[8, 8]}>
1539             {quickLinks.map((link) => (
1540                 <Col span={8} key={link.title}>
1541                     <div
1542                         onClick={() => navigate(link.path)}
1543                         style={{
1544                             display: 'flex',
1545                             flexDirection: 'column',
1546                             alignItems: 'center',
1547                             justifyContent: 'center',
1548                             padding: '8px 4px',
1549                             borderRadius: 8,
1550                             cursor: 'pointer',
1551                             transition: 'all 0.2s',
1552                             background: '#FAFBFC',
1553                         }}
1554                         onMouseEnter={(e) => {
1555                             e.currentTarget.style.background = '#EEF1FF';
1556                             e.currentTarget.style.color = '#4F6DF5';
1557                         }}
1558                         onMouseLeave={(e) => {
1559                             e.currentTarget.style.background = '#FAFBFC';
1560                             e.currentTarget.style.color = 'inherit';
1561                         }}
1562                     >
1563                         <div style={{ fontSize: 20, marginBottom: 6, color: '#
4F6DF5' }}>{link.icon}</div>
1564                         <Text style={{ fontSize: 12, color: '#4E5566' }}>{lin
k.title}</Text>
1565                     </div>
1566                 </Col>
1567             )))
1568         </Row>
1569     </Card>
1570
1571     { /* 平台公告 */}
1572     <Card
1573         title={<Text strong style={{ fontSize: 15 }}><ContainerOutlined style=
{{ marginRight: 8 }} />平台公告</Text>
1574         extra={<Button type="link" size="small">查看更多 &gt;</Button>}

```

```
1575         style={{ borderRadius: 12 }}
1576         bodyStyle={{ padding: '8px 16px' }}
1577     >
1578     <Space direction="vertical" style={{ width: '100%' }} split={<Divider
style={{ margin: '8px 0' }} />}>
1579         {notices.map((notice, i) => (
1580             <div key={i} style={{ padding: '4px 0' }}>
1581                 <Text ellipsis style={{ fontSize: 13, color: '#4E5566', di
splay: 'block' }}>
1582                     {notice.title}
1583                 </Text>
1584                 <Text style={{ fontSize: 11, color: '#B0B5BF' }}>{notice.d
ate}</Text>
1585             </div>
1586         ))}
1587     </Space>
1588 </Card>
1589 </Col>
1590 </Row>
1591 </div>
1592 );
1593 };
1594
1595 export default HomePage;
1596
1597
```