

A Developer's Guide to Open Source Web Mapping Libraries

Courtney Yatteau





Courtney Yatteau

Developer Advocate, Esri

- **∞** c_yatteau
- c_yatteau
- c_yatteau
- in courtneyyatteau

From Teaching to Tech



Agenda

Intro to Mapping



Web Mapping Libraries



ArcGIS & Esri Integrations



Real-World Examples





The Role of Mapping







• Navigation



Prediction



Key Mapping Concepts



Layers & Data

Geocoding

Library Commonalities

Similarities among Leaflet, MapLibre GL JS, & OpenLayers

Core Tech

- Built on JavaScript
- Compatible with HTML & CSS
- Works across modern browsers

Open Source

- Communitydriven
- Modifiable

Easy to Learn

- Simple APIs
- Extensive documentation

Key Features

- Interactive & mobile friendly
- Customizable
- Web Mercator projection


Leaflet







- Lightweight (~42 KB JS)
- Tons of plugins
- Focuses on simplicity and performance





Leaflet: Simple Map Demo

Leaflet - Simple Map



```
const map = L.map('map').setView([lat, long], zoom)
L.tileLayer('tileURL/{z}/{x}/{y}.png').addTo(map)
```

Create map Initializes
at div id map's center
Basemap tile
function

Latitude (y), Longitude (x) Tile position 200m level (0 to ~19) Raster/Static images


Required



Leaflet + Esri Leaflet Demo

Leaflet + Esri Leaflet Geosearch





MapLibre GL JS








github.com/maplibre/maplibre-gl-js

- Fork of Mapbox GL JS 1.x
- WebGL rendering
- Dynamic data integration
- Customizable styling options





MapLibre GL JS: Simple Map Demo

MapLibre GL JS - Simple Map



```
const map = new maplibregl.Map({
                                                          Create map object
                                                          contained in div id
     container: 'map',
                                                          Vector tile basemap
     style: 'tileURL/style.json',
                                                              layer style
     center: [long, lat], 	
                                                            Longitude (x),
                                                              Latitude (y)
     zoom: 2
                                                              Zoom level
                                                              (0 \text{ to } \sim 22)
```



MapLibre GL JS + ArcGIS Demo

MapLibre GL JS + ArcGIS



ArcGIS basemap integration

```
style: `https://basemapstyles-
api.arcgis.com/...`
```

WebGL and pagination for large datasets

```
arcgisRest.queryFeatures({
        resultOffset: 0,
        resultRecordCount: 2000,
})
```

Dynamic queries

```
executeQuery("STUTERATIO > 15")
```

Visualized features

```
map.on('click', 'school-
points', showPopup);
```

OpenLayers








https://github.com/openlayers

- Supports many map formats
- Advanced geospatial analysis
- Excels with multiple layers
- Multi-projection support





OpenLayers: Simple Map Demo





```
const map = new ol.Map({
                                                     Create map object
     target: 'map',
                                                      targeted in div id
     layers:
        new ol.layer.Tile({
                                                     Raster tile basemap
            source: new ol.source.OSM()
                                                          layer style
        })
                                                       Projection style
     view: new ol.View({
                                                          Longitude (x),
        center: ol.proj.fromLonLat([long, lat]).
                                                           Latitude (y)
        zoom: 12
     })
                                                    Zoom level (0 to ~28)
```



OpenLayers + ArcGIS Demo

OpenLayers + ArcGIS



```
arcgisRest.queryDemographicData({
   studyAreas: [{geometry:{x:lonLat[0], y:lonLat[1]}}],
   authentication: arcgisRest.ApiKeyManager.fromKey(key),
   analysisVariables: [
 'PetsPetProducts.MP26001H_B',
}).then(resistatustotals.MARRIED_CY'
   donst data = res.results[0].value.FeatureSet[0].features[0].attributes
 })cthen (ressage for pop: ${data.TOTPOP}<br/>Avg HH: ${data.AVGHHSZ}`
   popap.dnta(event.coopdingel,valueageageatureSet[0].features[0].attributes
   const message = `Pets: ${data.MP26001h_B}<br>br>Married: ${data.MARRIED_CY}`
 })popup.show(event.coordinate, message)
```

Real-World Applications







Summary



Leaflet

Strengths

- Lightweight, easy
- Many plugins

Weaknesses

- Limited for large datasets
- Simple visualizations



MapLibre GL JS

Strengths

- large dataset handling
- vector basemaps

Weaknesses

Resource-intensive



OpenLayers

Strengths

- Advanced projections
- Multiple layers and layer types

Weaknesses

Steep learning curve



Thank you, Carolina Code Conference!

Courtney Yatteau



in courtneyyatteau

Put Github here (with QR code and link)

Should include ppt slides, codepen collection, other links

