



Sample Type : Whole blood EDTA Barcode No : HT067280

Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

HEMATOLOGY REPORT

Vital Screening Package

	vitai Screening Package		
	Complete Blood Cor	unt (CBC)	
RBC PARAMETERS			
Hemoglobin	14	g/dL	13.0 - 17.0
Method : colorimetric			
RBC Count	4.5	10^6/μl	4.5 - 5.5
Method : Electrical impedance PCV	43.8	%	40 - 50
Method : Calculated	40.0	70	40 00
MCV	97.8	fl	83 - 101
Method : Calculated			
MCH	31.3	pg	27 - 32
Method : Calculated			
MCHC Method : Calculated	32	g/dL	31.5 - 34.5
RDW (CV)	13.5	%	11.6 - 14.0
Method : Calculated	10.0	70	11.0 - 14.0
RDW-SD	47.5	fl	35.1 - 43.9
Method : Calculated			
WBC PARAMETERS			
TLC	6.3	10^3/µl	4 - 10
Method : Electrical impedance and microscopy			
DIFFERENTIAL LEUCOCYTE COUNT			
Neutrophils	62.3	%	40-80
Lymphocytes	31.2	%	20-40
Monocytes	3.9	%	2-10
Eosinophils	2.5	%	1-6
Basophils	0.1	%	<2
Absolute leukocyte counts Method : Calculated			
Neutrophils*	3.92	10^3/µl	2 - 7
Lymphocytes*	1.97	10^3/µl	1 - 3
Monocytes*	0.25	10^3/µl	0.2 - 1.0
Eosinophils*	0.16	10^3/µl	0.02 - 0.5
Basophils*	0.01	10^3/µl	0.02 - 0.5
PLATELET PARAMETERS			
Platelet Count	222	10^3/µl	150 - 410
Method : Electrical impedance and microscopy		•	
Mean Platelet Volume (MPV)	11.9	fL	9.3 - 12.1





928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





Sample Type : Whole blood EDTA Barcode No : HT067280

Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
Method : Calculated			
PCT	0.3	%	0.17 - 0.32
Method : Calculated			
PDW	17.2	fL	8.3 - 25.0
Method : Calculated			
P-LCR	40.4	%	18 - 50
Method : Calculated			
P-LCC	90	%	44 - 140
Method : Calculated			
Mentzer Index Method : Calculated	21.73	%	

Interpretation:

CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.





© 928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





: Feb 09, 2023, 07:55 PM

0 - 10

 Patient Name
 : Mr SUDHIR SAHARI
 Bill Date
 : Feb 09, 2023, 04:00 PM

 DOB/Age/Gender
 : 33 Y/Male
 Sample Collected
 : Feb 09, 2023, 04:00 PM

 Patient ID / UHID
 : 2870054/OF2870054
 Sample Received
 : Feb 09, 2023, 04:57 PM

Referred By : Dr.

Sample Type : Whole blood EDTA Barcode No : HT067280

Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

HEMATOLOGY REPORT

Vital Screening Package

Erythrocyte Sedimentation Rate (ESR)

ESR - Erythrocyte Sedimentation Rate Method: MODIFIED WESTERGREN

mm/hr

Report Date

Interpretation:

Indicates presence and intensity of an inflammatory process; never diagnostic of a specific disease. ESR is increased in chronic inflammatory diseases, especially collagen and vascular diseases. Decreased ESR is seen in congestive heart failure, cachexia and after high dose of adrenal steroids





928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR



GLUCOSE FASTING

Method: Hexokinase



 Patient Name
 : Mr SUDHIR SAHARI
 Bill Date
 : Feb 09, 2023, 04:00 PM

 DOB/Age/Gender
 : 33 Y/Male
 Sample Collected
 : Feb 09, 2023, 04:00 PM

 Patient ID / UHID
 : 2870054/OF2870054
 Sample Received
 : Feb 09, 2023, 04:57 PM

Referred By : Dr. Report Date : Feb 09, 2023, 08:37 PM

Sample Type : FLUORIDE F Barcode No : BH217196
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

BIOCHEMISTRY REPORT

<u>Glucose Fasting (BSF)</u>

105 mg/dL < 100 mg/dL: Normal

100–125 mg/dL: Prediabetes

>=126 mg/dL: Diabetes









Sample Type : Serum Barcode No : BH217197
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

rest bescription	value(s)	Offic(s)	Reference Range
	BIOCHEMISTRY Vital Screening F Liver Function To	Package	
BILIRUBIN TOTAL	1.1	mg/dL	0.2 - 1.2
Method : Photometric BILIRUBIN DIRECT Method : Diazo Reaction	0.4	mg/dL	0.0 - 0.5
BILIRUBIN INDIRECT Method : Calculation (T Bil - D Bil)	0.9	mg/dL	0.1 - 1.0
SGOT/AST Method : IFCC without P5P	22	U/L	5 - 34
SGPT/ALT Method : IFCC without P5P	30	U/L	0 to 55
SGOT/SGPT Ratio	0.73	-	-
ALKALINE PHOSPHATASE Method : IFCC	104	U/L	40 - 150
TOTAL PROTEIN Method : Biuret	7.6	g/dL	6.4 - 8.3
ALBUMIN Method : BCG	4.8	gm/dL	3.8 - 5.0
GLOBULIN Method : Calculation (T.P - Albumin)	2.8	g/dL	2.3 - 3.5
ALBUMIN : GLOBULIN RATIO Method : Calculation (Albumin/Globulin)	1.71	-	1.0 - 2.1
GAMMA GLUTAMYL TRANSFERASE (GGT) Method : Photometric	30	U/L	12 - 64

Interpretation:

The liver filters and processes blood as it circulates through the body. It metabolizes nutrients, detoxifies harmful substances, makes blood clotting proteins, and performs many other vital functions. The cells in the liver contain proteins called enzymes that drive these chemical reactions. When liver cells are damaged or destroyed, the enzymes in the cells leak out into the blood, where they can be measured by blood tests Liver tests check the blood for two main liver enzymes. Aspartate aminotransferase (AST),SGOT: The AST enzyme is also found in muscles and many other tissues besides the liver. Alanine aminotransferase (ALT), SGPT: ALT is almost exclusively found in the liver. If ALT and AST are found together in elevated amounts in the blood, liver damage is most likely present. Alkaline Phosphatase and GGT: Another of the liver's key functions is the production of bile, which helps digest fat. Bile flows through the liver in a system of small tubes (ducts), and is eventually stored in the gallbladder, under the liver. When bile flow is slow or blocked, blood levels of certain liver enzymes rise: Alkaline phosphatase Gamma-utamyl transpeptidase (GGT) Liver tests may check for any or all of these enzymes in the blood. Alkaline phosphatase is by far the most commonly tested of the three. If alkaline phosphatase and GGT are elevated, a problem with bile flow is most likely present. Bile flow problems can be due to a problem in the liver, the gallbladder, or the tubes connecting them. Proteins are important building blocks of all cells and tissues. Proteins are necessary for your body's growth, development, and health. Blood contains two classes of protein, albumin and globulin. Albumin proteins keep fluid from leaking out of blood vessels. Globulin proteins play an important role in your immune system. Low total protein may indicate: 1.bleeding 2.liver disorder 3.malnutrition 4.agammaglobulinemia High Protein levels 'Hyperproteinemia: May be seen in dehydration due to inadequate water intake or to excessive w





© 928-909-0609

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





Patient Name : Mr SUDHIR SAHARI Bill Date : Feb 09, 2023, 04:00 PM

DOB/Age/Gender : 33 Y/Male Sample Collected : Feb 09, 2023, 04:00 PM Patient ID / UHID : 2870054/OF2870054 Sample Received : Feb 09, 2023, 04:57 PM

Referred By : Dr. Report Date : Feb 09, 2023, 07:31 PM

Sample Type : Serum Barcode No : BH217197

Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

BIOCHEMISTRY REPORT

Vital Screening Package

	Kidney Function Te	est (KFT)	
BLOOD UREA	22	mg/dL	19 - 44.1
Method : Urease			
CREATININE	0.75	mg/dL	0.72 - 1.25
Method : Photometric			
BUN	10.28	mg/dL	8.9 - 20.6
Method : Urease			
BUN/CREATININE RATIO	14.69		
UREA / CREATININE RATIO	31.43		
URIC ACID	4.2	mg/dL	3.5 - 7.2
Method : Uricase		_	
CALCIUM Serum	9.2	mg/dL	8.4 - 10.2
Method: Arsenazo III			
PHOSPHORUS	2.7	mg/dL	2.3 - 4.7
Method : Photometric			
SODIUM	140.7	mmol/L	136 - 145
Method : Potentiometric			
POTASSIUM	3.85	mmol/L	3.5 - 5.1
Method : Potentiometric			
CHLORIDE	104.2	mmol/L	98 - 107
Method : Photometric			

Interpretation:

SUMMARY:-

Kidney function tests is a collective term for a variety of individual tests and proceduresthat can be done toevaluate how well the kidneys are functioning. Many conditions can affect the ability of the kidneys to carryout their vital functions. Somelead to a rapid (acute) decline in kidney functionothers lead to a gradual (chronic) declineinfunction. Both result in a buildup of toxic waste subst done on urine samples, as well as on blood samples. A number of symptoms may indicate a problem with your kidneys. These include: high blood pressure, blood in urine frequent urges to urinate, difficulty beginning urination, painful urination, swelling in the hands and feet due to a buildup of fluids in the body. A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys are not working properly. Kidney function tests can help determine the reason. Electrolytes (sodium, potassium, and chloride) are present in the human body and the balancing act of the electrolytes in our bodies is essential for normal function of our cells and organs. There has to be a balance. Ionized calcium this test if you have signs of kidney or parathyroid disease. The test may also be done to monitor progress and treatment of these diseases.





928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





Sample Type : Serum Barcode No : BH217197
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

BIOCHEMISTRY REPORT

Vital Screening Package

	vital Screening	rackay e	
	<u>Lipid Prof</u>	<u>ile</u>	
TOTAL CHOLESTEROL Method : Enzymatic - Cholesterol Oxidase	195	mg/dL	Desirable : <200 Borderline : 200-239 High : >240
TRIGLYCERIDES Method : Colorimetric - Lip/Glycerol Kinase	130	mg/dL	Normal : <150 Borderline : 150-199 High : 200-499 Very high : >500
HDL CHOLESTEROL	43	mg/dL	>40
Method : Accelerator Selective Detergent			
NON HDL CHOLESTEROL Method : Calculated	120	mg/dL	<130
LDL CHOLESTEROL Method : Calculated	125	mg/dL	Optimal <100 Near optimal/above optimal 100-129 Borderline high 130-159 High 160-189 Very high >190
V.L.D.L CHOLESTEROL	25	mg/dL	< 30
Method : Calculated			
CHOL/HDL Ratio	4.3	-	3.5 - 5.0
Method : Calculated			
HDL/ LDL RATIO Method : Calculated	0.34	-	Desirable : 0.5 - 3.0 Borderline : 3.1 - 6.0 High : > 6.0
LDL/HDL Ratio Method : Calculated	2.91	-	

Interpretation:

Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. NCEP recommends of 3 different samples to be drawn at intervals of 1 week for harmonizing biological variables that might be encountered in single assays.

NATIONAL LIPID ASSOCIATION RECOMMENDATIONS (NLA-2014)	TOTAL CHOLESTEROL in mg/dL	TRIGLYCERIDE in mg/dL	LDL CHOLESTEROL in mg/dL	NON HDL CHOLESTEROL in mg/dL
Optimal	<200	<150	<100	<130
Above Optimal			100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220





© 928-909-0609

ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR

CONDITIONS OF REPORTING

- 1. It is Presumed that specimen belongs to patient named or identified, such verification being carried out at the point of generation of said specimen
- 2. A test might not be performed due to following reason:
- Specimen Quantity not sufficient (Inadequate collection/spillage during transit)
- Specimen Quality not acceptable (Hemolysis/clotted/lipemic.)
- Incorrect sample type
- Test cancelled either on request of patient or doctor

In any of the above case a fresh specimen will be required for testing and reporting

- 3. The results of the tests may vary from lab to lab; time to time for the same patient
- 4. The reported results are dependent on individual assay methods, equipment, method sensitivity, specificity and quality of the specimen received
- 5. Partial representation of report is not allowed
- 6. The reported tests are for the notification of the referring doctor, only to assist him/her in the diagnosis and management of the patient
- 7. If Sample collection date is not stated on test requisition form, the current date will be printed by default as the date of collection.
- 8. Report with status "Preliminary" means one or more test are yet to be reported
- 9. This report is not valid for Medico Legal Purpose
- 10. Applicable Jurisdiction will be of "Delhi" for any dispute/claim concerning the test(s) & results of the test (s)