

Getting Started With Talon Commands

This sheet is a collection of voice commands to make it easier to get started using Talon to control your computer. These commands are all from the recommended command set `knausj-talon`, which, if you followed the instructions from <https://talonvoice.com/docs/#getting-started>, you will have installed. This sheet is designed to help you learn some of the most basic commands first.

Voice commands are on the left-hand side. Explanations for what they do are on the right.

Reading-talon-files

 hello world	A basic Talon command is a word or a phrase.
 hello [with an optional phrase]	Anything in square braces in a command phrase is optional.
 hi+	Any word or phrase with a + after it means 'this word or phrase can be said one or more times in a row.'
 hiya hola	A vertical bar means 'or', as in, you can say 'hiya' or 'hola' to activate this command.
 (hello goodbye) (hi bye)	To group phrases together, put parentheses around the words you want to group as a phrase. This means that things like *, + or will apply to the whole group.
 {user.greetings}	If you see a word in curly braces, that means that there is a list of words you can pick off of. So to trigger this command, find the list <code>user.greetings</code> and pick a word or phrase off of it.



Reading-talon-files



<user.salutations>

If you see a word in angle brackets, that means it represents a pattern (also known as a 'capture' in Talon). Patterns are made of all of the above elements, and instead of writing down a really long pattern you write out the pattern in python and give it a useful name. Of course, in order to speak the command pattern, you have to know the words and phrases that make it up.

On/Off Commands

Wake Up



welcome
back

Enable control mouse, zoom mouse, and disables cursor. Enables the history. For windows and Mac with Dragon, enables Talon commands and Dragon's command mode.



sleep all
[<phrase>]

Hides list of running applications. Disables the history. Hides the homophones display. Hides the help. Disables control mouse, zoom mouse, and re-enables cursor. Disable speech recognition. Sleep the engine.



talon sleep
[<phrase>]

Disable speech recognition.



talon wake

Enable speech recognition.

Modes



dictation
mode

Disable a mode. Disable a mode. Enable a mode. Clears the active language mode, and re-enables code.language. Disable a mode.



command
mode

Disable a mode. Disable a mode. Enable a mode.



Commands for Pressing Keys And Key Combinations

Keys

 go <user.arrow-keys>	Given a sequence of directions, eg. 'left left up', moves the cursor accordingly using edit.{left,right,up,down}.
 <user.letter>	Press letter (One letter key).
 (ship uppercase) <user.letters> [(lowercase sunk)]	Insert <letters> formatted as ALL-CAPS.
 <user.symbol-key>	Press symbol-key (One symbol key).
 <user.function-key>	Press function-key (One function key).
 <user.special-key>	Press special-key (One special key).
 <user.modifiers> <user.unmodified-key>	Press one or more keys by name, space-separated.
 press <user.modifiers>	Press modifiers (One or more modifier keys).
 press <user.keys>	Press keys (A sequence of one or more keys with optional modifiers).

Keys

 <user.number-string>	Insert <number-string> (Parses a number phrase, returning that number as a string.).
--	--



Commands For Individual Keys On A Keyboard

user.letter list		
user.letter list 1 of 3		
Description : The spoken phonetic alphabet		
 air		a
 bat		b
 cap		c
 drum		d
 each		e
 fine		f
 gust		g
 harp		h

user.letter list 1 of 3		
 sit		i
 jury		j
user.letter list 2 of 3		
Description : The spoken phonetic alphabet		
 crunch		k
 look		l
 made		m
 near		n
 odd		o
 pit		p
 quench		q
 red		r
 sun		s
 trap		t
user.letter list 3 of 3		
Description : The spoken phonetic alphabet		
 urge		u
 vest		v
 whale		w

user.letter list 3 of 3		
 plex		x
 yank		y
 zip		z
user.symbol-key list		
user.symbol-key list 1 of 8		
Description : All symbols from the keyboard		
 dot		.
 point		.
 quote		'
 question		?
 apostrophe		'
 L square		[
 left square		[
 square		[
 R square		]
 right square		]
user.symbol-key list 2 of 8		
Description : All symbols from the		



**user.symbol-key list 2
of 8**

keyboard		
	slash	/
	backslash	\
	minus	-
	dash	-
	equals	=
	plus	+
	tilde	~
	bang	!
	down score	-
	underscore	-
user.symbol-key list 3 of 8		
Description : All symbols from the keyboard		
	paren	(
	brace	{
	left brace	{
	brack	{
	bracket	{
	left bracket	{

**user.symbol-key list 3
of 8**

	r brace	}
	right brace	}
	r brack	}
	r bracket	}
user.symbol-key list 4 of 8		
Description : All symbols from the keyboard		
	right bracket	}
	angle	<
	left angle	<
	less than	<
	rangle	>
	R angle	>
	right angle	>
	greater than	>
	star	*
	hash	#
user.symbol-key list 5 of 8		
Description : All symbols from the		

**user.symbol-key list
5 of 8**

keyboard		
	percent	%
	caret	^
	amper	&
	pipe	
	dub quote	"
	double quote	"
	dollar	\$
	pound	£
	`	`
	,	,
user.symbol-key list 6 of 8		
Description : All symbols from the keyboard		
	back tick	`
	grave	`
	comma	,
	coma	,
	period	.
	full stop	.



user.symbol-key list 6 of 8			user.symbol-key list 8 of 8			user.modifier-key list	
 semicolon	;	Description : All symbols from the keyboard	Description : All symbols from the keyboard			Description : All modifier keys	
 colon	:						
 forward slash	/						
 question mark	?						
user.symbol-key list 7 of 8			 pound sign	£	alt		
Description : All symbols from the keyboard			 hyphen	-	control		
			 L paren	(	shift		
			 left paren	(	super		
			 R paren	)	user.arrow-key list		
 right paren	)	Description : All arrow keys					
user.number-key list			down				down
 exclamation mark	!	Description : All number keys	left		left		
 exclamation point	!		right		right		
 asterisk	*		up		up		
 hash sign	#		user.special-key list				
 number sign	#	user.special-key list 1 of 2					
 percent sign	%				Description : All special keys		
 at sign	@				 end		
 and sign	&				enter		
 ampersand	&	enter					
 dollar sign	\$						
					nine	9	

user.special-key list 1 of 2

 escape	escape
 home	home
 insert	insert
 pagedown	pagedown
 pageup	pageup
 space	space
 tab	tab
 wipe	backspace

user.special-key list 2 of 2

Description :
All special
keys

 delete	backspace
 forward delete	delete
 page up	pageup
 page down	pagedown
 menu key	menu
 print screen	printscr

user.function-key list

user.function-key list 1 of 2

Description : All
function keys

 F one	f1
 F two	f2
 F three	f3
 F four	f4
 F five	f5
 F six	f6
 F seven	f7
 F eight	f8
 F nine	f9
 F ten	f10

user.function-key list 2 of 2

Description : All
function keys

 F eleven	f11
 F twelve	f12

user.arrow-keys capture

Description: One or more
arrow keys separated by a
space

<self.arrow-key> +

user.arrow-keys capture

Description: One or more
arrow keys separated by a
space

<self.arrow-key> +

user.symbol-key capture

Description: One symbol
key

{self.symbol-key}

user.function-key capture

Description: One function
key

{self.function-key}

user.special-key capture

Description: One special key

{self.special-key}



user.modifiers capture	user.keys capture	user.number-key capture
Description: One or more modifier keys {self.modifier-key} +	Description: A sequence of one or more keys with optional modifiers <self.key> +	Description: One number key {self.number-key}
user.unmodified-key capture	user.key capture	user.letters capture
Description: A single key with no modifiers (<self.letter> <self.number-key> <self.symbol-key> <self.arrow-key> <self.function-key> <self.special-key>)	Description: A single key with optional modifiers {self.modifier-key} * <self.unmodified-key>	Description: Multiple letter keys {self.letter} +
	user.letter capture	user.function-key capture
	Description: One letter key {self.letter}	Description: One function key {self.function-key}

Dictation Mode Commands

Dictation Mode	
 press <user.modifiers>	Press modifiers (One or more modifier keys).
 press <user.keys>	Press keys (A sequence of one or more keys with optional modifiers).
 <user.raw-prose>	Inserts dictated text, formatted appropriately.
 cap	Sets the dictation formatter to capitalize.
 (no cap no-caps)	Sets the dictation formatter to not capitalize.



Dictation Mode

 (no space no-space)	Sets the dictation formatter to not prepend a space.
 cap that	Capitalizes the last utterance.
 (no cap no-caps) that	Lowercases the last utterance.
 (no space no-space) that	Removes space before the last utterance.
 go up <number-small> (line lines)	Move cursor up one row. Repeat <number-small> - 1 times.
 go down <number-small> (line lines)	Move cursor down one row. Repeat <number-small> - 1 times.
 go left <number-small> (word words)	Move cursor left one word. Repeat <number-small> - 1 times.
 go right <number-small> (word words)	Move cursor right one word. Repeat <number-small> - 1 times.
 go line start	Move cursor to start of line.
 go line end	Move cursor to end of line.
 select left <number-small> (word words)	Extend selection left one word. Repeat <number-small> - 1 times.
 select right <number-small> (word words)	Extend selection right one word. Repeat <number-small> - 1 times.
 select left <number-small> (character characters)	Extend selection left one column. Repeat <number-small> - 1 times.
 select right <number-small> (character characters)	Extend selection right one column. Repeat <number-small> - 1 times.



Dictation Mode

 clear left <number-small> (word words)	Extend selection left one word. Repeat <number-small> - 1 times. Delete selection.
 clear right <number-small> (word words)	Extend selection right one word. Repeat <number-small> - 1 times. Delete selection.
 clear left <number-small> (character characters)	Extend selection left one column. Repeat <number-small> - 1 times. Delete selection.
 clear right <number-small> (character characters)	Extend selection right one column. Repeat <number-small> - 1 times. Delete selection.
 formatted <user.format-text>	Inserts text as-is, without invoking the dictation formatter.
 format selection <user.formatters>	Reformats the current selection.
 scratch that	Clears the last phrase.
 scratch selection	Delete selection.
 select that	Selects the last phrase.
 spell that <user.letters>	Inserts dictated text, formatted appropriately.
 spell that <user.formatters> <user.letters>	Let <result> be <letters> (formatted with <formatters>). Inserts text as-is, without invoking the dictation formatter.
 escape <user.text>	Inserts dictated text, formatted appropriately.
 voice command <phrase>	Inserts dictated text, formatted appropriately.
 tick <phrase> tick	Insert text at the current cursor position, automatically formatting it using the actions.auto-format(text).



Dictation Mode



file save

Press one or more keys by name, space-separated. Skip the current walk through step. Press one or more keys by name, space-separated. Move cursor to start of line. Resets the dictation formatter.



step <number-small>

Skips directly to a specific walk through step.

Keywords To Use In Dictation Mode Commands

user.raw-prose capture

<phrase> | <user.prose-number>)+

user.prose-number capture

Description:

<user.prose-simple-number> | <user.prose-number-with-dot> | <user.prose-number-with-colon>

user.number-string capture

nine | fourteen | forty | twenty) ([and] (zero | one | two | three | four | five | six | seven | eight | nine | oh | ten | eleven | twelve | thirteen | fourteen | fifteen | sixteen | seventeen | eighteen | nineteen | twenty | thirty | forty | fifty | sixty | seventy | eighty | ninety | thousand | million | billion | trillion | quadrillion | quintillion | sextillion | septillion | octillion | nonillion | decillion | hundred))*

user.raw-prose capture

Description: Mixed words and punctuation, auto-spaced & capitalized, without quote straightening and commands (for use in dictation mode).

({user.vocabulary} | {user.punctuation} | {user.prose-snippets} |

user.number-string capture

Description: Parses a number phrase, returning that number as a string.

(six | eight | twelve | four | seventeen | five | sixteen | three | zero | nineteen | seven | eighty | fifty | eighteen | thirteen | eleven | seventy | thirty | two | one | ninety | sixty | fifteen | ten |

digit-string capture

Description: Capture a series of digits as a string

((zero | one | two | three | four | five | six | seven | eight | nine | oh) | (ten | eleven | twelve | thirteen | fourteen | fifteen | sixteen | seventeen | eighteen | nineteen) |

digit-string capture

(twenty | thirty | forty | fifty | sixty | seventy | eighty | ninety))+

number capture

Description: Capture a naturally-spoken positive integer of any size

<user.number-string>

number-small capture

Description: Capture a naturally-spoken integer under 100

{user.number-small}

user.format-text capture

Description: Formats the text and returns a string

<self.formatters>
<user.text> (<user.text> | <user.formatter-immune>)*

user.text capture

Description: A sequence of words, including user-defined vocabulary.

({user.vocabulary} | <phrase>)+

user.formatters capture

Description: Returns a comma-separated string of formatters e.g. 'SNAKE,DUBSTRING'

{self.formatters} +

user.punctuation list

user.punctuation list 1 of 3

Description : words for inserting punctuation into text

	`	`
	,	,
	back tick	`
	grave	`
	comma	,
	coma	,
	period	.
	full stop	.
	semicolon	;
	colon	:

user.punctuation list 2 of 3

Description : words for inserting punctuation into text

	forward slash	/
	question mark	?
	exclamation mark	!
	exclamation point	!
	asterisk	*
	hash sign	#
	number sign	#
	percent sign	%
	at sign	@
	and sign	&

user.punctuation list 3 of 3

Description : words for inserting punctuation into text

	ampersand	&
	dollar sign	\$
	pound sign	£

user.punctuation list 3 of 3	
 hyphen	-
 L paren	(
 left paren	(
 R paren	)
 right paren	)
user.prose-snippets list	
Description : Snippets that can be used within prose	
spacebar	
new line	
new paragraph	
open quote	"
close quote	"
smiley	:-)
winky	;-)
frowny	:-(

user.prose-simple-number capture
Description:
numeral <user.number-string>
user.prose-number-with-dot capture
Description:
numeral <user.number-string> (dot point) <digit-string>
user.prose-number-with-colon capture
Description:
numeral <user.number-string> colon <user.number-string>
user.formatter-immune capture
Description: Text that can be interspersed into a formatter, e.g. characters. It will be inserted directly, without being formatted.
(<user.symbol-key> (numb numeral) <number>)

user.formatters list	
user.formatters list 1 of 2	
Description : list of formatters	
 all cap	all cap
 all down	all down
 camel	camel
 dotted	dotted
 dub string	dub string
 dunder	dunder
 hammer	hammer
 kebab	kebab
 packed	packed
 padded	padded
user.formatters list 2 of 2	
Description : list of formatters	
 slasher	slasher
 smash	smash
 snake	snake

 string string

 title title

Commands to Replace A Mouse

Mouse Grid Always

 mouse grid	Brings up mouse grid. Show mouse grid.
 grid win	Places the grid on the currently active window. Show mouse grid.
 grid <user.number-key> +	Show mouse grid. Choose fields multiple times in a row.
 grid screen [<number>]	Brings up mouse grid. Show mouse grid.

Mouse Grid Open

 <user.number-key>	Choose a field of the grid and narrow the selection down.
 grid off	Close the active grid.
 grid reset	Resets the grid to fill the whole screen again.
 grid back	Sets the grid state back to what it was before the last command.

Mouse

 control mouse	Toggle Control Mouse (Legacy).
 zoom mouse	Toggle Control Mouse (Zoom).
 camera overlay	Toggle Control Mouse 2 (Debug View).
 run calibration	Calibrate Eye Tracking.



Mouse

 touch	Press and release a mouse button. Close the active grid. Releases any held mouse buttons.
 righty	Press and release a mouse button. Close the active grid.
 mid click	Press and release a mouse button. Close the active grid.
 <user.modifiers> touch	Press one or more keys by name, space-separated. Press and release a mouse button. Press one or more keys by name, space-separated. Close the active grid.
 <user.modifiers> righty	Press one or more keys by name, space-separated. Press and release a mouse button. Press one or more keys by name, space-separated. Close the active grid.
 (dub click duke)	Press and release a mouse button. Press and release a mouse button. Close the active grid.
 (trip click trip lick)	Press and release a mouse button. Press and release a mouse button. Press and release a mouse button. Close the active grid.
 left drag drag	Press and hold/release a specific mouse button for dragging. Close the active grid.
 right drag righty drag	Press and hold/release a specific mouse button for dragging. Close the active grid.
 end drag drag end	Releases any held mouse buttons.
 wheel down	Scrolls down.
 wheel down here	move the mouse cursor to the center of the currently active window. Scrolls down.
 wheel tiny [down]	Scrolls down.
 wheel tiny [down] here	move the mouse cursor to the center of the currently active window. Scrolls down.



Mouse

 wheel downer	Scrolls down continuously.
 wheel downer here	move the mouse cursor to the center of the currently active window. Scrolls down continuously.
 wheel up	Scrolls up.
 wheel up here	move the mouse cursor to the center of the currently active window. Scrolls up.
 wheel tiny up	Scrolls up.
 wheel tiny up here	move the mouse cursor to the center of the currently active window. Scrolls up.
 wheel upper	Scrolls up continuously.
 wheel upper here	move the mouse cursor to the center of the currently active window. Scrolls up continuously.
 wheel gaze	Starts gaze scroll.
 wheel gaze here	move the mouse cursor to the center of the currently active window. Starts gaze scroll.
 wheel stop	Stops scrolling.
 wheel stop here	move the mouse cursor to the center of the currently active window. Stops scrolling.
 wheel left	Scrolls left.
 wheel left here	move the mouse cursor to the center of the currently active window. Scrolls left.
 wheel tiny left	Scrolls left.
 wheel tiny left here	move the mouse cursor to the center of the currently active window. Scrolls left.
 wheel right	Scrolls right.



Mouse

 wheel right here	move the mouse cursor to the center of the currently active window. Scrolls right.
 wheel tiny right	Scrolls right.
 wheel tiny right here	move the mouse cursor to the center of the currently active window. Scrolls right.
 copy mouse position	Copy the current mouse position coordinates.
 curse no	Show a desktop notification.

Commands To Manage Windows

Window Management (Windows)

 window (new open)	Open a new window.
 window next	Switch to next window for this app.
 window last	Switch to previous window for this app.
 window close	Close the current window.
 focus <user.running-applications>	Focus a new application by name.
 focus	Open a menu of running apps to switch to.
 running list	Shows/hides all running applications.
 running close	Hides list of running applications.
 launch <user.launch-applications>	Launch a new application by path (all OSes), or AppUserModel-ID path on Windows.



Window Management (Windows)

 snap <user.window-snap-position>	Move the active window to a specific position on-screen.
 snap next [screen]	Move the active window to a specific screen.
 snap last [screen]	Move the active window to the previous screen.
 snap screen <number>	Move the active window leftward by one.
 snap <user.running-applications> <user.window-snap-position>	Snap a specific application to another screen.
 snap <user.running-applications> [screen] <number>	Move a specific application to another screen.

user.window-snap-positions list

user.window-snap-positions list 1 of 3		
Description : Predefined window positions for the current window. See `RelativeScreenPos`.		
 left		left
 right		right
 top		top
 bottom		bottom
 center third		center third
 left third		left third

user.window-snap-positions
list 1 of 3

 right third	right third
 left two thirds	left two thirds
 right two thirds	right two thirds
 top left	top left

user.window-snap-positions
list 2 of 3

Description : Predefined window positions for the current window. See `RelativeScreenPos`.	
--	--



user.window-snap-positions list 2 of 3

 top right	top right
 bottom left	bottom left
 bottom right	bottom right
 top left third	top left third
 top right third	top right third
 top left two thirds	top left two thirds
 top right two thirds	top right two thirds
 top center third	top center third
 bottom left third	bottom left third
 bottom right third	bottom right third

user.window-snap-positions list 3 of 3

Description : Predefined window positions for the current window. See `RelativeScreenPos`.

 bottom left two thirds	bottom left two thirds
 bottom right two thirds	bottom right two thirds
 bottom center third	bottom center third
 center	center
 full	full
 fullscreen	fullscreen
 tiny	tiny

user.prose-number-with-dot capture

Description:

numeral <user.number-string> (dot | point)
<digit-string>

