


Lists

Processing Variable-Length Sequences of Elements



SoftUni Team
Technical Trainers



SoftUni

Software University

<https://softuni.bg>


Table of Contents

1. Lists
2. Reading Lists from the Console
3. Sorting Lists and Arrays



sli.do

#fund-csharp



Lists

List<T> – Overview

- List<T> holds a list of elements of the same type

```
List<string> names = new List<string>();  
// Create an empty list of strings  
names.Add("Peter");  
names.Add("Maria");  
// Add elements  
foreach (var name in names)  
    Console.WriteLine(name);  
Console.WriteLine(string.Join(", ", names));  
// Print elements
```



Creating Lists

- Use the **new** keyword
 - Create an empty list of integers

```
List<int> numbers = new List<int>();
```

- Using a target-type **new** expression

```
List<string> names = new() {"Peter", "Ana", "Maria"};
```



List<T> – Basic Methods (1)


- Provides operations to **add** / **insert** / **remove** / **find** elements
 - **Add**(element) – adds an element to the **List<T>**
 - **Count** – number of elements in the **List<T>**
 - **Remove**(element) – removes an element (returns **true** / **false**)

List<T> – Basic Methods (2)

- **Insert(index, element)** – inserts an element to a given index
- **Contains(element)** – determines whether an element is in the list
- **Sort()** – sorts the array/list in ascending order

Add() – Appends an Element

- We create an empty list and start adding elements
- The count increases each time we add an element



List<int>

Count:

0

Remove() – Deletes an Element

- We remove an element from the List
- The count decreases each time we remove an element



Count:

2

Insert() – Inserts an Element at Position

- We insert an element at index 1
- Other elements' indices are changed upon insertion

-10

List<int>

10

30

Count:

3

List<T> – Basic Methods Example

```
List<int> nums = new List<int>
    { 10, 20, 30, 40, 50, 60 };

nums.Remove(30);
nums.Add(100);
nums.Insert(0, -100);
Console.WriteLine(string.Join(", ", nums));
Console.WriteLine($"Count: {nums.Count}");
```



```
-100, 10, 20, 40, 50, 60, 100
Count: 7
```



Reading Lists from the Console

Using for Loop or String.Split()

- First, read from the console the list's **length**

```
int n = int.Parse(Console.ReadLine());
```

- Next, create a list of a given size **n** and read its **elements**

```
List<int> list = new List<int>();  
for (int i = 0; i < n; i++)  
{  
    int number = int.Parse(Console.ReadLine());  
    list.Add(number);  
}
```

Reading List Values from a Single Line

- Lists can be read from a **single line** of **space separated values**

2 8 30 25 40 72 -2 44 56

```
string values = Console.ReadLine();  
List<string> items = values.Split(' ').ToList();  
List<int> nums = new List<int>();  
for (int i = 0; i < items.Count; i++)  
    nums.Add(int.Parse(items[i]));
```

Convert a collection
into **List**

```
List<int> items = Console.ReadLine()  
    .Split(' ').Select(int.Parse).ToList();
```

Read a **List** of
integers

- Printing a list using a **for** loop


```
List<string> list = new List<string>() {  
    "one", "two", "three", "four", "five", "six"};  
for (int index = 0; index < list.Count; index++)  
    Console.WriteLine("arr[{0}] = {1}", index, list[index]);
```

- Printing a list using a **string.Join(...)**

```
List<string> list = new List<string>() {  
    "one", "two", "three", "four", "five", "six"};  
Console.WriteLine(string.Join("; ", list));
```


Problem: Gauss' Trick

- Write a program that sums all numbers in a list in the following order
 - $\text{first} + \text{last}$, $\text{first} + 1 + \text{last} - 1$, $\text{first} + 2 + \text{last} - 2$, ... $\text{first} + n$, $\text{last} - n$
- Examples



1 2 3 4 5



6 6 3

1 2 3 4



5 5

Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#1>



Solution: Gauss' Trick

```
List<int> numbers = Console.ReadLine()  
                        .Split().Select(int.Parse).ToList();  
  
int originalLength = numbers.Count;  
for (int i = 0; i < originalLength / 2; i++)  
{  
    numbers[i] += numbers[numbers.Count - 1];  
    numbers.RemoveAt(numbers.Count - 1);  
}  
Console.WriteLine(string.Join(" ", numbers));
```

Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#1>

Problem: Merging Lists

- You receive two lists with numbers. Print a result list, which contains the numbers from both of the lists
 - If the length of the two lists are not equal, just add the remaining elements at the end of the list:
 - `list1[0]`, `list2[0]`, `list1[1]`, `list2[1]`, ...



Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#2>

Solution: Merging Lists (1)

```
// TODO: Read the input  
List<int> resultNums = new List<int>();  
for (int i = 0; i < Math.Min(nums1.Count, nums2.Count); i++)  
// TODO: Add numbers in resultNums  
if (nums1.Count > nums2.Count)  
    resultNums.AddRange(GetRemainingElements(nums1, nums2));  
else if (nums2.Count > nums1.Count)  
    resultNums.AddRange(GetRemainingElements(nums2, nums1));  
Console.WriteLine(string.Join(" ", resultNums));
```

Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#2>

Solution: Merging Lists (2)

```
static List<int> GetRemainingElements(List<int> longerList,  
List<int> shorterList)  
{  
    List<int> nums = new List<int>();  
    for (int i = shorterList.Count; i < longerList.Count; i++)  
        nums.Add(longerList[i]);  
    return nums;  
}
```



Live Exercises

Reading and Manipulating Lists



Sorting Lists and Arrays

- Sorting a list == reorder its elements incrementally: **Sort()**
 - Items must be **comparable**, e.g., numbers, strings, dates, ...

```
List<string> names = new List<string>()
{"Peter", "Michael", "George", "Victor", "John" };
names.Sort();
Console.WriteLine(string.Join(", ", names));
// George, John, Michael, Peter, Victor
names.Sort();
names.Reverse();
Console.WriteLine(string.Join(", ", names));
// Victor, Peter, Michael, John, George
```

Sort in natural (ascending) order

Reverse the sorted result

Problem: List of Products

- Read a number n and n lines of products. Print a numbered list of all the products ordered by name.
- Examples:

4
Potatoes
Tomatoes
Onions
Apples



1.Apples
2.Onions
3.Potatoes
4.Tomatoes




Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#3>

Solution: List of Products

```
int n = int.Parse(Console.ReadLine());
List<string> products = new List<string>();
for (int i = 0; i < n; i++)
{
    string currentProduct = Console.ReadLine();
    products.Add(currentProduct);
}
products.Sort();
for (int i = 0; i < products.Count; i++)
    Console.WriteLine($"{i + 1}.{products[i]}");
```

Problem: Remove Negatives and Reverse

- Read a list of integers, remove all negative numbers from it.
 - Print the remaining elements in reversed order
 - In case of no elements left in the list, print "empty"



Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#4>

Solution: Remove Negatives and Reverse

```
List<int> nums = // TODO: Read the List from the console.
for (int i = 0; i < nums.Count; i++)
    if (nums[i] < 0) { nums.RemoveAt(i--); }

nums.Reverse();
if (nums.Count == 0)
    Console.WriteLine("empty");
else
    Console.WriteLine(string.Join(" ", nums));
```

Check your solution here: <https://judge.softuni.org/Contests/Practice/Index/1210#4>




Live Exercises

Sorting Lists

- Lists hold a sequence of elements (variable-length)
- Can **add** / **remove** / **insert** elements at runtime
- Creating (allocating) a list: **new List<T>()**
- Accessing list elements by index
- Printing list elements: **string.Join(...)**



Questions?



SoftUni Diamond Partners

**SUPER
HOSTING
.BG**



**Coca-Cola HBC
Bulgaria**



POKERSTARS
POKER | CASINO | SPORTS
a Flutter International brand

INDEAVR
Serving the high achievers



AMBITIONED

 **DRAFT
KINGS**



**SOFTWARE
GROUP**

createX



Postbank
Решения за твоето утре




BOSCH

DXC
TECHNOLOGY



SmartIT



- Software University – High-Quality Education, Profession and Job for Software Developers

- softuni.bg, about.softuni.bg

- Software University Foundation

- softuni.foundation

- Software University @ Facebook

- facebook.com/SoftwareUniversity

- Software University Forums

- forum.softuni.bg



- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – <https://about.softuni.bg/>
- © Software University – <https://softuni.bg>

