
Software Configuration Audits — Part 1: Baselines and Tools



- 420-D04-AB Conformity Assessment · Day 7 of 12
- Wednesday, November 11, 2026 · 18:30–22:00 EST
- Cohort CYB-01 · AEC Cybersecurity (LEA.D8)
- Case: Érable Cycles inc. (fictional) — targets: your two lab VMs only

Educational material — Cyber.SoHo / Asen Grozdanov · © 2026 · Authorized lab use only · Cyber.SoHo Legal Notice v2.0 (link on the Legal and Links slides)

Tonight at a glance

- 18:30 Recall of Day 6 (5 min)
- Lecture — six lessons on the clock (60 min)
  - L1 Configuration audit · L2 Baselines · L3 CIS-CAT Lite + Policy Analyzer
  - L4 Lynis + OpenSCAP · L5 Fleet and cloud tools · L6 Patch verification
- Break
- 19:45 Audit kick-off meeting, then Lab 3 Part A (guided 30–45 min, then individual)
- Before 22:00: announcements

Key message **Six short lessons, then the lab.**

Recall of Day 6 — from the plan to the evidence

- Lab 2 due Sun Nov 15, 23:59 EST (XLSX + PDF, Omnivox LÉA)
- Plan = scope · mandate · checklist · tests · risk method · schedule
- Tonight: MC-01 Windows · MC-02 Linux · MC-08 Cloud
- Test = requirement · method · sample · pass rule · evidence
- Verdicts: PASS · FAIL · N/A – reason · Not tested – reason
- Evidence: L3-Exx_MC-yy_<what>_<host> + SHA-256 + evidence index

Key message **The plan tells us what to test and how to decide.**

Before the first test

- Signed authorization letter in force: Nov 11, 18:30 → Nov 19, 23:59 EST (Legal Notice §6.1, Annex D)
- Snapshot of both VMs, named before-lab3 (§6.4)
- Designated targets only: LAB-WIN11 and LAB-UBUNTU (§1.1, §6.2)
- No real personal information in any evidence (§6.7, §18.2)
- Unauthorized use of a computer: Criminal Code s. 342.1

Key message **If you are not certain you have authorization, you do not have it.**

By the end of this hour you will be able to

- Define configuration audit, baseline and drift; compute a conformity score
- Choose a baseline per platform and settle conflicts
- Run and read CIS-CAT Lite and Policy Analyzer — decide MC-01
- Run and read Lynis; know OpenSCAP and USG — decide MC-02
- Explain fleet and cloud compliance tools — decide MC-08
- Verify patch levels and support status — MC-03

Key message **Six goals, six lessons.**

1 Lesson 1 — What a configuration audit is

- Actual settings against a baseline
- Verdicts · conformity score · drift
- 9 minutes

Videos for this lesson (max 15 min) — click to open:
▶️ Secure Baselines — CompTIA Security+ SY0-701 — 4.1 — Professor Messer (4:11)
▶️ Change Management — CompTIA Security+ SY0-701 — 1.3 — Professor Messer (11:22)

Settings decide how secure a system is

- Configuration = the full set of settings of a system
- Defaults are chosen for compatibility and ease of use
- Example: local 'Minimum password length' often 0 on a stand-alone PC
- Hardening = changing settings to reduce the attack surface (admins)
- Configuration audit = verifying the hardening with evidence (auditor)

Key message **Hardening is done by admins; the audit verifies it.**

Configuration audit — definition

- Actual settings ↔ expected settings of an approved baseline
- Output 1: one verdict per setting (conform / non-conform / N/A)
- Output 2: a conformity score
- Output 3: findings with evidence
- Baseline = documented, approved, changed only through change control (NIST SP 800-128)

Key message **Compare, decide, document.**

Configuration drift


- Settings move away from the baseline after a correct start
- Causes: troubleshooting, installers, updates, local admins
- Compare two runs → improved · regressed · unchanged
- Controlled by change management (before) and monitoring (after)
- A regression without a change ticket is a finding by itself

Key message **Drift is invisible until you measure again.**

The audit chain applied to settings

- Requirement → control → test → evidence → finding
- Authenticated access (admin/root) is required
- Agent-based vs agentless collection
- Scope: OS · applications · network devices · cloud

F1 · Anatomy of a configuration audit



Chain: requirement → control (setting) → test (tool or command) → evidence (report, export, hash) → finding

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

Key message **Settings are read from inside the system.**

Figure F1 — full size and downloads in the lecture page

Where configuration audits sit in the frameworks

- CIS Controls v8.1 — Control 4, Safeguard 4.1 (IG1)
- ISO/IEC 27001:2022 — A.8.9 Configuration management
- PCI DSS v4.0.1 — Requirement 2, 2.2.1
- NIST CSF 2.0 — PR.PS-01

Key message **One test, four framework references.**

Two kinds of scores

- Conformity score = conform ÷ tested × 100 (CIS-CAT)
- Example: 5 ÷ 12 × 100 = 41.7 %
- Hardening index (Lynis) = test points scaled 0–100
- A score summarizes; findings explain
- The pass rule decides — not the score alone

Key message **Report findings, not only a number.**

Example — LAB-WIN11 drift check

- 12 baseline settings compared on Nov 11 and Oct 27
- Result: 5/12 conform = 41.7 %
- B09 Public firewall: PASS → FAIL (regressed)
- B06 Inactivity limit: FAIL → PASS (improved)
- Deliverable: L1_drift_report.csv → Lab 3 Part B findings table

F1b · LAB-WIN11 — baseline vs snapshot of Nov 11 (drift since Oct 27)

ID	Setting	Expected	Actual	Verdict	Drift
B01	Minimum password length	>= 14	0	FAIL	= unchanged
B02	Password must meet complexity	== Enabled	Disabled	FAIL	= unchanged
B03	Enforce password history	>= 24	0	FAIL	= unchanged
B04	Account lockout threshold	between 1-5	10	FAIL	= unchanged
B05	Account lockout duration (min)	>= 15	10	FAIL	= unchanged
B06	Machine inactivity limit (s)	between 1-900	900	PASS	▲ improved
B07	Firewall: Domain profile	== On	On	PASS	= unchanged
B08	Firewall: Private profile	== On	On	PASS	= unchanged
B09	Firewall: Public profile	== On	Off	FAIL	▼ REGRESSED
B10	Audit Credential Validation	== Success and Failure	No Auditing	FAIL	= unchanged
B11	SMBv1 client driver	== Disabled	Disabled	PASS	= unchanged
B12	Defender real-time protection	== On	On	PASS	= unchanged

Conformity score: 5/12 = 41.7 % · Regressed: B09 (Public firewall) · Improved: B06

Key message **Two runs reveal drift.**

Figure F1b — full size and downloads in the lecture page

2 Lesson 2 — Where the expected values come from

- CIS Benchmarks · Microsoft baselines
- Vendor guides · STIGs · SCAP · cloud benchmarks
- Choosing and settling conflicts — 9 minutes

Videos for this lesson (max 15 min) — click to open:
▶️ Hardening Targets — CompTIA Security+ SY0-701 — 4.1 — Professor Messer (10:11)
▶️ Hardening Techniques — CompTIA Security+ SY0-701 — 2.5 — Professor Messer (12:11)

Why auditors use published baselines

- Thousands of settings — nobody decides them alone
- Experts documented the reason and impact of each value
- Mapped to the frameworks
- PCI DSS 2.2.1: follow industry-accepted hardening standards


Key message **Industry-accepted = defensible.**

CIS Benchmarks — anatomy of a recommendation

- Consensus guides for 100+ technologies (free PDF, non-commercial)
- Number + title, e.g. 1.1.4 Minimum password length ≥ 14
- Profile: Level 1 / Level 2 (+ optional profiles)
- Automated (tool) or Manual (person)
- Rationale · impact · audit · remediation · default · CIS Controls

Key message **Every value has a documented reason.**

F2 · Anatomy of a CIS Benchmark recommendation (paraphrased)



The auditor uses the audit procedure to test, the profile and version to scope, and the number to cite. Licensed text: cite, never copy (Legal Notice §7.5).

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

Figure F2 — full size and downloads in the lecture page

Level 1, Level 2 and versions

- Level 1: essential, low impact — SME starting point
- Level 2: defence in depth — may reduce functionality
- CIS-CAT Lite (Nov 2026): Windows 11 Enterprise v5.1.0
- Windows 10 Enterprise / Stand-alone v5.0.0 · Chrome v1.1.0
- Ubuntu 20.04 LTS v3.0.0 — no 22.04/24.04
- Always record the benchmark version

Key message **Level 1 for Érable Cycles.**

Microsoft security baselines and the SCT

- Microsoft-recommended settings + their security impact
- Security Compliance Toolkit: GPO backups, documentation, tools
- Policy Analyzer (compare) · LGPO (apply/export)
- Windows 11 v26H2 Security Baseline v2 (page dated Oct 8, 2026)
- Designed for organizations where users are not administrators

Key message **Two Windows references: CIS and Microsoft.**

Other sources you will meet

- Vendor guides: Ubuntu Security Guide (USG), Netgate pfSense docs
- DISA STIGs — DoD Cyber Exchange (cyber.mil/stigs)
- SCAP: XCCDF (checklist) + OVAL (tests); NIST NCP (SP 800-70)
- Cloud: CIS AWS Foundations v5.0.0 in Security Hub CSPM
- CIS Microsoft Azure Foundations Benchmark

Key message **Machine-readable checklists feed the tools.**

Choosing a baseline — five rules


- 1 Exact product and version
- 2 Profile matching the role (Level 1)
- 3 A tool can measure it — or plan a manual procedure
- 4 Record name + version + profile in every test record
- 5 Conflict → stricter value, unless a documented exception (tailoring)
- Lockout: CIS ≤ 5 vs Microsoft 10 → keep 5; duration 15 vs 10 → keep 15

Key message **Stricter value wins unless an exception is approved.**

Example — the baseline register of Érable Cycles

- Windows: CIS Win 11 Ent v5.1.0 L1 + Microsoft 26H2 v2
- Ubuntu: Lynis (CIS 24.04 needs USG or CIS-CAT Pro)
- AWS: CIS AWS Foundations v5.0.0 (Security Hub demo)
- 2 conflicts settled in favour of CIS
- Deliverable: L2_baseline_register.csv → every Lab 3 test record

F2b · Baseline register — which baseline applies to which asset



Key message **Write the baseline down before you test.**

Figure F2b — full size and downloads in the lecture page

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

3 Lesson 3 — Windows tools (MC-01)

- CIS-CAT Lite
- Policy Analyzer
- From measurement to verdict — 10 minutes

Videos for this lesson (max 15 min) — click to open:
▶️ Security Tools — CompTIA Security+ SY0-701 — 4.4 — Professor Messer (14:06)
▶️ Stop Guessing! How to Audit and Secure Windows 11 in 5 Minutes (Microsoft SCT Guide) — SecOps Insider (short demo (length not exposed to our checker))

CIS-CAT Lite — how it works

- Free edition of CIS-CAT Pro Assessor v4 (v4.68.0, Nov 2, 2026)
- Limited benchmarks · GUI only · HTML report only · Java bundled
- Reads XCCDF + OVAL content, runs Automated checks as admin
- Result per recommendation: pass · fail · error · unknown
- Score = passed ÷ (passed + failed) × 100 — Manual items not scored

Key message **Same engine as Pro, fewer benchmarks.**

Running CIS-CAT Lite on LAB-WIN11

- Snapshot before-lab3 + authorization in force
- Administrator prompt in the extracted folder → Assessor-GUI.bat
- Benchmark: Windows 11 Enterprise v5.1.0 · Profile: Level 1 · HTML
- Run 5–10 min → reports folder
- Record score + 5 failed recommendations
- Rename: L3-E01_MC-01_ciscat-report_LAB-WIN11.html

Key message **Same steps in Lab 3 Part A.**

Reading the CIS-CAT report


- Summary: score + pass/fail per section
- 1 Account Policies · 2 Local Policies · 5 Services · 9 Firewall
- 17 Advanced Audit Policy · 18/19 Administrative Templates
- Failed item → rationale + remediation
- Numbers can move between versions — record the version

Key message **Read by section, then by item.**

Policy Analyzer — baseline vs local policy

- Portable SCT tool — compares Group Policy sets
- Registry policies · security template · audit policy
- Add → baseline GPOs → Compare to Local Policy
- View → Show only Differences → Export table → Excel
- Two tools, same fact → corroborated evidence

F3 · CIS-CAT Lite and Policy Analyzer — two measurements, one verdict



Same fact in both tools (Public firewall Off) = corroborated evidence. Evidence files are fingerprinted with SHA-256 (Get-FileHash).

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

Key message **Corroboration makes evidence reliable.**

Figure F3 — full size and downloads in the lecture page


The MC-01 pass rule

- Score ≥ 80 %
- AND no failed Level 1 recommendation in sections 1, 9, 17
- Sections carry authentication, firewall and logging requirements
- Low score on a fresh VM = hardening not applied (valid finding)
- Recommendation for the Project: deploy the baseline via GPO / Intune

Key message **The rule decides.**

Example — the MC-01 test record

- CIS-CAT Lite: 260 pass / 288 fail = 47.4 %
- Blocking: 1.1.1 · 1.1.4 · 1.2.1 · 9.3.1 · 17.1.1
- Policy Analyzer: 5 differences (e.g. MinimumPasswordLength 14 → 0)
- Verdict: FAIL
- Deliverable: JSON test record with SHA-256 hashes



Key message **Measure, apply the rule, fingerprint the evidence.**

Figure F3b — full size and downloads in the lecture page

4 Lesson 4 — Linux tools (MC-02)

- Lynis
- Hardening index · warnings · suggestions
- OpenSCAP and USG — 9 minutes

Videos for this lesson (max 15 min) — click to open:
▶️ Awesome Linux Tools: Lynis from CISOfy — Learn Linux TV (≈12–14 min (last chapter starts at 10:12))
▶️ Linux Security Auditing with Lynis // Step-by-Step Guide — ITPro Today (length not exposed to our checker)

Lynis — what it is

- Open-source auditing tool for Linux/Unix — CISOfy, GPLv3
- Runs locally as root · no agent · no network needed
- Hundreds of tests by category: AUTH · PKGS · NETW · FIRE · SSH · LOGG …
- Test IDs such as AUTH-9286
- Own tests — not a CIS Benchmark tool

Key message **Local, agentless, root.**

Running Lynis and finding its files


- sudo apt install -y lynis → 3.0.9 on Ubuntu 24.04 (old)
- Current series 3.1.x (3.1.7 tag) via CISOfy repository / GitHub
- sudo lynis audit system (≈ 2 min)
- /var/log/lynis.log — detailed log
- /var/log/lynis-report.dat — key=value evidence
- lynis show details TEST-ID

Key message **Keep lynis-report.dat as evidence.**

Hardening index, warnings and suggestions

- Hardening index 0–100 from test points — not a pass %
- warning[] = important problem, handle first
- suggestion[] = improvement proposal
- Format: TEST-ID|text|details|solution
- Auditor records; administrator fixes

F4 · Anatomy of /var/log/lynis-report.dat



Cut the fields with: `grep '^warning\[\]=' report | cut -d'|' -f1,2`

Key message **Warnings first, then suggestions by category.**

Figure F4 — full size and downloads in the lecture page

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

The MC-02 pass rule

- Hardening index ≥ 70 AND zero warnings
- Sample (real, Nov 9, 2026): Lynis 3.0.9 on Ubuntu 24.04.5
- Index 57 · 3 warnings · 45 suggestions → FAIL
- Fresh installs commonly land between 55 and 65

Key message **Both conditions must hold.**

OpenSCAP, USG and Wazuh


- OpenSCAP + ComplianceAsCode (SSG v0.1.82): oscap xccdf eval --profile … --report report.html
- USG with Ubuntu Pro (free ≤ 5 machines): sudo usg audit cis_level1_server
- Wazuh SCA: continuous CIS policy checks
- Why Lynis in class: CIS-CAT Lite has no Ubuntu 24.04 benchmark


Key message **CIS profiles on Linux: OpenSCAP or USG.**

Example — reading the Lynis report

- Warnings: PKGS-7392 · FIRE-4512 · LOGG-2138
- Top categories: AUTH 6 · DEB 5 · PKGS 4 · NETW 4 · FILE 4
- 57 < 70 and 3 warnings → FAIL
- Deliverable: L4_mc02_top_suggestions.csv + the report file

F4b · Lynis suggestions by category — real run, Lynis 3.0.9, Ubuntu 24.04.5 LTS test system (Nov 9, 2026)





3 warnings · 45 suggestions
→ MC-02 FAIL

Key message grep, cut, sort, uniq — and a rule.

Figure F4b — full size and downloads in the lecture page

420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

5 Lesson 5 — Verifying configurations at scale (MC-08)

- MECM · Intune · Purview
- Defender for Cloud · Azure Policy · AWS Config · Security Hub CSPM
- The top-12 checks — 9 minutes

Videos for this lesson (max 15 min) — click to open:


▶️ Overview of device compliance policies in Intune | Microsoft — Microsoft Helps (short vendor clip (length not exposed))

▶️ AWS Security Hub — Introduction to Foundational Security Best Practices Standard — Amazon Web Services (short vendor demo (length not exposed))

▶️ Microsoft Purview Compliance Manager — Simply Explained — m365 Show (length not exposed to our checker)

From one machine to a fleet

- Management platforms enforce settings AND report compliance
- Auditor: obtain the report, check it tests the requirement
- Sample a few devices to confirm
- Record the evidence



Key message **Trust, but verify the platform's report.**

Figure F5 — full size and downloads in the lecture page

Configuration Manager — configuration items and baselines

- MECM (formerly SCCM) — client installed on each PC
- Configuration item: settings + compliance rules + detection + platforms
- Configuration baseline: group of items deployed to a collection
- Clients evaluate on a schedule, may remediate, report status
- Reports: which device, which item fails

Key message **Items grouped in baselines.**

Intune compliance and Purview Compliance Manager

- Intune: rules for enrolled devices (BitLocker, firewall, Defender, OS version)
- Noncompliant → actions; Conditional Access can block resources
- Purview Compliance Manager: assessments from templates
- Improvement actions (assigned, with evidence) → compliance score
- Purview records governance; it does not read laptop settings

Key message **Device rules vs governance score.**

Cloud posture services

- Defender for Cloud: secure score, recommendations, compliance dashboard
- Azure Policy: evaluate / deny / correct; machine configuration
- AWS Config: resource history + rules
- Security Hub CSPM: CIS AWS Foundations v5.0.0, FSBP — PASSED/FAILED + severity
- Shared responsibility: the customer configures security groups, IAM, encryption

Key message **The provider measures; the customer configures.**

The top-12 checks (1/2)

- 1 Password and lockout — net accounts · /etc/login.defs · IAM.15
- 2 Host firewall — Get-NetFirewallProfile · ufw status · EC2.53
- 3 Anti-malware — Get-MpComputerStatus
- 4 Encryption — Get-BitLockerVolume · LUKS · RDS.3
- 5 Remote admin — RDP NLA · sshd -T · EC2.53
- 6 Unneeded services — Get-Service · systemctl · ss -tulpn

Key message **Same requirement, three platforms.**

The top-12 checks (2/2)

- 7 Audit logging — auditpol · auditd · CloudTrail.1
- 8 Time sync — w32tm · timedatectl
- 9 Screen lock — InactivityTimeoutSecs · GNOME idle-delay
- 10 Automatic updates — Windows Update policy · unattended-upgrades · RDS.13
- 11 Admin accounts — Get-LocalGroupMember · getent group sudo
- 12 Public exposure — RDS.2 · S3.1

Key message **Know where each setting lives.**

MC-08 — the cloud baseline item


- Scope: WEB-APP01 (EC2 + security group) · DB-RDS01 (RDS MySQL)
- Method: document review of Security Hub CSPM demo evidence
- Rule: no FAILED check of severity CRITICAL or HIGH
- EC2.53 (HIGH, CIS 5.3) · EC2.8 (HIGH, 5.7) · RDS.2 (CRITICAL, 2.2.3)
- RDS.3 (MEDIUM, 2.2.1) · RDS.11 (MEDIUM, FSBP)

Key message **Scope first, then the rule.**

Example — MC-08 document review

- 6 findings exported; 1 out of scope (build server) → skipped
- DB-RDS01: RDS.2, RDS.3, RDS.11 PASSED
- WEB-APP01: EC2.8 PASSED · EC2.53 FAILED (HIGH) — SSH open to 0.0.0.0/0
- Verdict: FAIL
- Deliverable: L5_mc08_results.csv → findings table

F5b · MC-08 — in-scope Security Hub CSPM findings (demo evidence, fictional account) → FAIL (EC2.53 HIGH)



420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

Key message One HIGH failure is enough.

Figure F5b — full size and downloads in the lecture page

6 Lesson 6 — Patch management verification (MC-03)

- Supported · on time · automatic · recorded
- Baseline checks after patching
- 7 minutes

Videos for this lesson (max 15 min) — click to open:
▶️ Vulnerability Remediation — CompTIA Security+ SY0-701 — 4.3 — Professor Messer (8:45)
▶️ CompTIA Security+ SY0-701: Patch Management Explained — CertPro Hub (length not exposed to our checker)

Patches and patch management


- Patch = vendor change that fixes vulnerabilities or defects
- Patch management: identify · obtain · test · deploy · verify
- NIST SP 800-40 Rev. 4: patching as preventive maintenance
- The auditor verifies facts — does not install patches

Key message **Verification, not installation.**

What the auditor verifies

- 1 Support status — version still receives updates
- 2 Timeliness — critical within 30 days (PCI DSS 6.3.3: one month)
- 3 Automation — Windows Update policy · unattended-upgrades
- 4 Records — history, tickets, deployment reports

F6 · Patch verification — four questions, then re-check the baseline



Any 'no' = non-conformity (unsupported version is a non-conformity by itself). Waiting updates inside the window = observation.


420-D04-AB · Day 7 · Cyber.SoHo Educational Hub © 2026

Key message **Four questions.**

Figure F6 — full size and downloads in the lecture page

Support dates that matter tonight

- Windows 10 22H2: end of support Oct 14, 2025
- Windows 11 23H2 Enterprise/Education: last update Nov 10, 2026 (yesterday)
- Windows 11 24H2 Enterprise: until Oct 12, 2027 · 26H2 GA Sept 29, 2026
- Ubuntu 20.04: standard support ended 2025 (ESM to 2030)
- Ubuntu 24.04 LTS: until 2029



Key message **Unsupported = non-conform.**

Figure F6b — full size and downloads in the lecture page

Where the evidence lives

- Windows: winver · Get-HotFix (sorted by InstalledOn) · Update history
- Ubuntu: /etc/os-release · /var/log/apt/history.log
- Waiting: apt list --upgradable (look for -security)
- Automatic: apt-config dump APT::Periodic::Unattended-Upgrade
- Fleet: Intune / WSUS reports (demo)

Key message **Facts come from logs and commands.**

Baseline checks after patching

- Updates can change or reset settings
- Re-run CIS-CAT Lite, Lynis and the check scripts
- Compare with the previous run (Lesson 1 drift)
- Patched but drifted = still non-conform
- Project follow-up: re-test 30 days after corrective actions

Key message **Patch, then re-check the baseline.**

Example — MC-03 on an Ubuntu test system

- Ubuntu 24.04.5 LTS — supported
- Last upgrade Nov 3 → 6 days ago (inside 30 days)
- 13 updates waiting, 10 from the security pocket
- unattended-upgrades not configured → FAIL
- Observation: apply the 10 security updates at the next window

Key message **Recent is not enough — automation is required.**

Lab 3 at a glance (1/2)

- Part A tonight: MC-01, MC-02, MC-08 — CIS-CAT Lite, Policy Analyzer, Lynis, cloud demo evidence
- Part B Sat Nov 14: MC-03–MC-07 — check scripts, patches, ≥ 12 findings (≥ 3 PASS)
- Part C Tue Nov 17: controls — firewall, endpoint, encryption, logging, policies, Nmap reachability, access review
- Finish Wed Nov 18 — closing meeting 21:30, Project kick-off

Key message **Three parts, one assessment.**

Lab 3 at a glance (2/2)

- Deliver: findings workbook (XLSX) + 1–2 page PDF summary + evidence ZIP
- Due Friday, November 20, 2026, 23:59 EST — Omnivox LÉA DropBox
- 10 % (Parts A–B 5.5 · Part C 4.5) · late −10 % per day
- Feeds Project §6A/§6B and CPM Chapters 4–5

Key message **Due Fri Nov 20, 23:59 EST.**

Legal reminders for Lab 3

- §6.1 + Annex D — written authorization (your signed letter)
- §6.4 — VMs only, snapshot before each exercise
- §6.6 — official sources and valid licences
- §6.7 / §18.2 — no real personal information or credentials
- §7.5 — standards are licensed: cite numbers, own words
- §17 — no recording; §14.2 — check links and files (VirusTotal)

Key message **Authorization, isolation, privacy.**

Key links

- CIS-CAT Lite — learn.cisecurity.org/cis-cat-lite
- Microsoft SCT — microsoft.com/download (id=55319)
- Lynis — cisofy.com/lynis
- AWS Security Hub CSPM — CIS AWS Foundations Benchmark docs
- Windows 11 release information · Ubuntu release cycle
- Legal Notice — cyber-soho.github.io/prevmon

Key message_Official sources only.

Next class and questions

- Now: break, then the 19:45 kick-off meeting and Lab 3 Part A
- Homework: paste the Part A procedure into CPM Chapter 4
- Lab 2 due Sun Nov 15, 23:59 EST
- Saturday Nov 14 (Day 8): scripts, patches, documenting findings
- Final Exam: about 10 of 40 questions on configuration audits

Key message **See you at 19:45 for the kick-off.**