


---

# Cybersecurity Morgenreport

von Cyberwald

Marlon Hübner

20250116



## Inhaltsverzeichnis

<b>1 Editorial</b>	<b>2</b>
<b>2 Security-News</b>	<b>3</b>
2.1 Heise - Security-Alert . . . . .	3
<b>3 Sicherheitslücken</b>	<b>4</b>
3.1 EPSS . . . . .	4
3.1.1 CVEs mit hoher Exploit-Wahrscheinlichkeit . . . . .	5
3.2 BSI - Warn- und Informationsdienst (WID) . . . . .	7
3.3 Sicherheitslücken Meldungen von Tenable . . . . .	10
<b>4 Aktiv ausgenutzte Sicherheitslücken</b>	<b>12</b>
4.1 Exploits der letzten 5 Tage . . . . .	12
4.2 0-Days der letzten 5 Tage . . . . .	17
<b>5 Die Hacks der Woche</b>	<b>19</b>
5.0.1 Gehackt via Nachbar... oder die Palo Alto. . . . .	19
<b>6 Cyberangriffe: (Jan)</b>	<b>20</b>
<b>7 Ransomware-Erpressungen: (Jan)</b>	<b>20</b>
<b>8 Quellen</b>	<b>28</b>
8.1 Quellenverzeichnis . . . . .	28
<b>9 Impressum</b>	<b>29</b>

## 1 Editorial

Guten Morgen,

willkommen zum Cybersecurity Morgenreport von Cyberwald, Ihrem täglichen Begleiter in der Welt der IT-Sicherheit. Als nicht-kommerzielles Projekt ist es unser Anliegen, Awareness und Wissen rund um das Thema Cybersecurity kostenlos zu vermitteln. In der heutigen digitalen Welt ist es für Unternehmen von entscheidender Bedeutung, sich über aktuelle Sicherheitsrisiken zeitnah zu informieren. Cyberbedrohungen entwickeln sich ständig weiter und können erhebliche Schäden verursachen, wenn sie nicht rechtzeitig erkannt und abgewehrt werden. Durch die Nutzung aktueller Informationen können Unternehmen ihre IT-Sicherheitsmaßnahmen stärken und sich effektiv gegen diese Bedrohungen schützen.

Unser Ziel ist es, Ihnen, den IT-Verantwortlichen, einen kompakten und leicht verständlichen Überblick über aktuelle Sicherheitsrisiken zu geben. Wir präsentieren Ihnen täglich Sicherheitsmeldungen und Berichte über neue Sicherheitslücken, die Ihre Systeme und Daten bedrohen könnten.

Darüber hinaus listen wir aktuelle Cyberangriffe und Ransomware-Vorfälle auf. Dies ist von besonderer Bedeutung, da es Unternehmen ermöglicht, sich auf mögliche Supply-Chain- und Phishing-Angriffe vorzubereiten. Durch das Verständnis der Methoden und Taktiken, die von Cyberkriminellen verwendet werden, können Unternehmen ihre Verteidigungsmaßnahmen entsprechend anpassen und stärken.

Für den Cybersecurity Morgenreport greifen wir automatisiert auf öffentliche Informationsquellen zu, filtern und sortieren diese Informationen, um sie Ihnen in einer übersichtlichen Form zur Verfügung zu stellen. Wir bemühen uns, die Inhalte so verständlich wie möglich zu gestalten und vorzugsweise vollständig in deutscher Sprache wiederzugeben. Bei Bedarf übersetzen wir die öffentlichen Informationen und fassen sie durch eine KI zusammen.

Der Cybersecurity Morgenreport ist ein dynamisches Projekt. Wir passen und erweitern unsere Inhalte ständig, um Ihnen die relevantesten und aktuellsten Informationen zu liefern. Derzeit befinden wir uns im Alpha-Stadium des Projekts und freuen uns über Ihr Feedback und Ihre Anregungen.

Wir hoffen, dass der Cybersecurity Morgenreport Ihnen hilft, Ihre IT-Sicherheitsmaßnahmen zu verbessern und Ihre Systeme vor den ständig wechselnden Bedrohungen zu schützen. Bleiben Sie sicher und informiert mit dem Cybersecurity Morgenreport von Cyberwald.

Ihr Cyberwald-Team

## 2 Security-News

### 2.1 Heise - Security-Alert

#### ***Kopierdienst rsync mit kritischer Lücke***

Sicherheitsforscher entdeckten Lücken in der Open-Source-Software rsync, mit der man sehr effizient Dateien synchronisieren oder auch nur kopieren kann.

- [Link](#)

—

#### ***Patchday Fortinet: Hintertür ermöglicht unbefugte Zugriffe auf FortiSwitch***

Der Anbieter von IT-Securitylösungen Fortinet hat zahlreiche Sicherheitsupdates für seine Produkte veröffentlicht. Das sollten Netzwerkadmins im Blick haben.

- [Link](#)

—

#### ***CMS: Typo3-Entwickler dichten zehn Sicherheitslücken ab***

Das Content-Management-System Typo3 schließt mit aktualisierten Paketen zehn Sicherheitslücken.

- [Link](#)

—

#### ***Webkonferenzen: Zoom Workplace Apps mit Sicherheitslücken***

In den Workplace Apps und im Jenkins Plug-in von Zoom klaffen Sicherheitslücken. Updates zum Abdichten der Lecks stehen bereit.

- [Link](#)

—

#### ***Adobe-Patchday: Gefährliche Sicherheitslücken in Photoshop & Co. geschlossen***

Angreifer können Adobe-Anwendungen attackieren, um Computer zu kompromittieren. Sicherheitsupdates schaffen Abhilfe.

- [Link](#)

—

#### ***Microsoft-Patchday: Angreifer nutzen drei Lücken in Hyper-V aus***

Microsoft hat wichtige Sicherheitsupdates unter anderem für Azure, Office und Windows veröffentlicht. Es laufen bereits Attacken.

- [Link](#)

—

#### ***Jetzt patchen! Attacken auf BeyondTrust PRA/RS und Qlik Sense***

Die US-Sicherheitsbehörde CISA warnt vor Attacken auf Fernzugriffssoftware von BeyondTrust und die Datenanalyselösung Qlik Sense Enterprise.

- [Link](#)

—

***SAP-Patchday: Updates schließen 14 teils kritische Schwachstellen***

Im Januar bedenkt SAP Produkte mit 14 Sicherheitsmitteilungen und zugehörigen Updates. Zwei davon gelten als kritisch.

- [Link](#)

---

***Log Source Management App für IBM QRadar SIEM ist auf vielen Wegen angreifbar***

Weil mehrere Komponenten verwundbar sind, können Angreifer Systeme mit Log Source Management App für IBM QRadar SIEM attackieren.

- [Link](#)

---

***Sicherheitsupdate für Paessler PRTG Network Monitor ist da***

Ein wichtiger Sicherheitspatch schützt Paessler PRTG Network Monitor vor unbefugten Zugriffen.

- [Link](#)

---

### 3 Sicherheitslücken

Eine Sicherheitslücke oder Schwachstelle ist ein Fehler in einer Software oder Hardware, der es einem Angreifer ermöglicht, in ein Computersystem einzudringen und Schaden anzurichten. Diese Lücke stellt eine Bedrohung für die Sicherheit des Systems dar, da sie ausgenutzt werden kann, um das System zu kompromittieren. Sicherheitslücken entstehen oft durch unzureichenden Schutz des Computers vor Netzwerkangriffen, zum Beispiel durch fehlende Firewall oder andere Sicherheitssoftware. Auch Programmierfehler im Betriebssystem, Webbrowser oder anderen Anwendungen können Sicherheitslücken verursachen. Bekannte Sicherheitslücken sollten daher so schnell wie möglich durch das Einspielen eines Patches geschlossen werden, um die Angriffsfläche der IT-Systeme zu verringern.

#### 3.1 EPSS

Das Exploit Prediction Scoring System wird für eine bekannte Software-Sicherheitslücke / CVE auf einer Skala von 0 (0%) bis 1 (100%) angegeben und soll die Wahrscheinlichkeit für das Auftreten eines Exploits in naher Zukunft darstellen. Ein höherer Wert bedeutet eine höhere Wahrscheinlichkeit, dass eine Schwachstelle in naher Zukunft ausgenutzt wird. EPSS kann auch als Rahmen für die Priorisierung von Schwachstellen unter Verwendung einer Kombination von Metriken betrachtet werden. Es soll Unternehmen dabei helfen, ihre Ressourcen effizienter zu verteilen und alle relevanten Cyber-Risiken zu minimieren.

**3.1.1 CVEs mit hoher Exploit-Wahrscheinlichkeit**

CVE	EPSS	Perzentil	weitere Informationen
CVE-2023-7028	0.926200000	0.992440000	<a href="#">Link</a>
CVE-2023-6895	0.929940000	0.992770000	<a href="#">Link</a>
CVE-2023-6553	0.958240000	0.996020000	<a href="#">Link</a>
CVE-2023-6019	0.942220000	0.993950000	<a href="#">Link</a>
CVE-2023-6018	0.926470000	0.992460000	<a href="#">Link</a>
CVE-2023-52251	0.953810000	0.995360000	<a href="#">Link</a>
CVE-2023-4966	0.952900000	0.995270000	<a href="#">Link</a>
CVE-2023-49103	0.952840000	0.995250000	<a href="#">Link</a>
CVE-2023-48795	0.948600000	0.994630000	<a href="#">Link</a>
CVE-2023-48788	0.967910000	0.997950000	<a href="#">Link</a>
CVE-2023-47246	0.960960000	0.996460000	<a href="#">Link</a>
CVE-2023-46805	0.964050000	0.997090000	<a href="#">Link</a>
CVE-2023-46747	0.973210000	0.999470000	<a href="#">Link</a>
CVE-2023-46604	0.970820000	0.998780000	<a href="#">Link</a>
CVE-2023-4542	0.929810000	0.992760000	<a href="#">Link</a>
CVE-2023-43208	0.974800000	0.999850000	<a href="#">Link</a>
CVE-2023-43177	0.966220000	0.997550000	<a href="#">Link</a>
CVE-2023-42793	0.974850000	0.999860000	<a href="#">Link</a>
CVE-2023-4220	0.954100000	0.995420000	<a href="#">Link</a>
CVE-2023-39143	0.920920000	0.992040000	<a href="#">Link</a>
CVE-2023-38035	0.972090000	0.999130000	<a href="#">Link</a>
CVE-2023-35813	0.921490000	0.992100000	<a href="#">Link</a>
CVE-2023-3519	0.964000000	0.997070000	<a href="#">Link</a>
CVE-2023-35082	0.960390000	0.996370000	<a href="#">Link</a>
CVE-2023-35078	0.969220000	0.998300000	<a href="#">Link</a>
CVE-2023-34993	0.968280000	0.998040000	<a href="#">Link</a>

CVE	EPSS	Perzentil	weitere Informationen
CVE-2023-34634	0.908890000	0.991160000	<a href="#">Link</a>
CVE-2023-34362	0.971310000	0.998900000	<a href="#">Link</a>
CVE-2023-34105	0.945570000	0.994290000	<a href="#">Link</a>
CVE-2023-34039	0.958830000	0.996160000	<a href="#">Link</a>
CVE-2023-3368	0.937700000	0.993490000	<a href="#">Link</a>
CVE-2023-33246	0.973200000	0.999460000	<a href="#">Link</a>
CVE-2023-32315	0.970190000	0.998550000	<a href="#">Link</a>
CVE-2023-32235	0.929990000	0.992780000	<a href="#">Link</a>
CVE-2023-30625	0.939600000	0.993710000	<a href="#">Link</a>
CVE-2023-30013	0.968230000	0.998030000	<a href="#">Link</a>
CVE-2023-29298	0.971730000	0.999010000	<a href="#">Link</a>
CVE-2023-28432	0.931990000	0.992950000	<a href="#">Link</a>
CVE-2023-28343	0.966300000	0.997570000	<a href="#">Link</a>
CVE-2023-28121	0.910260000	0.991240000	<a href="#">Link</a>
CVE-2023-27524	0.972590000	0.999240000	<a href="#">Link</a>
CVE-2023-27372	0.973390000	0.999530000	<a href="#">Link</a>
CVE-2023-27350	0.968700000	0.998170000	<a href="#">Link</a>
CVE-2023-26469	0.957270000	0.995860000	<a href="#">Link</a>
CVE-2023-26035	0.969170000	0.998290000	<a href="#">Link</a>
CVE-2023-25717	0.953520000	0.995340000	<a href="#">Link</a>
CVE-2023-25194	0.960710000	0.996430000	<a href="#">Link</a>
CVE-2023-2479	0.966080000	0.997520000	<a href="#">Link</a>
CVE-2023-24489	0.972450000	0.999230000	<a href="#">Link</a>
CVE-2023-23752	0.937230000	0.993450000	<a href="#">Link</a>
CVE-2023-23333	0.964740000	0.997220000	<a href="#">Link</a>
CVE-2023-22527	0.972290000	0.999180000	<a href="#">Link</a>
CVE-2023-22518	0.969410000	0.998340000	<a href="#">Link</a>

CVE	EPSS	Perzentil	weitere Informationen
CVE-2023-22515	0.969730000	0.998440000	<a href="#">Link</a>
CVE-2023-20887	0.972060000	0.999110000	<a href="#">Link</a>
CVE-2023-1671	0.957150000	0.995840000	<a href="#">Link</a>
CVE-2023-0669	0.971270000	0.998890000	<a href="#">Link</a>
CVE-2023-0297	0.948640000	0.994630000	<a href="#">Link</a>

### 3.2 BSI - Warn- und Informationsdienst (WID)

Wed, 15 Jan 2025

#### **[NEU] [hoch] Microsoft Developer Tools: Mehrere Schwachstellen**

Ein Angreifer kann mehrere Schwachstellen in Microsoft Visual Studio 2017, Microsoft .NET Framework, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Microsoft Windows Server 2016, Microsoft Windows Server 2019, Microsoft Windows Server 2022, Microsoft Visual Studio 2019, Microsoft Visual Studio 2022 und Microsoft Windows ausnutzen, um seine Privilegien zu erhöhen, beliebigen Code auszuführen und vertrauliche Informationen preiszugeben.

- [Link](#)

—

Wed, 15 Jan 2025

#### **[NEU] [hoch] Rsync: Mehrere Schwachstellen**

Ein Angreifer kann mehrere Schwachstellen in Rsync ausnutzen, um vertrauliche Informationen preiszugeben, sich erhöhte Rechte zu verschaffen und Daten zu manipulieren.

- [Link](#)

—

Wed, 15 Jan 2025

#### **[UPDATE] [hoch] Red Hat OpenShift: Mehrere Schwachstelle**

Ein entfernter, anonymer Angreifer kann mehrere Schwachstelle in Red Hat OpenShift ausnutzen, um einen Cross-Site Scripting Angriff durchzuführen und beliebigen Code auszuführen.

- [Link](#)

—

Wed, 15 Jan 2025

#### **[NEU] [hoch] Fortinet Produkte: Mehrere Schwachstellen**

Ein entfernter, anonymer oder authentisierter Angreifer kann mehrere Schwachstellen in Fortinet



FortiOS, Fortinet FortiProxy, Fortinet FortiMail, Fortinet FortiRecorder, Fortinet FortiVoice und Fortinet FortiWeb ausnutzen, um Daten zu manipulieren und die Authentifizierung zu umgehen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [kritisch] Microsoft Windows Server: Mehrere Schwachstellen**

Ein Angreifer kann mehrere Schwachstellen in Microsoft Windows Server, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Microsoft Windows 10, Microsoft Windows Server 2016, Microsoft Windows Server 2019, Microsoft Windows Server 2022 und Microsoft Windows 11 ausnutzen, um seine Privilegien zu erhöhen, beliebigen Code auszuführen, Sicherheitsmaßnahmen zu umgehen, einen Spoofing-Angriff durchzuführen, vertrauliche Informationen preiszugeben und einen Denial-of-Service-Zustand zu erzeugen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] xwiki: Schwachstelle ermöglicht Privilegieneskalation**

Ein entfernter, authentisierter Angreifer kann eine Schwachstelle in xwiki ausnutzen, um seine Privilegien zu erhöhen.

- [Link](#)

—

Wed, 15 Jan 2025

**[UPDATE] [hoch] RADIUS: Schwachstelle ermöglicht Umgehen von Sicherheitsvorkehrungen**

Ein lokaler Angreifer kann eine Schwachstelle im RADIUS Protokoll ausnutzen, um Sicherheitsvorkehrungen zu umgehen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Fortinet FortiManager: Mehrere Schwachstellen**

Ein Angreifer kann mehrere Schwachstellen in Fortinet FortiManager ausnutzen, um Daten zu manipulieren, Informationen offenzulegen, Sicherheitsmaßnahmen zu umgehen, und Code auszuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Fortinet FortiSandbox: Schwachstelle ermöglicht Codeausführung**

Ein entfernter, authentisierter Angreifer kann eine Schwachstelle in Fortinet FortiSandbox ausnutzen, um beliebigen Programmcode auszuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Rancher: Schwachstelle ermöglicht Cross-Site Scripting**

Ein entfernter, authentisierter Angreifer kann eine Schwachstelle in Rancher ausnutzen, um einen Cross-Site Scripting Angriff durchzuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Ivanti Endpoint Manager: Mehrere Schwachstellen**

Ein entfernter, anonymer oder authentisierter Angreifer kann mehrere Schwachstellen in Ivanti Endpoint Manager ausnutzen, um seine Privilegien zu erweitern, Code auszuführen, einen Denial-of-Service-Zustand zu erzeugen und Informationen offenzulegen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Fortinet FortiClient: Mehrere Schwachstellen**

Ein entfernter, anonymer oder lokaler Angreifer kann mehrere Schwachstellen in Fortinet FortiClient ausnutzen, um Sicherheitsvorkehrungen zu umgehen oder Informationen offenzulegen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [kritisch] Fortinet FortiOS: Schwachstelle ermöglicht Erlangen von Administratorrechten**

Ein entfernter, anonymer Angreifer kann eine Schwachstelle in Fortinet FortiOS und Fortinet Forti-Proxy ausnutzen, um Administratorrechte zu erlangen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Fortinet FortiSwitch: Mehrere Schwachstellen ermöglichen Codeausführung**

Ein entfernter, anonymer Angreifer kann mehrere Schwachstellen in Fortinet FortiSwitch ausnutzen, um beliebigen Programmcode auszuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Fortinet FortiVoice: Mehrere Schwachstellen**

Ein entfernter, authentisierter Angreifer kann mehrere Schwachstellen in Fortinet FortiVoice ausnutzen, um Dateien zu manipulieren oder Code auszuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[NEU] [hoch] Google Chrome: Mehrere Schwachstellen**

Ein entfernter, anonymer Angreifer kann mehrere Schwachstellen in Google Chrome ausnutzen, um Informationen offenzulegen, einen Denial of Service zu verursachen, Code zur Ausführung zu bringen und weitere, nicht spezifizierte Auswirkungen herbeizuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[UPDATE] [hoch] Linux Kernel: Mehrere Schwachstellen**

Ein lokaler Angreifer kann mehrere Schwachstellen im Linux Kernel ausnutzen, um seine Privilegien zu erhöhen oder einen Denial of Service zu verursachen.

- [Link](#)

—

Wed, 15 Jan 2025

**[UPDATE] [hoch] Linux Kernel: Mehrere Schwachstellen**

Ein Angreifer kann mehrere Schwachstellen in Linux Kernel ausnutzen, um einen Denial of Service Zustand herbeizuführen oderum einen nicht näher spezifizierten Angriff durchzuführen.

- [Link](#)

—

Wed, 15 Jan 2025

**[UPDATE] [hoch] libssh2: Mehrere Schwachstellen**

Ein entfernter, anonymer Angreifer kann mehrere Schwachstellen in libssh2 ausnutzen, um beliebigen Programmcode mit Benutzerrechten auszuführen, Informationen offenzulegen oder einen Denial of Service zu verursachen.

- [Link](#)

—

Wed, 15 Jan 2025

**[UPDATE] [hoch] PowerDNS: Mehrere Schwachstellen**

Ein entfernter, authentisierter oder anonymer Angreifer kann mehrere Schwachstellen in PowerDNS ausnutzen, um Informationen offenzulegen, einen Denial of Service zu verursachen oder potenziell beliebigen Code zur Ausführung zu bringen.

- [Link](#)

—

---

### 3.3 Sicherheitslücken Meldungen von Tenable

Datum	Schwachstelle	Bewertung
1/15/2025	[SUSE SLES15 Security Update : webkit2gtk3 (SUSE-SU-2025:0096-1)]	critical
1/15/2025	[Fedora 41 : perl-Net-OAuth (2025-f0077db20c)]	critical
1/15/2025	[Fedora 40 : perl-Net-OAuth (2025-05e642f1ef)]	critical
1/15/2025	[RHEL 8 : raptor2 (RHSA-2025:0326)]	critical
1/15/2025	[Nutanix AOS : Multiple Vulnerabilities (NXSA-AOS-7.0.0.5)]	critical
1/15/2025	[FreeBSD : rsync – Multiple security fixes (163edccf-d2ba-11ef-b10e-589cfc10a551)]	critical
1/15/2025	[Ubuntu 18.04 LTS / 20.04 LTS / 22.04 LTS / 24.04 LTS : NeoMutt vulnerabilities (USN-7204-1)]	critical
1/15/2025	[Oracle Linux 8 : raptor2 (ELSA-2025-0314)]	critical
1/15/2025	[AlmaLinux 8 : raptor2 (ALSA-2025:0314)]	critical
1/15/2025	[AlmaLinux 9 : raptor2 (ALSA-2025:0312)]	critical
1/15/2025	[GLSA-202501-01 : rsync: Multiple Vulnerabilities]	critical
1/15/2025	[Oracle Linux 9 : raptor2 (ELSA-2025-0312)]	critical
1/15/2025	[SUSE SLES12 Security Update : kernel (Live Patch 57 for SLE 12 SP5) (SUSE-SU-2025:0097-1)]	high
1/15/2025	[SUSE SLES12 Security Update : kernel (Live Patch 56 for SLE 12 SP5) (SUSE-SU-2025:0091-1)]	high
1/15/2025	[SUSE SLES12 Security Update : kernel (Live Patch 59 for SLE 12 SP5) (SUSE-SU-2025:0090-1)]	high
1/15/2025	[SUSE SLES15 Security Update : kernel (Live Patch 42 for SLE 15 SP3) (SUSE-SU-2025:0101-1)]	high
1/15/2025	[SUSE SLES15 Security Update : kernel RT (Live Patch 2 for SLE 15 SP6) (SUSE-SU-2025:0085-1)]	high
1/15/2025	[SUSE SLES15 Security Update : kernel (Live Patch 22 for SLE 15 SP4) (SUSE-SU-2025:0108-1)]	high
1/15/2025	[SUSE SLES15 Security Update : kernel (Live Patch 23 for SLE 15 SP4) (SUSE-SU-2025:0107-1)]	high

Datum	Schwachstelle	Bewertung
1/15/2025	[SUSE SLES12 Security Update : kernel (Live Patch 53 for SLE 12 SP5) (SUSE-SU-2025:0100-1)]	high
1/15/2025	[SUSE SLES12 Security Update : kernel (Live Patch 54 for SLE 12 SP5) (SUSE-SU-2025:0103-1)]	high
1/15/2025	[SUSE SLES15 / openSUSE 15 Security Update : apache2-mod_jk (SUSE-SU-2025:0102-1)]	high
1/15/2025	[Fedora 40 : redis (2025-72fd0442cc)]	high
1/15/2025	[Security Updates for Microsoft Office Products (January 2025) (macOS)]	high
1/15/2025	[RHEL 8 : rsync (RHSA-2025:0325)]	high
1/15/2025	[RHEL 9 : rsync (RHSA-2025:0324)]	high
1/15/2025	[DrayTek Vigor 1.5.1.1 (CVE-2020-19664)]	high
1/15/2025	[Oracle Linux 8 : rsync (ELSA-2025-0325)]	high
1/15/2025	[AlmaLinux 8 : rsync (ALSA-2025:0325)]	high
1/15/2025	[AlmaLinux 9 : rsync (ALSA-2025:0324)]	high
1/15/2025	[Debian dsa-5844 : chromium - security update]	high
1/15/2025	[Ubuntu 18.04 LTS : Linux kernel (Raspberry Pi) vulnerabilities (USN-7173-3)]	high
1/15/2025	[Oracle Linux 9 : rsync (ELSA-2025-0324)]	high
1/15/2025	[RHEL 8 : iperf3 (RHSA-2025:0346)]	high

## 4 Aktiv ausgenutzte Sicherheitslücken

### 4.1 Exploits der letzten 5 Tage

“Tue, 03 Dec 2024

#### **Acronis Cyber Protect/Backup Remote Code Execution**

The Acronis Cyber Protect appliance, in its default configuration, allows the anonymous registration of new protect/backup agents on new endpoints. This API endpoint also generates bearer tokens which the agent then uses to authenticate to the appliance. As the management web console is

running on the same port as the API for the agents, this bearer token is also valid for any actions on the web console. This allows an attacker with network access to the appliance to start the registration of a new agent, retrieve a bearer token that provides admin access to the available functions in the web console. The web console contains multiple possibilities to execute arbitrary commands on both the agents (e.g., via PreCommands for a backup) and also the appliance (e.g., via a Validation job on the agent of the appliance). These options can easily be set with the provided bearer token, which leads to a complete compromise of all agents and the appliance itself.

- [Link](#)

—

” “Tue, 03 Dec 2024

#### ***Fortinet FortiManager Unauthenticated Remote Code Execution***

This Metasploit module exploits a missing authentication vulnerability affecting FortiManager and FortiManager Cloud devices to achieve unauthenticated RCE with root privileges. The vulnerable FortiManager versions are 7.6.0, 7.4.0 through 7.4.4, 7.2.0 through 7.2.7, 7.0.0 through 7.0.12, 6.4.0 through 6.4.14, and 6.2.0 through 6.2.12. The vulnerable FortiManager Cloud versions are 7.4.1 through 7.4.4, 7.2.1 through 7.2.7, 7.0.1 through 7.0.12, and 6.4 (all versions).

- [Link](#)

—

” “Tue, 03 Dec 2024

#### ***Asterisk AMI Originate Authenticated Remote Code Execution***

On Asterisk, prior to versions 18.24.2, 20.9.2, and 21.4.2 and certified-asterisk versions 18.9-cert11 and 20.7-cert2, an AMI user with write=originate may change all configuration files in the /etc/asterisk/ directory. Writing a new extension can be created which performs a system command to achieve RCE as the asterisk service user (typically asterisk). Default parking lot in FreePBX is called "Default lot" on the website interface, however its actually parkedcalls. Tested against Asterisk 19.8.0 and 18.16.0 on FreePBX SNG7-PBX16-64bit-2302-1.

- [Link](#)

—

” “Mon, 02 Dec 2024

#### ***Omada Identity Cross Site Scripting***

Omada Identity versions prior to 15U1 and 14.14 hotfix #309 suffer from a persistent cross site scripting vulnerability.

- [Link](#)

—

” “Mon, 02 Dec 2024

#### ***Siemens Unlocked JTAG Interface / Buffer Overflow***

Various Siemens products suffer from vulnerabilities. There is an unlocked JTAG Interface for Zynq-7000 on SM-2558 and a buffer overflow on the webserver of the SM-2558, CP-2016, and CP-2019

systems.

- [Link](#)

—

” “Mon, 02 Dec 2024

**ABB Cylon Aspect 3.08.00 fileSystemUpdate.php File Upload / Denial Of Service**

ABB Cylon Aspect version 3.08.00 suffers from a vulnerability in the fileSystemUpdate.php endpoint of the ABB BEMS controller due to improper handling of uploaded files. The endpoint lacks restrictions on file size and type, allowing attackers to upload excessively large or malicious files. This flaw could be exploited to cause denial of service (DoS) attacks, memory leaks, or buffer overflows, potentially leading to system crashes or further compromise.

- [Link](#)

—

” “Mon, 02 Dec 2024

**ABB Cylon Aspect 3.08.01 mstpstatus.php Information Disclosure**

ABB Cylon Aspect version 3.08.01 suffers from an unauthenticated information disclosure vulnerability. An unauthorized attacker can reference the affected page and disclose various BACnet MS/TP statistics running on the device.

- [Link](#)

—

” “Mon, 02 Dec 2024

**ABB Cylon Aspect 3.08.01 diagLateThread.php Information Disclosure**

ABB Cylon Aspect version 3.08.01 suffers from an unauthenticated information disclosure vulnerability. An unauthorized attacker can reference the affected page and disclose various protocol thread information running on the device.

- [Link](#)

—

” “Mon, 02 Dec 2024

**AppleAVD AV1\_Syntax::Parse\_Header Out-Of-Bounds Reads**

AppleAVD has an issue where a large OBU size in AV1\_Syntax::Parse\_Header reading can lead to out-of-bounds reads.

- [Link](#)

—

” “Mon, 02 Dec 2024

**AppleAVD AV1\_Syntax::f Out-Of-Bounds Reads**

AppleAVD has an issue in AV1\_Syntax::f leading to out-of-bounds reads.

- [Link](#)

—

” “Mon, 02 Dec 2024

**AppleAVD AV1\_Syntax::Parse\_Header Integer Underflow / Out-Of-Bounds Reads**

AppleAVD has an integer underflow in AV1\_Syntax::Parse\_Header that can lead to out-of-bounds reads.

- [Link](#)

—

” “Mon, 02 Dec 2024

**Simple Chat System 1.0 Cross Site Scripting**

Simple Chat System version 1.0 suffers from a cross site scripting vulnerability.

- [Link](#)

—

” “Mon, 02 Dec 2024

**Russian FSB Cross Site Scripting**

The Russian FSB appears to suffer from a cross site scripting vulnerability. The researchers who discovered it have reported it multiple times to them.

- [Link](#)

—

” “Mon, 02 Dec 2024

**Laravel 11.0 Cross Site Scripting**

Laravel version 11.0 suffers from a cross site scripting vulnerability.

- [Link](#)

—

” “Mon, 02 Dec 2024

**Nvidia GeForce 11.0.1.163 Unquoted Service Path**

Nvidia GeForce version 11.0.1.163 suffers from an unquoted service path vulnerability.

- [Link](#)

—

” “Mon, 02 Dec 2024

**Intelligent Security System SecurOS Enterprise 11 Unquoted Service Path**

Intelligent Security System SecurOS Enterprise version 11 suffers from an unquoted service path vulnerability.

- [Link](#)

—

” “Wed, 27 Nov 2024

**ABB Cylon Aspect 3.08.01 vstatConfigurationDownload.php Configuration Download**

ABB Cylon Aspect version 3.08.01 suffers from an unauthenticated configuration download vulnerability. This can be exploited to download the CSV DB that contains the configuration mappings information via the VMobileImportExportServlet by directly calling the vstatConfigurationDownload.php script.



- [Link](#)

—

” “Wed, 27 Nov 2024

***Akuvox Smart Intercom/Doorphone ServicesHTTPAPI Improper Access Control***

The Akuvox Smart Intercom/Doorphone suffers from an insecure service API access control. The vulnerability in ServicesHTTPAPI endpoint allows users with "User" privileges to modify API access settings and configurations. This improper access control permits privilege escalation, enabling unauthorized access to administrative functionalities. Exploitation of this issue could compromise system integrity and lead to unauthorized system modifications.

- [Link](#)

—

” “Fri, 22 Nov 2024

***CUPS IPP Attributes LAN Remote Code Execution***

This Metasploit module exploits vulnerabilities in OpenPrinting CUPS, which is running by default on most Linux distributions. The vulnerabilities allow an attacker on the LAN to advertise a malicious printer that triggers remote code execution when a victim sends a print job to the malicious printer. Successful exploitation requires user interaction, but no CUPS services need to be reachable via accessible ports. Code execution occurs in the context of the lp user. Affected versions are cups-browsed less than or equal to 2.0.1, libcupsfilters versions 2.1b1 and below, libppd versions 2.1b1 and below, and cups-filters versions 2.0.1 and below.

- [Link](#)

—

” “Fri, 22 Nov 2024

***ProjectSend R1605 Unauthenticated Remote Code Execution***

This Metasploit module exploits an improper authorization vulnerability in ProjectSend versions r1295 through r1605. The vulnerability allows an unauthenticated attacker to obtain remote code execution by enabling user registration, disabling the whitelist of allowed file extensions, and uploading a malicious PHP file to the server.

- [Link](#)

—

” “Fri, 22 Nov 2024

***needrestart Local Privilege Escalation***

Qualys discovered that needrestart suffers from multiple local privilege escalation vulnerabilities that allow for root access from an unprivileged user.

- [Link](#)

—

” “Fri, 22 Nov 2024

***fronsetia 1.1 Cross Site Scripting***

fronsetia version 1.1 suffers from a cross site scripting vulnerability.

- [Link](#)

—

” “Fri, 22 Nov 2024

#### ***fronsetia 1.1 XML Injection***

fronsetia version 1.1 suffers from an XML external entity injection vulnerability.

- [Link](#)

—

” “Fri, 22 Nov 2024

#### ***PowerVR psProcessHandleBase Reuse***

PowerVR has an issue where PVRSRVAcquireProcessHandleBase() can cause psProcessHandleBase reuse when PIDs are reused.

- [Link](#)

—

” “Fri, 22 Nov 2024

#### ***Linux 6.6 Race Condition***

A security-relevant race between mremap() and THP code has been discovered. Reaching the buggy code typically requires the ability to create unprivileged namespaces. The bug leads to installing physical address 0 as a page table, which is likely exploitable in several ways: For example, triggering the bug in multiple processes can probably lead to unintended page table sharing, which probably can lead to stale TLB entries pointing to freed pages.

- [Link](#)

—

”

## **4.2 0-Days der letzten 5 Tage**

“Wed, 15 Jan 2025

#### ***ZDI-25-030: Microsoft Office Word DOCX File Parsing Uninitialized Pointer Remote Code Execution Vulnerability***

- [Link](#)

—

” “Wed, 15 Jan 2025

#### ***ZDI-25-029: Microsoft Windows Installer Service Link Following Local Privilege Escalation Vulnerability***

- [Link](#)

—

” “Wed, 15 Jan 2025

***ZDI-25-028: Microsoft Office Word RTF File Parsing Memory Corruption Remote Code Execution Vulnerability***

- [Link](#)

—

” “Sun, 12 Jan 2025

***ZDI-25-027: (Pwn2Own) Google Chrome VideoFrame Use-After-Free Remote Code Execution Vulnerability***

- [Link](#)

—

”

## 5 Die Hacks der Woche

mit Martin Haunschmid

### 5.0.1 Gehackt via Nachbar... oder die Palo Alto.



[Zum Youtube Video](#)

## 6 Cyberangriffe: (Jan)

Datum	Opfer	Land	Information
2025-01-12	Technische Universiteit Eindhoven (TU Eindhoven)	[NLD]	<a href="#">Link</a>
2025-01-08	Office of Geodesy, Cartography and Cadastre of the Slovak Republic (UGKK)	[SVK]	<a href="#">Link</a>
2025-01-08	Prefeitura de Sarapuí	[BRA]	<a href="#">Link</a>
2025-01-08	Gateshead Council	[GBR]	<a href="#">Link</a>
2025-01-07	Addison Northwest School District (ANWSD)	[USA]	<a href="#">Link</a>
2025-01-07	New Brunswick Liquor Corporation	[CAN]	<a href="#">Link</a>
2025-01-07	Laramie County Library System	[USA]	<a href="#">Link</a>
2025-01-05	South Portland Public Schools	[USA]	<a href="#">Link</a>
2025-01-05	Upper Canada District School Board (UCDSB)	[CAN]	<a href="#">Link</a>
2025-01-03	La Police de Kingston	[CAN]	<a href="#">Link</a>

## 7 Ransomware-Erpressungen: (Jan)

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-16	[bsegroup.it]	ransomhub	<a href="#">Link</a>
2025-01-16	[www.solariumrevestimentos.com.br]	ransomhub	<a href="#">Link</a>
2025-01-16	[www.liteputer.com.tw]	ransomhub	<a href="#">Link</a>
2025-01-16	[Access Capital Partners SA]	lynx	<a href="#">Link</a>
2025-01-15	[Prestige Maintenance USA]	medusa	<a href="#">Link</a>
2025-01-15	[safecoastseafoods.com]	safepay	<a href="#">Link</a>
2025-01-15	[greyform.sg]	safepay	<a href="#">Link</a>
2025-01-15	[proexequialesresurgir.com]	safepay	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-15	[bellandgraham.co.nz]	safepay	<a href="#">Link</a>
2025-01-15	[termopuerto.com]	safepay	<a href="#">Link</a>
2025-01-15	[equipo-postal.com]	safepay	<a href="#">Link</a>
2025-01-15	[ddelta.com.mx]	safepay	<a href="#">Link</a>
2025-01-15	[mts.gov.eg]	funksec	<a href="#">Link</a>
2025-01-15	[AKConstructors.com]	ransomhub	<a href="#">Link</a>
2025-01-15	[combinedpoolandspa.com]	kairos	<a href="#">Link</a>
2025-01-15	[Lowe Engineers]	lynx	<a href="#">Link</a>
2025-01-15	[betcllc.com]	apt73	<a href="#">Link</a>
2025-01-15	[Woodport Doors]	lynx	<a href="#">Link</a>
2025-01-15	[barilga.gov.mn]	funksec	<a href="#">Link</a>
2025-01-15	[communisis.com & paragon.world]	lynx	<a href="#">Link</a>
2025-01-15	[anwsd.org]	threeam	<a href="#">Link</a>
2025-01-15	[www.eurocert.pl]	ransomhub	<a href="#">Link</a>
2025-01-15	[jgele.com]	kairos	<a href="#">Link</a>
2025-01-14	[DURAYDUNCAN.COM]	cllop	<a href="#">Link</a>
2025-01-14	[Indus Towers]	medusa	<a href="#">Link</a>
2025-01-14	[The Metropolitan Borough of Gateshead]	medusa	<a href="#">Link</a>
2025-01-14	[AVI Southeast]	medusa	<a href="#">Link</a>
2025-01-14	[Boart & Wire]	sarcoma	<a href="#">Link</a>
2025-01-14	[The Chicano Federation]	rhysida	<a href="#">Link</a>
2025-01-14	[udb.net]	ransomhub	<a href="#">Link</a>
2025-01-14	[Beyond79]	akira	<a href="#">Link</a>
2025-01-14	[WPD.WOODPORTDOORS.COM]	lynx	<a href="#">Link</a>
2025-01-14	[QualiTech (qualitech.com)]	lynx	<a href="#">Link</a>
2025-01-14	[Kineth Hospitality Companies]	lynx	<a href="#">Link</a>
2025-01-14	[Douglas County, GA (DDCWSA.COM)]	lynx	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-14	[pittman-construction.com]	lockbit3	<a href="#">Link</a>
2025-01-14	[The University of Oklahoma (ou.edu)]	fog	<a href="#">Link</a>
2025-01-14	[SciTech Services, Inc.]	fog	<a href="#">Link</a>
2025-01-14	[Buttery (butterycompany.com)]	fog	<a href="#">Link</a>
2025-01-14	[Moinho Globo Alimentos]	akira	<a href="#">Link</a>
2025-01-14	[PJ's Rebar]	akira	<a href="#">Link</a>
2025-01-14	[Union Studio]	akira	<a href="#">Link</a>
2025-01-14	[Wynnewood High School]	8base	<a href="#">Link</a>
2025-01-14	[Moraviakov s.r.o.]	8base	<a href="#">Link</a>
2025-01-14	[Bring Solution]	8base	<a href="#">Link</a>
2025-01-14	[Gebäudereinigungsakademie]	8base	<a href="#">Link</a>
2025-01-14	[Thilges & Bernhardt, Attorneys at Law]	qilin	<a href="#">Link</a>
2025-01-14	[Clinica CES]	qilin	<a href="#">Link</a>
2025-01-14	[bluai.ai]	funksec	<a href="#">Link</a>
2025-01-14	[Sharm Reef Hotel]	spacebears	<a href="#">Link</a>
2025-01-14	[Intelservice.com]	ransomhub	<a href="#">Link</a>
2025-01-14	[Solaris Pharma]	everest	<a href="#">Link</a>
2025-01-14	[Onecare]	incransom	<a href="#">Link</a>
2025-01-14	[Findhelp Information Services]	incransom	<a href="#">Link</a>
2025-01-14	[Biomedical Caledonia Medical Laboratory (calmedlab.local)]	incransom	<a href="#">Link</a>
2025-01-14	[Imperial Valley Respite (ivrespite.com)]	incransom	<a href="#">Link</a>
2025-01-14	[Riverina Medical]	incransom	<a href="#">Link</a>
2025-01-14	[Spectrum]	incransom	<a href="#">Link</a>
2025-01-13	[SERGAS Group]	lynx	<a href="#">Link</a>
2025-01-13	[Nash Brothers Construction (nashdom.local)]	lynx	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-13	[PHG CPAs (bushman.biz)]	lynx	<a href="#">Link</a>
2025-01-13	[Browdy (bl.local)]	lynx	<a href="#">Link</a>
2025-01-13	[Novati Constructions]	lynx	<a href="#">Link</a>
2025-01-13	[viacaojacarei.com.br]	lockbit3	<a href="#">Link</a>
2025-01-13	[gelco-s-a.com.br]	lockbit3	<a href="#">Link</a>
2025-01-13	[nicatel.com.uy]	lockbit3	<a href="#">Link</a>
2025-01-13	[lamejor.com.co]	lockbit3	<a href="#">Link</a>
2025-01-13	[candelasyasociados.es]	lockbit3	<a href="#">Link</a>
2025-01-13	[atpformosa.gob.ar]	lockbit3	<a href="#">Link</a>
2025-01-13	[oyolasvegas.com]	lockbit3	<a href="#">Link</a>
2025-01-13	[Welcomehallmission.com]	everest	<a href="#">Link</a>
2025-01-13	[PT PINS Indonesia]	dragonforce	<a href="#">Link</a>
2025-01-13	[Delap & Waller]	lynx	<a href="#">Link</a>
2025-01-13	[Conad (conad.lan)]	lynx	<a href="#">Link</a>
2025-01-13	[healthcarewithinreach.org]	ransomhub	<a href="#">Link</a>
2025-01-13	[mymobileforms app]	funksec	<a href="#">Link</a>
2025-01-13	[kuzstu-nf.ru]	funksec	<a href="#">Link</a>
2025-01-13	[telering.de]	lockbit3	<a href="#">Link</a>
2025-01-13	[mi.edu]	ransomhub	<a href="#">Link</a>
2025-01-13	[linxe.com]	funksec	<a href="#">Link</a>
2025-01-13	[zapopan.gob.mx]	funksec	<a href="#">Link</a>
2025-01-12	[wissenhive.com]	funksec	<a href="#">Link</a>
2025-01-11	[Jim Thompson]	lynx	<a href="#">Link</a>
2025-01-11	[Astaphans]	lynx	<a href="#">Link</a>
2025-01-11	[pleasantsconstruction.com]	qilin	<a href="#">Link</a>
2025-01-11	[T. Hasegawa USA]	hunters	<a href="#">Link</a>
2025-01-11	[Barber Specialties]	hunters	<a href="#">Link</a>



Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-11	[Costex]	hunters	<a href="#">Link</a>
2025-01-11	[Patriarche Office of Architecture]	hunters	<a href="#">Link</a>
2025-01-11	[COROB]	hunters	<a href="#">Link</a>
2025-01-11	[RocSearch]	hunters	<a href="#">Link</a>
2025-01-11	[Unisource Information Services]	hunters	<a href="#">Link</a>
2025-01-11	[seocommarrakech.com]	funksec	<a href="#">Link</a>
2025-01-11	[schuff.com]	blackbasta	<a href="#">Link</a>
2025-01-11	[granbyindustries.com]	blackbasta	<a href="#">Link</a>
2025-01-11	[plasmatherm.com]	blackbasta	<a href="#">Link</a>
2025-01-11	[arunestates.co.uk]	blackbasta	<a href="#">Link</a>
2025-01-11	[brachot.com]	blackbasta	<a href="#">Link</a>
2025-01-11	[avril.ca]	blackbasta	<a href="#">Link</a>
2025-01-11	[migonline.com]	blackbasta	<a href="#">Link</a>
2025-01-11	[bnext.nl]	blackbasta	<a href="#">Link</a>
2025-01-11	[EKOMERCIO.COM]	clop	<a href="#">Link</a>
2025-01-10	[Peikko]	akira	<a href="#">Link</a>
2025-01-10	[Sheyenne Tooling & Manufacturing]	sarcoma	<a href="#">Link</a>
2025-01-10	[amerplumb.com]	ransomhub	<a href="#">Link</a>
2025-01-10	[Ichikawa North America Corporation]	akira	<a href="#">Link</a>
2025-01-10	[Qualinet]	rhapsida	<a href="#">Link</a>
2025-01-10	[www.wisesocon.com]	ransomhub	<a href="#">Link</a>
2025-01-10	[Thomas J. Henry Law]	akira	<a href="#">Link</a>
2025-01-10	[Capesesp]	akira	<a href="#">Link</a>
2025-01-10	[Metalmatrix Clamps]	akira	<a href="#">Link</a>
2025-01-10	[xtremmedia.com]	ransomhub	<a href="#">Link</a>
2025-01-10	[OmniRide (omniride.com)]	fog	<a href="#">Link</a>
2025-01-10	[Evidn]	everest	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-10	[EVAS Group]	ElDorado	<a href="#">Link</a>
2025-01-09	[depewgillen.com]	incransom	<a href="#">Link</a>
2025-01-09	[castlehillha.co.uk]	ransomhub	<a href="#">Link</a>
2025-01-09	[drive-lines.com]	ransomhub	<a href="#">Link</a>
2025-01-09	[pnp.co.za]	apt73	<a href="#">Link</a>
2025-01-09	[Rent-2-Own]	medusa	<a href="#">Link</a>
2025-01-09	[alansarioman.com]	embargo	<a href="#">Link</a>
2025-01-09	[gags.gov.eg]	funksec	<a href="#">Link</a>
2025-01-09	[mindev.gov.gr]	funksec	<a href="#">Link</a>
2025-01-09	[Northern Lights Electric]	akira	<a href="#">Link</a>
2025-01-09	[Chain And Rope Suppliers LTD]	akira	<a href="#">Link</a>
2025-01-09	[Huntington Hotel Group]	termite	<a href="#">Link</a>
2025-01-09	[Galfer]	akira	<a href="#">Link</a>
2025-01-09	[Permoda]	akira	<a href="#">Link</a>
2025-01-09	[Fukoku Co. Ltd.]	spacebears	<a href="#">Link</a>
2025-01-09	[bendixengineering]	medusalocker	<a href="#">Link</a>
2025-01-09	[carc.gov.jo]	funksec	<a href="#">Link</a>
2025-01-08	[kingpower.com]	abyss	<a href="#">Link</a>
2025-01-08	[Press Color]	akira	<a href="#">Link</a>
2025-01-08	[Surface Combustion]	akira	<a href="#">Link</a>
2025-01-08	[Slawson Companies]	akira	<a href="#">Link</a>
2025-01-08	[sahpetrol.com.tr]	ransomhub	<a href="#">Link</a>
2025-01-08	[Youth Eastside Services]	incransom	<a href="#">Link</a>
2025-01-08	[EBL PARTNERS (construction interiors), Florida]		spacebears
2025-01-08	[General Digital]	spacebears	<a href="#">Link</a>
2025-01-08	[General Digital CRM]	spacebears	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-07	[ndceg.com]	funksec	<a href="#">Link</a>
2025-01-07	[astaphans.com]	lynx	<a href="#">Link</a>
2025-01-07	[jimthompson.com]	lynx	<a href="#">Link</a>
2025-01-07	[Saint-Bar (saintbar.be)]	fog	<a href="#">Link</a>
2025-01-07	[Arrotex Pharmaceuticals]	morpheus	<a href="#">Link</a>
2025-01-07	[Pus Gmbh]	morpheus	<a href="#">Link</a>
2025-01-07	[Drivestream]	akira	<a href="#">Link</a>
2025-01-07	[Drywall Partitions]	akira	<a href="#">Link</a>
2025-01-07	[AAA Environmental]	akira	<a href="#">Link</a>
2025-01-07	[D-7 Roofing]	lynx	<a href="#">Link</a>
2025-01-07	[Bergström Wines]	8base	<a href="#">Link</a>
2025-01-07	[Sunflower Medical Group]	rhysida	<a href="#">Link</a>
2025-01-07	[senergy.net]	funksec	<a href="#">Link</a>
2025-01-07	[HECTARE]	8base	<a href="#">Link</a>
2025-01-07	[Lake Shore Public Schools]	8base	<a href="#">Link</a>
2025-01-07	[SPORT BOUTIQ]	8base	<a href="#">Link</a>
2025-01-07	[CED Solutions Computer IT Training Centers]	8base	<a href="#">Link</a>
2025-01-07	[Weininger Metall System GmbH]	8base	<a href="#">Link</a>
2025-01-07	[Omnitravel]	8base	<a href="#">Link</a>
2025-01-07	[ASCOM S.p.A.]	8base	<a href="#">Link</a>
2025-01-06	[VELSOL.COM]	clop	<a href="#">Link</a>
2025-01-06	[WSINC.COM]	clop	<a href="#">Link</a>
2025-01-06	[Maverick Constructors]	akira	<a href="#">Link</a>
2025-01-06	[A Bar A Ranch]	akira	<a href="#">Link</a>
2025-01-06	[yoniot.cn]	darkvault	<a href="#">Link</a>
2025-01-06	[Los Andes]	akira	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-06	[Bluegrass Ingredients]	akira	<a href="#">Link</a>
2025-01-06	[Action Imports]	akira	<a href="#">Link</a>
2025-01-06	[Gunnar Prefab]	akira	<a href="#">Link</a>
2025-01-06	[molars.co.ke]	ransomhub	<a href="#">Link</a>
2025-01-05	[Hunter Taubman Fischer & Li]	lynx	<a href="#">Link</a>
2025-01-05	[ribernuez.com]	funksec	<a href="#">Link</a>
2025-01-05	[bayan-ulgii.cfga.gov.mn]	funksec	<a href="#">Link</a>
2025-01-04	[gsw.co.in]	funksec	<a href="#">Link</a>
2025-01-04	[technotouch.co]	funksec	<a href="#">Link</a>
2025-01-04	[Inventory Management and Counting Solutions]	ElDorado	<a href="#">Link</a>
2025-01-04	[HIDROCARBUROS ARGENTINOS S.A.]	ElDorado	<a href="#">Link</a>
2025-01-04	[Perú Controls S.A.C.]	ElDorado	<a href="#">Link</a>
2025-01-04	[Auxis]	apos	<a href="#">Link</a>
2025-01-04	[Montreal North]	rhysida	<a href="#">Link</a>
2025-01-04	[YorkTest Laboratories]	qilin	<a href="#">Link</a>
2025-01-04	[www.smawins.com]	qilin	<a href="#">Link</a>
2025-01-04	[maxvaluecredits.com]	qilin	<a href="#">Link</a>
2025-01-03	[ISOR]	cicada3301	<a href="#">Link</a>
2025-01-03	[Nikki-Universal Co Ltd]	hunters	<a href="#">Link</a>
2025-01-03	[Lyons Specialty Co.]	8base	<a href="#">Link</a>
2025-01-03	[SolGeo AG Baugelogie and Geotechnik]	8base	<a href="#">Link</a>
2025-01-03	[Grupo Buddemeyer]	8base	<a href="#">Link</a>
2025-01-03	[VOLTAIRE AVOCATS]	8base	<a href="#">Link</a>
2025-01-03	[Jay Enn Corporation]	8base	<a href="#">Link</a>
2025-01-03	[Tarnaise des Panneaux SAS]	8base	<a href="#">Link</a>
2025-01-03	[Carrollton Orthopaedic Clinic]	8base	<a href="#">Link</a>

Datum	Opfer	Ransomware-Gruppe	Webseite
2025-01-02	[confluxhr.com]	darkvault	<a href="#">Link</a>
2025-01-01	[scps.mp.gov.in]	funksec	<a href="#">Link</a>
2025-01-01	[Kitevuc - Equipamentos E Veiculos Utilitários E Comerciais]	ciphbit	<a href="#">Link</a>
2025-01-01	[lianbeng.sg]	ransomhub	<a href="#">Link</a>

## 8 Quellen

### 8.1 Quellenverzeichnis

- 1) Cyberwatch - <https://github.com/Casualtek/Cyberwatch>
- 2) Ransomware.live - <https://data.ransomware.live>
- 3) Heise Security Alerts! - <https://www.heise.de/security/alerts/>
- 4) First EPSS - <https://www.first.org/epss/>
- 5) BSI WID - <https://wid.cert-bund.de/>
- 6) Tenable Plugins - <https://www.tenable.com/plugins/>
- 7) Exploit - [packetstormsecurity.com](https://packetstormsecurity.com)
- 8) 0-Day - <https://www.zerodayinitiative.com/rss/published/>
- 9) Die Hacks der Woche - <https://martinhaunschmid.com/videos>

## 9 Impressum



***Herausgeber:***

Marlon Hübner  
Brückenstraße 3  
57629 Höchstenbach

***E-Mail***

[info@cyberwald.com](mailto:info@cyberwald.com)

Cyberwald ist ein privates, nicht-kommerzielles Projekt zur Förderung des Bewusstseins für Cybersicherheit.