CyberAlchemy
LAB

Three governing lenses for Agentic work

Authority

Meaning and permissions

Provenance

Inputs and review history

Lifecycle

State and permitted changes

CyberAlchemy
LAB

Customer 1 needs an export.

Snapshot 1: database entries saved at one time.

Customer		Status
Customer 1	AND	Active

Both filters must match. Sample entries:

Unique ID	Customer	Status	
1	Customer 1	Active	✓ Include
10001	Customer 1	Inactive	×
10021	Customer 2	Active	×

↓

Definition v1 · “Complete”

Every selected ID must be in the file.

CyberAlchemy
LAB

Authority over meaning

Service owner

Sets the requirements

accepts

↓

Export completeness · v1

Customer 1 · Active entries

Every selected ID in the file

Write code

Check the file

CyberAlchemy
LAB

What each agent is allowed to do

Coding agent

- Edit code
- Run on Snapshot 1

Reviewing agent


- Read Snapshot 1, code and file
- Compare IDs and save the review

Neither agent has permission to

- ✕ Change the definition
- ✕ Accept or release code

CyberAlchemy
LAB

Provenance of Review 1



Check every selected ID against the file.

10,000	9,800
selected IDs	of those IDs found

200

missing IDs

Export: incomplete

CyberAlchemy
LAB

The next agent gets the history

Coding session

Review session

Private memory ends with each session.

save under project rules

↓

Project history

Review 1 + its linked records

select for the next task

↓

Next agent

Selected history · New permissions

CyberAlchemy
LAB

Lifecycle of the export code

Definition v1: accepted

> Export code v1: pending
>
> 200 IDs missing

Revise and review.

Run new code. Check the new file.

If the owner accepts the new version...

Accepted code

If release is separately permitted...

Customer use

CyberAlchemy
LAB

An open company brain

Authority

Definition v1 · Separate permissions

Provenance

Review 1 and its linked records

Lifecycle

Definition v1 accepted · Export code v1 pending