

```

import { useEffect, useState } from "react";

const FONTS =
  "https://fonts.googleapis.com/css2?family=Cormorant+SC:wght@400;600;700&family="

/* — palette ————— */
const C = {
  bg:      "#05080F",
  surface: "#0B1120",
  border:  "#1A2744",
  goldHi:  "#C9A84C",
  goldMid: "#A8882C",
  goldLo:  "#6B5418",
  blueHi:  "#2A6BCC",
  blueMid: "#1A4A9A",
  blueLo:  "#0D2860",
  textHi:  "#D8E4F4",
  textMid: "#7A90B4",
  textLo:  "#3A4E6A",
};

/* — hex geometry ————— */
function hexPts(cx, cy, r) {
  return Array.from({ length: 6 }, (_, i) => {
    const a = (60 * i * Math.PI) / 180; // pointy-top: offset 0
    return [cx + r * Math.sin(a), cy - r * Math.cos(a)];
  });
}

function pStr(pts) {
  return pts.map((p) => p.join(",")).join(" ");
}

/* — Icon Mark ————— */
function KernelSeal({ size = 80, phase = 3 }) {
  const cx = size / 2, cy = size / 2;
  const rO = size * 0.375; // outer hex
  const rM = size * 0.265; // mid hex
  const rI = size * 0.175; // inner hex
  const sw = size * 0.026; // stroke base

  const ptO = hexPts(cx, cy, rO);
  const ptM = hexPts(cx, cy, rM);
  const ptI = hexPts(cx, cy, rI);

```

```

// Center chevron/kernel mark - three stacked horizontal bars shrinking
const bW = size * 0.13;
const bH = size * 0.022;
const gap = size * 0.042;

const gradId = `kg-${size}`;
const glowId = `gg-${size}`;
const glowId2 = `gg2-${size}`;
const maskId = `km-${size}`;
const noiseId = `kn-${size}`;

return (
  <svg width={size} height={size} viewBox={`0 0 ${size} ${size}`} fill="none"
    style={{
      flexShrink: 0,
      opacity: phase >= 1 ? 1 : 0,
      transition: "opacity 0.6s ease",
    }}
  >
    <defs>
      <linearGradient id={gradId} x1="50%" y1="0%" x2="50%" y2="100%">
        <stop offset="0%" stopColor={C.goldHi} />
        <stop offset="55%" stopColor={C.goldMid} />
        <stop offset="100%" stopColor={C.blueHi} />
      </linearGradient>

      <filter id={glowId} x="-40%" y="-40%" width="180%" height="180%">
        <feGaussianBlur stdDeviation={size * 0.045} result="b" />
        <feMerge><feMergeNode in="b"/><feMergeNode in="SourceGraphic"/></feMerge>
      </filter>

      <filter id={glowId2} x="-80%" y="-80%" width="260%" height="260%">
        <feGaussianBlur stdDeviation={size * 0.1} result="b" />
        <feMerge><feMergeNode in="b"/><feMergeNode in="SourceGraphic"/></feMerge>
      </filter>

      {/* clip to hex outer */}
      <clipPath id={maskId}>
        <polygon points={pStr(pt0)} />
      </clipPath>

      <filter id={noiseId}>
        <feTurbulence type="fractalNoise" baseFrequency="0.9" numOctaves="4" re
        <feColorMatrix type="saturate" values="0" in="noise" result="grey"/>
        <feBlend in="SourceGraphic" in2="grey" mode="overlay" result="blend"/>
        <feComposite in="blend" in2="SourceGraphic" operator="in"/>
      </filter>
    </defs>

```

```

    { /* — Background plate — */
    <rect x={0} y={0} width={size} height={size}
        rx={size * 0.18}
        fill={C.surface}
    />

    { /* — Ambient inner glow — */
    <circle cx={cx} cy={cy} r={r0 * 0.9}
        fill={C.blueLo} opacity={0.35}
        filter={`url(#${glowId2})`}
    />

    { /* — Outer hex — */
    <polygon
        points={pStr(ptO)}
        stroke={`url(#${gradId})`}
        strokeWidth={sw * 1.4}
        style={{
            opacity: phase >= 1 ? 1 : 0,
            transition: "opacity 0.5s ease 0.1s",
        }}
    />

    { /* — Mid hex — */
    <polygon
        points={pStr(ptM)}
        stroke={`url(#${gradId})`}
        strokeWidth={sw * 0.85}
        opacity={0.55}
        style={{
            opacity: phase >= 2 ? 0.55 : 0,
            transition: "opacity 0.5s ease 0.35s",
        }}
    />

    { /* — Inner hex — */
    <polygon
        points={pStr(ptI)}
        stroke={`url(#${gradId})`}
        strokeWidth={sw * 0.5}
        opacity={0.3}
        style={{
            opacity: phase >= 2 ? 0.3 : 0,
            transition: "opacity 0.5s ease 0.55s",
        }}
    />

```

```

    { /* — Six vertex dots on outer hex — */
    {ptO.map(([x, y], i) => (
      <circle key={i} cx={x} cy={y} r={sw * 0.8}
        fill={i === 0 ? C.goldHi : C.blueHi}
        opacity={i === 0 ? 1 : 0.6}
        filter={`url(#${glowId})`}
        style={{
          opacity: phase >= 2 ? (i === 0 ? 1 : 0.6) : 0,
          transition: `opacity 0.3s ease ${0.5 + i * 0.06}s`,
        }}
      />
    ))}

    { /* — Center kernel bars (governance stack) — */
    {[0, 1, 2].map((j) => {
      const w = bW * (1 - j * 0.22);
      const y = cy - gap + j * gap - bH / 2;
      return (
        <rect key={j}
          x={cx - w / 2} y={y}
          width={w} height={bH}
          rx={bH * 0.4}
          fill={`url(#${gradId})`}
          opacity={1 - j * 0.25}
          filter={j === 0 ? `url(#${glowId})` : undefined}
          style={{
            opacity: phase >= 3 ? (1 - j * 0.25) : 0,
            transition: `opacity 0.4s ease ${0.9 + j * 0.1}s`,
          }}
        />
      );
    })}
  </svg>
);
}

/* — Full Lockup ————— */
function Lockup({ iconSize = 72, phase = 3, theme = "dark" }) {
  const isDark = theme === "dark";
  const nameColor = isDark ? C.textHi : "#0B1526";
  const tagColor = isDark ? C.textLo : "#7A90B4";
  const badgeBorder = isDark ? C.border : "#B8CAE4";
  const badgeText = isDark ? C.blueHi : C.blueMid;

  return (
    <div style={{ display: "flex", alignItems: "center", gap: iconSize * 0.3 }}>

```

```

<KernelSeal size={iconSize} phase={phase} />

<div style={{ display: "flex", flexDirection: "column", gap: iconSize * 0.0
  {/* Name row */}
  <div style={{ display: "flex", alignItems: "flex-end", gap: 10 }}>
    <span style={{
      fontFamily: "'Cormorant SC', 'Times New Roman', serif",
      fontWeight: 700,
      fontSize: iconSize * 0.52,
      letterSpacing: "0.04em",
      color: nameColor,
      lineHeight: 1,
      opacity: phase >= 2 ? 1 : 0,
      transform: phase >= 2 ? "translateX(0)" : "translateX(-8px)",
      transition: "opacity 0.6s ease 0.6s, transform 0.6s ease 0.6s",
    }}>
      Operious
    </span>

    {/* AI badge */}
    <span style={{
      fontFamily: "'IBM Plex Mono', monospace",
      fontWeight: 500,
      fontSize: iconSize * 0.175,
      letterSpacing: "0.18em",
      color: badgeText,
      border: `1px solid ${badgeBorder}`,
      padding: `${iconSize * 0.025}px ${iconSize * 0.065}px`,
      borderRadius: 3,
      lineHeight: 1,
      marginBottom: iconSize * 0.04,
      opacity: phase >= 3 ? 1 : 0,
      transition: "opacity 0.5s ease 1.1s",
    }}>
      AI
    </span>
  </div>

  {/* Tagline */}
  <span style={{
    fontFamily: "'IBM Plex Mono', monospace",
    fontWeight: 300,
    fontSize: iconSize * 0.115,
    letterSpacing: "0.22em",
    color: tagColor,
    textTransform: "uppercase",
    opacity: phase >= 3 ? 1 : 0,
  }}>

```

```

        transition: "opacity 0.5s ease 1.3s",
      }}>
      Deterministic Enterprise Operations
    </span>
  </div>
</div>
);
}

/* — Color Swatch ————— */
function Swatch({ color, label, role }) {
  return (
    <div style={{ display: "flex", flexDirection: "column", gap: 8, alignItems: "center" }}>
      <div style={{
        width: 52, height: 52,
        background: color,
        borderRadius: 8,
        border: `1px solid ${C.border}`,
      }} />
      <div>
        <div style={{ fontFamily: "'IBM Plex Mono', monospace", fontSize: 10, color: {color} }}>
          </div>
        <div style={{ fontFamily: "'IBM Plex Mono', monospace", fontSize: 10, color: {role} }}>
          </div>
      </div>
    </div>
  );
}

/* — Divider ————— */
function Rule({ label }) {
  return (
    <div style={{ display: "flex", alignItems: "center", gap: 16, width: "100%" }}>
      <div style={{ flex: 1, height: 1, background: C.border }} />
      <span style={{
        fontFamily: "'IBM Plex Mono', monospace",
        fontSize: 9,
        letterSpacing: "0.28em",
        color: C.textLo,
        textTransform: "uppercase",
        whiteSpace: "nowrap",
      }}>{label}</span>
      <div style={{ flex: 1, height: 1, background: C.border }} />
    </div>
  );
}

```

```

}

/* — Main ————— */
export default function OperiosBrand() {
  const [phase, setPhase] = useState(0);

  useEffect(() => {
    const link = document.createElement("link");
    link.rel = "stylesheet";
    link.href = FONTS;
    document.head.appendChild(link);
    const t = [
      setTimeout(() => setPhase(1), 150),
      setTimeout(() => setPhase(2), 600),
      setTimeout(() => setPhase(3), 1100),
    ];
    return () => t.forEach(clearTimeout);
  }, []);

  return (
    <div style={{
      minHeight: "100vh",
      background: C.bg,
      display: "flex",
      flexDirection: "column",
      alignItems: "center",
      padding: "56px 32px 72px",
      boxSizing: "border-box",
    }}>

      {/* — Sheet header — */}
      <div style={{
        width: "100%",
        maxWidth: 760,
        display: "flex",
        justifyContent: "space-between",
        alignItems: "center",
        marginBottom: 48,
        opacity: phase >= 1 ? 1 : 0,
        transition: "opacity 0.6s ease",
      }}>
        <span style={{
          fontFamily: "'IBM Plex Mono', monospace",
          fontSize: 10,
          letterSpacing: "0.3em",
          color: C.textLo,
          textTransform: "uppercase",

```

```

    >>
    Brand Identity System · v1.0
  </span>
  <span style={{
    fontFamily: "'IBM Plex Mono', monospace",
    fontSize: 10,
    letterSpacing: "0.2em",
    color: C.goldLo,
  }}>
    OPERIOUS AI
  </span>
</div>

```

```

<div style={{ width: "100%", maxWidth: 760, display: "flex", flexDirection:

```

```

  { /* =====
    PRIMARY — DARK
    ===== */ }

```

```

<Rule label="Primary · Dark Background" />

```

```

<div style={{
  background: C.surface,
  border: `1px solid ${C.border}`,
  borderRadius: 16,
  padding: "52px 56px",
  display: "flex",
  alignItems: "center",
  justifyContent: "center",
  marginBottom: 24,
  position: "relative",
  overflow: "hidden",
}}>
  { /* subtle grid */ }
  <div style={{
    position: "absolute", inset: 0,
    backgroundImage: `
      linear-gradient(${C.border} 1px, transparent 1px),
      linear-gradient(90deg, ${C.border} 1px, transparent 1px)
    `,
    backgroundSize: "40px 40px",
    opacity: 0.18,
  }} />
  <Lockup iconSize={80} phase={phase} theme="dark" />
</div>

```

```

  { /* =====
    PRIMARY — LIGHT
    ===== */ }

```



```

<Rule label="Variant · Light Background" />
<div style={{
  background: "#EEF3FC",
  border: `1px solid #C8D8EE`,
  borderRadius: 16,
  padding: "44px 56px",
  display: "flex",
  alignItems: "center",
  justifyContent: "center",
  marginBottom: 24,
}}>
  <Lockup iconSize={72} phase={phase} theme="light" />
</div>

{ /* =====
      ICON ONLY — SIZES
===== */ }

<Rule label="Icon Mark · Isolated" />
<div style={{
  background: C.surface,
  border: `1px solid ${C.border}`,
  borderRadius: 16,
  padding: "40px 56px",
  display: "flex",
  alignItems: "center",
  justifyContent: "center",
  gap: 32,
  marginBottom: 24,
}}>
  {[96, 64, 48, 32].map((s) => (
    <div key={s} style={{ display: "flex", flexDirection: "column", align
      <KernelSeal size={s} phase={phase} />
      <span style={{
        fontFamily: "'IBM Plex Mono', monospace",
        fontSize: 9,
        color: C.textLo,
        letterSpacing: "0.15em",
      }}>{s}px</span>
    </div>
  ) ) }
</div>

{ /* =====
      COMPACT / INLINE
===== */ }

<Rule label="Compact · Horizontal" />
<div style={{

```

```

        background: C.surface,
        border: `1px solid ${C.border}`,
        borderRadius: 16,
        padding: "32px 56px",
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        marginBottom: 24,
    }}>
    <Lockup iconSize={44} phase={phase} theme="dark" />
</div>

```

```

    { /* =====
      AUTHORITY STAMP
    ===== */ }

```

```

<Rule label="Authority Seal · Stamp" />
<div style={{
  background: C.surface,
  border: `1px solid ${C.border}`,
  borderRadius: 16,
  padding: "44px 56px",
  display: "flex",
  alignItems: "center",
  justifyContent: "center",
  gap: 48,
  marginBottom: 24,
}}>
  { /* Gold stamp */ }
  <div style={{
    width: 120, height: 120,
    border: `2px solid ${C.goldMid}`,
    borderRadius: "50%",
    display: "flex",
    flexDirection: "column",
    alignItems: "center",
    justifyContent: "center",
    gap: 6,
    position: "relative",
    opacity: phase >= 3 ? 1 : 0,
    transition: "opacity 0.6s ease 1.4s",
  }}>
    <KernelSeal size={44} phase={phase} />
    <span style={{
      fontFamily: "'IBM Plex Mono', monospace",
      fontSize: 7,
      letterSpacing: "0.3em",
      color: C.goldMid,

```

```

        textTransform: "uppercase",
    }}>OPERIOUS·AI</span>
    { /* dashed inner ring */}
    <div style={{
        position: "absolute",
        inset: 6,
        borderRadius: "50%",
        border: `1px dashed ${C.goldLo}`,
    }} />
</div>

{ /* Governance label block */}
<div style={{
    display: "flex",
    flexDirection: "column",
    gap: 10,
    opacity: phase >= 3 ? 1 : 0,
    transition: "opacity 0.6s ease 1.6s",
}}>
    {[
        { label: "GOVERNANCE", color: C.goldHi },
        { label: "TOPOLOGY", color: C.textMid },
        { label: "POLICY", color: C.textMid },
        { label: "ARBITRATION", color: C.textMid },
        { label: "EXECUTION", color: C.blueHi },
    ]}.map(({ label, color }, i) => (
        <div key={i} style={{ display: "flex", alignItems: "center", gap: 1
            <div style={{ width: 6, height: 6, borderRadius: "50%", backgroun
                <span style={{
                    fontFamily: "'IBM Plex Mono', monospace",
                    fontSize: 9,
                    letterSpacing: "0.22em",
                    color,
                    opacity: i === 0 || i === 4 ? 1 : 0.5,
                }}>
                    {label}
                </span>
            </div>
        </div>
    )))
</div>
</div>

{ /* =====
    COLOR SYSTEM
    ===== */}

<Rule label="Color System" />
<div style={{

```

```

        background: C.surface,
        border: `1px solid ${C.border}`,
        borderRadius: 16,
        padding: "36px 56px",
        display: "flex",
        flexWrap: "wrap",
        gap: 28,
        opacity: phase >= 3 ? 1 : 0,
        transition: "opacity 0.6s ease 1.8s",
    }}>
    <Swatch color={C.goldHi}    label="Gold Hi"    role="Governance" />
    <Swatch color={C.goldMid}   label="Gold Mid"   role="Authority" />
    <Swatch color={C.blueHi}    label="Blue Hi"    role="Execution" />
    <Swatch color={C.blueMid}   label="Blue Mid"   role="Substrate" />
    <Swatch color={C.surface}   label="Surface"   role="Container" />
    <Swatch color={C.bg}        label="Background" role="Canvas" />
    <Swatch color={C.textHi}    label="Text Hi"    role="Primary" />
    <Swatch color={C.textMid}   label="Text Mid"   role="Secondary" />
</div>

    { /* — Footer — */ }
    <div style={{
        marginTop: 48,
        textAlign: "center",
        opacity: phase >= 3 ? 1 : 0,
        transition: "opacity 0.6s ease 2s",
    }}>
        <span style={{
            fontFamily: "'IBM Plex Mono', monospace",
            fontSize: 9,
            letterSpacing: "0.25em",
            color: C.textLo,
        }}>
            OPERIOUS AI · DETERMINISM &gt; THROUGHPUT · 1,204 / 1,204 TESTS PASSI
        </span>
    </div>
</div>
</div>
);
}

```