

A PERSONAL PROJECT · SHOWN TO YOU, NOT SOLD TO YOU

The Web

Where knowledge, evidence and decisions connect — and where they honestly don't, yet.

EMANUEL SILVA · PROTOTYPE · NOT A SERVICE · NOT SIGNED OFF

THE PROBLEM

Three things keep happening

- ◇ Decisions get made, and the evidence behind them scatters across emails, decks and people's heads.
- ◇ Related work sits in different teams, never finding out it overlaps.
- ◇ Gaps get quietly left out of the record, instead of being named as gaps.

WHAT THIS IS

One map, *not* a document

A single web page — no install, works offline — that turns a body of work into something you can walk through: what exists, how it connects, and what's still missing. Six real bodies of work are loaded into it already.

The Web

PROTOTYPE

This build — conversation history

Search everything...

HOMEEXPLOREONTOLOGYWALKREFERENCETOURSCOLLECTIONSAPPLICATIONSMANUAL

DISPLAYOWL VIEWTEXT VERSIONONTOLOGY EXPLORERMANUAL

AN ORB WEB OF EVERYTHING MADE HERE

Pluck a thread and see what *resonates*

A spider cannot see its web. It reads the whole structure by touch — one strand plucked, every connected strand answers. This is that web, spun from your conversations, artefacts and open loops.



AT REST

WALKPLUCKCRAWLDROP

BALLOONBRIDGETURNSTILL

5268465

RADIAL THREADSTHINGS ON THEMSPIRAL CROSSINGSTYPED RELATIONSTORN STRANDS

Honest prototype labelling

This is a working prototype, not a service. Content is drawn from your own conversations and from the workbooks you supplied; nothing is contacted, stored or sent anywhere. Where a reading is inferred rather than asserted it says so, and where something is unconfirmed it stays unconfirmed until you confirm it.

START HERE

Explore the web

The visualisation. Nine ways of moving, three views — flat, owl and stratified — and a bird's eye strip for when it gets crowded.

26 BEADS · 5 THREADS

CHOOSE

Collections

Point the same interface at a different body of work. Two real government workbooks are loaded and ready.

5 COLLECTIONS

REASON

Ontology explorer

Classes, properties, individuals and a reasoner. Asserted and inferred axioms kept visibly apart.

15 CLASSES · 46 RELATIONS

LOOK UP

Reference

Taxonomy, thesaurus, glossary, data dictionary, and the KIL and KSL ladders.

24 TERMS · 16 CONCEPTS

BE SHOWN

Guided routes


Six narrated tours that drive the interface for you. Pausable, steppable, abandonable.

6 TOURS

SEE IT WORK — THE EVIDENCE CHAIN

Pick anything.
It shows its own working.

This isn't drawn by hand. Every chain here is generated live from the real relationships in the data — workstream, evidence, insight, decision — so it can't drift from what's actually true.



SEE IT WORK — HONESTY ABOUT GAPS

It also shows
what *doesn't* fit yet

Most tools hide the mess. This one names it: which connections are solid, and which ones are real but don't fit the tidy model yet. Nothing gets quietly dropped.

The Web

PROTOTYPE

This build — conversation history

Search everything...

HOMEEXPLOREONTOLOGYWALKREFERENCETOURSCOLLECTIONSAPPLICATIONSMANUAL

DISPLAYOWL VIEWTEXT VERSIONONTOLOGY EXPLORERMANUAL

DECISION LINEAGE

Traceability walk

Pick a root and walk its evidence back down the KIL chain — *workstream to artefact to insight to signal to decision*. Drawn from the live relation registry, so the walk can never drift from the data.

ROOTS

The five recipes

Workstream · Data Governance Playbook

Role model & RACI

Workstream · Data Governance Playbook

Master Manual & Companion

Artefact · Data Governance Playbook

Pack 10 learning deck

Artefact · Data Governance Playbook

Toolkit & registers

Artefact · Data Governance Playbook

Programme & project governance

Artefact · Data Governance Playbook

The Command Centre

Artefact · Data Governance Playbook

The register

GRAPHTIMELINEAUDIT TRAILREGISTERLINKING TABLES

The five many-to-many linking tables (KISIL spec §3), built read-only from this collection's declared relations by KIL stage — the first cut of BL-WEB-30/31 (design system step 9). No write API yet; this is the substrate the walk already reads.

workstream_artefacts6 rows

The five recipes has artefact Toolkit & registers

Role model & RACI has artefact Toolkit & registers

KIL graph interactivity has artefact Seven views

The design system has artefact Pack 10 learning deck

The design system has artefact Reference layer

The design system has artefact Seven views

artefact_insights6 rows

The Command Centre evidences The delivery pattern

The register evidences Tiers & readiness scoring


Reference layer evidences Lineage & relationships

Reference layer evidences The delivery pattern

REAL DATA, NOT A MOCK-UP

499 real government data assets

Already loaded, already explorable. This wasn't built to look convincing — it was built to hold up against a real register, with its real gaps and messiness intact.



UNDERNEATH IT

A shared way of classifying things

Every item has a type, and every type has rules about what it can connect to. That's what makes the connections trustworthy instead of decorative.

The Web

PROTOTYPE

This build — conversation history

Search everything...

HOME

EXPLORE

ONTOLOGY

WALK

REFERENCE

TOURS

COLLECTIONS

APPLICATIONS

MANUAL

DISPLAY

OWL VIEW

TEXT VERSION

ONTOLOGY EXPLORER

MANUAL

SEMANTIC LAYER

Ontology explorer

Classes, object properties and individuals, with a reasoner that shows what follows and says plainly when nothing does.

CONSISTENT

SHOW INFERRED

CLASSES

OBJECT PROPERTIES

INDIVIDUALS

Search entities...

Portal

and

derivedFrom

some

Method

RUN QUERY

ENTITIES

Thing

Capability

Concept

Process model

Role model

Scoring model

Artefact

Document

Deck

Register

Portal

Standard

Source

Method

Risk

26

1

8

1

1

2

9

2

1

3

3

1

2

3

2

web:Thing

Thing

The root class. Everything on the web is one of these.

ANNOTATIONS

rdfs:label

"Thing"

rdfs:comment

"The root class. Everything on the web is one of these."

web:shape

"circle"

SUBCLASS OF

owl:Thing

— this is the root

SUB CLASSES

web:Capability

web:Concept

web:Artefact

USAGE

Where **Thing** appears in the axioms.

hasPart

range

Thing

partOf

domain

Thing

derivedFrom

domain

Thing

sourceOf

domain

Thing

governs

range

Thing

governedBy

domain

Thing

evidences

range

Thing

evidencedBy

domain

Thing

alignsWith

domain

Thing

equivalentTo

domain

Thing

threatens

range

Thing

WHERE THIS MIGHT TOUCH YOUR WORK

Four doors in

IF YOU...

Write submissions or need to defend a decision

Work with data standards or registers

Track machinery-of-government or institutional change

Sit in governance or assurance

START HERE

The evidence chain — [Walk](#)

A real 499-asset register — [Collections](#)

Declared gaps, named not hidden — [Explore](#)

What fits the model and what doesn't — [Linking tables](#)

WHAT I'M ASKING OF YOU

Not sign-off. Not adoption.

Just — does any of this already connect to what you're working on?

Or is there a gap here you can see that I can't?

TRY IT YOURSELF

It's one file. Open it.

- 1 Open `the-web.html` in any browser — no install.
- 2 Click `Tours` → **"For colleagues"** — six minutes, narrated.
- 3 Tell me what you spot.