Cloud4Things: automatic provisioning of smart places infrastructure

Marcus Gomes, Miguel L. Pardal

Instituto Superior Técnico, Universidade de Lisboa
{marcus.paulino.gomes, miguel.pardal}@tecnico.ulisboa.pt

Abstract. Smart places are an ecosystem composed of sensors - e.g. RFID tags - actuators - e.g. automatic doors - and computing infrastructure - e.g. cloud servers - that are able to acquire data about the surrounding environment and use that data to improve the experience of the people using the place.The data acquired by the sensors needs to be collected, interpreted and transformed into information that is used to gather knowledge about the smart place. A complete example of a platform that allows the transformation of sensor data into information is Fosstrak, an open source RFID software that implements the EPC Network standards. In this paper we propose Cloud4Things, a solution that automates the provisioning of RFID software in the cloud by relying on configuration management tools that leverage existing stacks. We will perform a qualitative evaluation of our solution based on Docker containers with other solutions, such as full Virtual Machines, or tools implementing the TOSCA standards. The current prototype is able to support stages in the lifecycle of a smart place, from initial provisioning and day-to-day operation.

Keywords: Smart places, Automatic provisioning, Container-based virtualization, Configuration management tools, Cloud applications

1 Introduction

In recent years, computing is becoming more ubiquitous in the physical world. This notion where computational elements are embedded seamlessly in ordinary objects that are connected through a continuous network was introduced many years ago[1]. Despite the progress towards ubiquitous computing has been slower than the expected, technology advances such as the creation of the Internet contributes to achieve this vision in which individual devices are able to communicate between themselves from any part of the world[2].

Recently, this ubiquitous world is close to becoming reality thanks to the Internet of Things and Cloud Computing [3]. This world where things are connected through a continuous network is a vision thats represents the Internet of Things (IoT). In this vision, physical items are continuously connected to the

virtual world and can act as remotely physical access points to Internet Services. The Internet of Things would make computing truly ubiquitous [4].

A common scenario where the Internet of Things paradigm is applied are smart places [5]. Smart places are an ecosystem composed of sensors - e.g. RFID tags - actuators - e.g. automatic doors - and computing infrastructure - e.g. cloud servers - that are able to acquire data about the surrounding environment and use that data to improve the experience of the people using the place [6]. The data acquired by the sensors needs to be collected, interpreted and transformed into information that is used to gather knowledge about the smart place. Fosstrak is a complete example of a platform that can be used to transform the RFID data into information, since that implements most of the EPC Network standards.

An example of a smart place is a smart warehouse. In the smart warehouse, products and objects are identified with RFID tags. The data transmitted by the tags is processed to the computing infrastructure of the smart place and then transformed into information. For instance, Fosstrak can use this information to determine the objects that enter and leaves the smart place.

A common issue regarding RFID-based smart places concerns with the provisioning of the infrastructure of a smart place. The current solution requires a physical infrastructure that is cost ineffective and presents a low scalability. To solve those problems, an alternative is to allocate the smart place infrastructure in the cloud. However, provisioning the smart place infrastructure in the cloud still is a manual process that requires considerable effort and expertise to be executed.

In order to solve those problems we propose Cloud4Things, a solution that automates the provisioning of RFID software in the cloud by relying on configuration management tools that leverage existing stacks. With Cloud4Things we want to support the life-cycle of smart place applications, from the initial provisioning to day-to-day operations, such as application management and QoS monitoring.

The remainder of this paper is organized as the follows. In Section 2 we present the related work in the area. Section 3 presents a description of our solution architecture and the current implemented prototype. In Section 4 we will perform a qualitative evaluation and compare our solution with the current state of the art. Section 5 presents the conclusion of this paper.

2 Related Work

Before to introduce the related work we must to have a context that emphasizes the problem that we want to solve and what are the most relevant work until the date.

EPC Cloud In RFID-based IoT applications, Guinard et al. [7] point out that the deployment of RFID applications are cost-intensive mostly because they involve the deployment of often rather large and heterogeneous distributed systems. As a consequence, these systems are often only suitable for big corporations

2

and large implementations and do not fit the limited resources of small to mid-size businesses and small scale applications both in terms of required skill-set and costs. To address this problem, Guinard et al. propose a Cloud-based solution that integrates virtualization technologies and the architecture of the Web and its services. The case of study consists in a IoT application that uses RFID technology to substitute existing Electronic Article Surveillance (EAS) technology, such as those used in clothing stores to track the products. In this scenario they applied the Utility Computing blueprint to the software stack required by the application using the Amazon Web Services platform and the Amazon EC2 service. To evaluate the Cloud-based solution, two prototypes was successfully implemented to prove that the pain points of the RFID applications can be relaxed by adopting the proposed solution.

Amazon Web Services Amazon Web Services[1] (AWS) offers a variety of services that are able to automate the provisioning of the IT infrastructure at the Amazon EC2 (EC2). VM Import/Export is a service provided by AWS that enables to import virtual machine images from the development environment to EC2 instances and export them back to the on-premises development environment. This offering allows to leverage the existing investments in the virtual machines that was built to meet the IT security, configuration management, and compliance requirements by bringing those virtual machines into EC2 as ready-to-use instances. The instances also can be exported to the on-premises virtualization infrastructure, allowing to deploy workloads across the IT infrastructure. Another service provided by AWS is Elastic Beanstalk. Elastic Beanstalk is a service available on AWS that allows to quickly deploy and manage an application in the AWS cloud. The application is uploaded to AWS, and Elastic Beanstalk automatically handles with the details of capacity provisioning, load balancing, scaling and application health monitoring. Elastic Beanstalk supports several types of applications, including Java, Python, Ruby on Rails and Docker containers.

TOSCA TOSCA (Topology and Orchestration Specification for Cloud Applications) [8] is proposed in order to improve the reusability of service management processes and automate IoT application ratified by OASIS in deployment in heterogeneous environments. TOSCA is a new cloud standard to formally describe the internal topology of application components and the deployment process of Cloud applications. The structure and management of IT services is specified by a meta-model, which consists of a *Topology Template*, that is responsible for describing the structure of a service, then there are the *Artifacts*, that describe the files, scripts and software components necessary to be deployed in order to run the application, and finally the *Plans*, that defined the management process of creating, deploying and terminating a service. The correct topology and management procedure can be inferred by a TOSCA environment just by interpreting

---

[1] http://aws.amazon.com/

the topology template, this is known as "declarative" approach. Plans realize an "imperative" approach that explicitly specifies how each management process should be done. The topology templates, plans and artifacts of an application are packaged in a Cloud Service Archive (.csar file) and deployed in a TOSCA environment, which is able to interpret the models and perform the specified management operations. These .csar files are portable across different Cloud providers, which is a great benefit in terms of deployment flexibility. To evaluate its feasibility, TOSCA was used in the specification of a typical application in building automation. an application to control an Air Handling Unit (AHU). The common IoT components, such as gateways and drivers will be modeled, and the gateway-specific artifacts that are necessary for application deployment will also be specified. By archiving the previous specifications and corresponding artifacts into a .csar file, and deploying it in a TOSCA environment, the deployment of AHU application onto various gateways can be automated. As a newly established standard to counter growing complexity and isolation in cloud applications environments, TOSCA is gaining momentum in industrial adoption as well for academic interest.

3 Solution

We must to introduce the the smart place application and explain what we want to solve before to explain our solution.

3.1 Automatic Provisioning

This section must be generic, a conceptual architecture. We need to explain this section in terms of CM tools and containers.

The automatic provisioning of the smart place in the cloud is performed through Chef. The recipes that describe our infrastructure are based on the Docker *cookbooks* that are available on the Chef Supermarket. These recipes describe how our software stack - the docker containers - are provisioned in the cloud instances. In our current prototype, we choose to use Amazon Web Services as cloud provider, to provisioning the resources in the Amazon EC2 instances we will use *knife*, a command-line tool that provides an interface between a local chef repository and the Chef server. The provisioning workflow is illustrated in Figure 1.

In a development environment the Docker images are built and then uploaded to the Docker Registry repository (1). The provisioning of the cloud resources is described in the cookbooks that are uploaded to the Chef server (2). The provisioning request (3) is performed using knife - knife has a plugin for EC2 that allows to describe the image type, the instance type and the policies that need to be applied on each provisioned node. The Chef client runs the configuration recipes that are sent by the Chef server (4). In our solution this configuration

Fig. 1: Automatic provisioning workflow.

recipes describe that a our nodes must have a set of Docker containers running on it. The Chef client pulls the Docker images from the remote repository, built the containers based on those images and finally apply the configuration that is associated to each container.

Containers Docker[2] is an open source project to pack, ship and run any application as a lightweight container. Docker containers are *hardware-agnostic* and *platform-agnostic*, this means that these containers can run anywhere, from a laptop to a EC2 compute instance. Since that Docker is based in Linux Containers (LXC), the virtualization is performed at operating-system level, different of hypervisor-based solutions where the virtualization is performed at hardware-level. While the effect of both types of virtualization are similar, the virtualization at the operating-system level provides significant benefits compared to hypervisor-based solutions. Docker containers are small, they have basically zero memory and CPU overhead, they also are completable portable between different virtualization environments.

---

[2] https://www.docker.com

5

In our solution, we are using Docker containers for provisioning the software stack of the Fosstrak platform. A complete installation of the Fosstrak platform requires a compatible Java SDK, a full MySQL database and a Apache Tomcat server. In order to improve the application scalability we are provisioning a single container for each component of the Fosstrak platform, the EPCIS repository, the Capture application, the ALE server, and also for the MySQL database, as illustrated on Figure 2.


Fig. 2: Container-based application stack.

By default each container runs a process that is isolated from the other processes that are executed in the same machine. In order to connect the different modules of the Fosstrak platform, our containers are linked through the *linking* mechanism provided by Docker. Another benefit that the Docker platform provides is the Docker Registry service, a public repository that stores Docker images used to create the containers. In our solution we built the Docker images of the Fosstrak modules and publish them in Docker registry to later be used to create our containers.

Configuration Management Tools In our solution, the automatic provisioning of the infrastructure is performed through configuration management tools, where for Cloud4Things we choose to use Chef[3]. Chef allows to describe the infrastructure as code, in that way it is possible to automate how the infrastructure is built, deployed and managed.

Chef architecture is composed of the Chef Server - that stores the recipes and other configuration data - and the Chef Client - that is installed in each server, VM or container, i.e, the nodes that are managed with Chef. The Chef client periodically polls Chef server latest policy and state of the network, and if anything on the node is out of date, the client update its state in order to be consistent with the latest policy.

[3] https://www.chef.io/

Chef was built from the ground with the cloud infrastructure in mind. With Chef, is possible to dynamically provision and de-provision the application infrastructure on demand to keep up with peaks in usage and traffic. For instance, Chef offers several plugins for provisioning cloud resources in different hosts such as Amazon EC2, Google Compute Engine and OpenStack.

4 Qualitative Evaluation

In this section, we will perform a qualitative evaluation of our solution with the other solutions, such as full Virtual Machines and tools that implement the TOSCA standard. In our evaluation we will compare the software required to provisioning the smart place infrastructure and also discuss about the advantages of our solution compared with the others.

4.1 Container-based vs. VM-based solution

The provisioning of the RFID software in Cloud4Things is performed through Docker containers. The decision to adopt this approach regards with the fact that we want our provisioned stack is as small as possible, without the performance of our solution being affected. A alternative to provisioning the RFID software stack is to use Virtual Machines. However, full VM presents an overhead regarding the amount of resources that are consumed.


Fig. 3: Container vs. VM stack

We need to compare the stack, and it will be good provides some metrics such as size of the both stacks.

7

4.2 Cloud4Things vs. TOSCA-based tools

In order to provisioning the smart place infrastructure with TOSCA, we need to have a special provisioning engine for TOSCA. Currently there are several tools that implements a provisioning engine for TOSCA such as Ubuntu Juju, Cloudify and the open-source implementation OpenTOSCA.

We need to compare the advantages of our solution compared with TOSCA-based tools and also what disadvantages our solution has compared with these tools.

5 Conclusion

In this paper we propose Cloud4Things, a solution to automate the provisioning of the smart places infrastructure in the cloud. Our solution relies on configuration management tools to automate the provisioning the RFID software in the cloud providers. In the current approach, we decide to use Docker containers to provisioning the software stack due to the performance benefits that this technology offers. Our current prototype already is capable to support the stages of a smart place application. For the future work we want to collect some metrics to compare the performance of our solution with the other solutions. For that, we will measure the elasticity of the application regarding the events that occur in the physical world. Currently, our solution is centralized, i.e, all the container that runs the Fosstrak application are located in the same machine, a important component of our work will be to compare the current approach with a distributed solution.

References

1. M. Weiser, "The computer for the 21st century," *Scientific american*, vol. 265, no. 3, pp. 94–104, 1991.
2. J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, "Internet of things (iot): A vision, architectural elements, and future directions," *Future Generation Computer Systems*, vol. 29, no. 7, pp. 1645–1660, 2013.
3. R. Cáceres and A. Friday, "Ubicomp systems at 20: progress, opportunities, and challenges," *IEEE Pervasive Computing*, vol. 11, no. 1, pp. 14–21, 2012.
4. F. Mattern and C. Floerkemeier, "From the internet of computers to the internet of things," in *From active data management to event-based systems and more*, pp. 242–259, Springer, 2010.
5. L. Atzori, A. Iera, and G. Morabito, "The internet of things: A survey," *Computer networks*, vol. 54, no. 15, pp. 2787–2805, 2010.
6. D. Cook and S. Das, *Smart environments: technology, protocols and applications*, vol. 43. John Wiley & Sons, 2004.
7. D. Guinard, C. Floerkemeier, and S. Sarma, "Cloud computing, REST and mashups to simplify RFID application development and deployment," in *Proceedings of the Second International Workshop on Web of Things*, p. 9, ACM, 2011.

8. F. Li, M. Vogler, M. Claeßens, and S. Dustdar, "Towards automated IoT application deployment by a cloud-based approach," in *Service-Oriented Computing and Applications (SOCA), 2013 IEEE 6th International Conference on*, pp. 61–68, IEEE, 2013.