Lesson 5

Recap

Exponentiation(**): to the power of

Floor division: (//): standard division but drops decimal

Modulus:(%):returns remainder

these can only be used on ints and floats

Type function:
returns data type of a value
type()

Recap

Printing a sentence using variables

1) f string-
print(f"Hello {name}, you are {age} years old.")

2) commas-
print("Hello", name, "you are", age, "years old.")

3) Concatenation (+)
print("Hello " + name + "!")
-cannot comcatenate ints with string

Recap

Comparison Operators

What they do: Compare two values and return **True or False**

Think of it like: Python is answering a yes or no question

Operator	Meaning	Example	Result
`==`	equal to	`5 == 5`	True
`!=`	not equal to	`5 != 3`	True
`>`	greater than	`10 > 3`	True
`<`	less than	`2 < 1`	False
`>=`	greater or equal	`5 >= 5`	True
`<=`	less or equal	`3 <= 2`	False

Practice Questions

Kahoot?

Logical Operators

AND, OR, NOT

-you have 2 different conditions

-the And operator will say True if both of them are true

-the Or operator will say True even if only 1 of them are true

To go on a school trip you need to have your permission slip AND have paid the fee. If you only have one, can you go?

You get extra credit if you submit early OR if you fix your mistakes and resubmit. Do you need both?



	`and`	`or`
True, True	✅ True	✅ True
True, False	❌ False	✅ True
False, False	❌ False	❌ False

Practice Questions

Park Entry Checker

there should be 3 variables that ask the user for their name, age, height and if they have the wristband.

user is considered old enough if they are older than 12 and considered tall enough if taller than

To ride a ride called ultra sonic, one has to have a wristband, and either be old enough or tall enough.

Print if user is eligible to ride ultra sonic