

開始於	2021年 07月 16日(Fri) 15:24
作答狀態	已經完成
完成於	2021年 07月 16日(Fri) 16:16
所用時間	51 分鐘 45 秒
得分	309.00/309.00
分數	得 100.00 分(滿分為100.00分)

試題1

答對

得分 1.00/配分1.00

An IPS or IDPS can be deployed in two modes. Which deployment mode allows the IDS to both detect and stop malicious traffic?

- ☐ A. passive mode
- ☐ B. promiscuous mode
- ☒ C. inline mode
- ☐ D. firewall mode



你答對了!

正確答案：
inline mode

答對

這次提交的分數：1.00/1.00

試題2

答對

得分 1.00/配分1.00

Simran is a network administrator at a start-up called Revolution. To ensure that neither party in the company can deny getting email notifications or any other communication, she mandates authentication before a connection establishment or message transfer occurs. What fundamental attribute of network defense is she enforcing?

- ☐ A. Confidentiality
- ☒ B. Non-repudiation
- ☐ C. Authentication
- ☐ D. Integrity



正確答案：Non-repudiation

答對

這次提交的分數：1.00/1.00

試題**3**

答對

得分 1.00/配分1.00

In _____ mechanism, the system or application sends log records either on the local disk or over the network.

- ☐ A. Host-based
- ☐ B. Pull-based
- ☒ C. Push-based
- ☐ D. Network-based



正確答案：Push-based

答對

這次提交的分數：1.00/1.00

試題**4**

答對

得分 1.00/配分1.00

Which of the following includes examining the probability, impact status, and exposure of risk?

- ☐ A. Risk Tracking
- ☐ B. Risk Identification
- ☐ C. Risk Review
- ☒ D. Risk Assessment



你答對了!

正確答案：
Risk Assessment

答對

這次提交的分數：1.00/1.00

試題**5**

答對

得分 1.00/配分1.00

Which of the following network monitoring techniques requires extra monitoring software or hardware?

- ☒ A. Non-router based
- ☐ B. Router based
- ☐ C. Hub based
- ☐ D. Switch based



正確答案：Non-router based

答對

這次提交的分數：1.00/1.00

試題**6**

答對

得分 1.00/配分1.00

Which RAID level does not provide data redundancy?

- ☐ A. RAID level 1
- ☐ B. RAID level 10
- ☐ C. RAID level 50
- ☒ D. RAID level 0



你答對了!

正確答案 :
RAID level 0

答對

這次提交的分數 : 1.00/1.00

試題**7**

答對

得分 1.00/配分1.00

Which of the following is consumed into SIEM solutions to take control of chaos, gain in-depth knowledge of threats, eliminate false positives, and implement proactive intelligence-driven defense?

- ☐ A. Threat intelligence platform
- ☐ B. Threat intelligence professional services
- ☐ C. Threat intelligence sources
- ☒ D. Threat intelligence feeds



你答對了!

正確答案 :
Threat intelligence feeds

答對

這次提交的分數 : 1.00/1.00

試題**8**

答對

得分 1.00/配分1.00

Kyle, a front office executive, suspects that a Trojan has infected his computer.
What should be his first course of action to deal with the incident?

- ☐ A. Contain the damage
- ☐ B. Disconnect the five infected devices from the network
- ☐ C. Inform everybody in the organization about the attack
- ☒ D. Inform the IRT about the incident and wait for their response



正確答案：Inform the IRT about the incident and wait for their response

答對

這次提交的分數：1.00/1.00

試題**9**

答對

得分 1.00/配分1.00

Which of the following attack surface increase when you keep USB ports enabled on your laptop unnecessarily?

- ☐ A. Network attack surface
- ☐ B. Software attack surface
- ☒ C. Physical attack surface
- ☐ D. Human attack surface



正確答案：Physical attack surface

答對

這次提交的分數：1.00/1.00

試題**10**

答對

得分 1.00/配分1.00

Identify the firewall technology that monitors the TCP handshake between the packets to determine whether a requested session is legitimate.

- ☐ A. Network Address Translation
- ☒ B. Circuit Level Gateway
- ☐ C. Packet Filtering Firewall
- ☐ D. Stateful Multilayer Inspection



你答對了!

正確答案：
Circuit Level Gateway

答對

這次提交的分數：1.00/1.00

試題11

答對

得分 1.00/配分1.00

Which encryption algorithm does S/MIME protocol implement for digital signatures in emails?

- ☐ A. Digital Encryption Standard
- ☒ B. Rivest-Shamir-Adleman encryption
- ☐ C. Advanced Encryption Standard
- ☐ D. Triple Data Encryption Standard



你答對了!

正確答案：

Rivest-Shamir-Adleman encryption

答對

這次提交的分數：1.00/1.00

試題12

答對

得分 1.00/配分1.00

Which of the following VPN topologies establishes a persistent connection between an organization's main office and its branch offices using a third-party network or the Internet?

- ☐ A. Full Mesh
- ☐ B. Star
- ☒ C. Hub-and-Spoke
- ☐ D. Point-to-Point



正確答案：Hub-and-Spoke

答對

這次提交的分數：1.00/1.00

試題13

答對

得分 1.00/配分1.00

Which command list all ports available on a server?

- ☐ A. sudo apt netstate -ls tunlp
- ☒ B. sudo netstat -tunlp
- ☐ C. sudo apt nst -tunlp
- ☐ D. sudo ntstat -ls tunlp



正確答案：sudo netstat -tunlp

答對

這次提交的分數：1.00/1.00

試題 **14**

答對

得分 1.00/配分1.00

Under which of the following acts can an international financial institution be prosecuted if it fails to maintain the privacy of its customer's information?

- ☐ A. SOX
- ☒ B. GLBA
- ☐ C. DMCA
- ☐ D. FISMA



你答對了!

正確答案：

GLBA

答對

這次提交的分數：1.00/1.00

試題 **15**

答對

得分 1.00/配分1.00

Which of the following best describes the Log Normalization process?

- ☐ A. It is a process of accepting logs from heterogeneous sources with the same formats and converting them into a different format
- ☐ B. It is a process of accepting logs from homogenous sources with the same formats and converting them into a different format
- ☒ C. It is a process of accepting logs from heterogeneous sources with different formats and converting them into a common format
- ☐ D. It is a process of accepting logs from homogenous sources with different formats and converting them into a common format



你答對了!

正確答案：

It is a process of accepting logs from heterogeneous sources with different formats and converting them into a common format

答對

這次提交的分數：1.00/1.00

試題 16

答對

得分 1.00/配分1.00

To see how some of the hosts react, Cindy sends out SYN packets to an IP range. A number of IPs respond with a SYN/ACK response. Before the connection is established, she sends RST packets to those hosts to stop the session. She has done this to see how her intrusion detection system will log the traffic. What type of scan is Cindy attempting here?

- ☐ A. XMAS scan
- ☒ B. Half Open scan
- ☐ C. RST scan
- ☐ D. NULL scan



你答對了!

正確答案：

Half Open scan

答對

這次提交的分數：1.00/1.00

試題 17

答對

得分 1.00/配分1.00

Who acts as an intermediary to provide connectivity and transport services between cloud consumers and providers?

- ☐ A. Cloud Auditor
- ☐ B. Cloud Consultant
- ☐ C. Cloud Broker
- ☒ D. Cloud Carrier



你答對了!

正確答案：

Cloud Carrier

答對

這次提交的分數：1.00/1.00

試題 **18**

答對

得分 1.00/配分1.00

Which of the following DDoS attacks overloads a service by sending inundate packets?

- ☒ A. Application-centric attack
- ☐ B. Web-centric attack
- ☐ C. Network-centric attack
- ☐ D. System-centric attack



你答對了!

正確答案：

Application-centric attack

答對

這次提交的分數：1.00/1.00

試題 **19**

答對

得分 1.00/配分1.00

Management decides to implement a risk management system to reduce and maintain the organization's risk at an acceptable level. Which of the following is the correct order in the risk management phase?

- ☐ A. Risk Identification. Risk Assessment. Risk Monitoring & Review, Risk Treatment
- ☐ B. Risk Treatment, Risk Monitoring & Review, Risk Identification, Risk Assessment
- ☒ C. Risk Identification, Risk Assessment, Risk Treatment, Risk Monitoring & Review
- ☐ D. Risk Assessment, Risk Treatment, Risk Monitoring & Review, Risk Identification



正確答案：Risk Identification, Risk Assessment, Risk Treatment, Risk Monitoring & Review

答對

這次提交的分數：1.00/1.00

試題20

答對

得分 1.00/配分1.00

Will is working as a Network Administrator. Management wants to maintain a backup of all the company data as soon as it starts operations. They decided to use a RAID backup storage technology for their data backup plan. To implement the RAID data backup storage, Will sets up a pair of RAID disks so that all the data written to one disk is copied automatically to the other disk as well. This maintains an additional copy of the data.

Which RAID level is used here?

- ☐ A. RAID 5
- ☐ B. RAID 3
- ☐ C. RAID 0
- ☒ D. RAID 1



正確答案：RAID 1

答對

這次提交的分數：1.00/1.00

試題21

答對

得分 1.00/配分1.00

The company has implemented a backup plan. James is working as a network administrator for the company and is taking full backups of the data every time a backup is initiated. Alex who is a senior security manager talks to him about using a differential backup instead and asks him to implement this once a full backup of the data is completed.

What is/are the reason(s) Alex is suggesting that James use a differential backup? (Select all that apply)

- ☒ A. Less storage space is required
- ☐ B. Faster restoration
- ☐ C. Less expensive than full backup
- ☒ D. Faster than a full backup
- ☐ E. Slower than a full backup



正確答案：Less storage space is required, Faster than a full backup

答對


這次提交的分數：1.00/1.00

試題22

答對

得分 1.00/配分1.00

An administrator wants to monitor and inspect large amounts of traffic and detect unauthorized attempts from inside the organization, with the help of an IDS.



They are not able to recognize the exact location to deploy the IDS sensor. Can you help him spot the location where the IDS sensor should be placed?

- ☐ A. Location 1
- ☒ B. Location 2
- ☐ C. Location 4
- ☐ D. Location 3



正確答案：Location 2

答對

這次提交的分數：1.00/1.00

試題23

答對

得分 1.00/配分1.00

Ryan is a network security administrator, who wants to implement local security policies for privileges granted to users and groups, system security audit settings, user authentication, and want to send security audit messages to the Event Log.

Which Windows security component fulfills Ryan's requirement?

- ☐ A. Security Reference Monitor (SRM)
- ☐ B. WinLogon and NetLogon
- ☐ C. The Security Account Manager (SAM)
- ☒ D. The Local Security Authority Subsystem (LSASS)



你答對了!

正確答案：

The Local Security Authority Subsystem (LSASS)

答對

這次提交的分數：1.00/1.00

試題**24**

答對

得分 1.00/配分1.00

Which of the following Wireshark filters allows an administrator to detect SYN/FIN DDoS attempt on the network?

- ☐ A. tcp.dstport==7
- ☐ B. TCP.flags==0x300
- ☐ C. tcp.flags==0X029
- ☒ D. tcp.flags==0x003



你答對了!

正確答案：

tcp.flags==0x003

答對

這次提交的分數：1.00/1.00

試題**25**

答對

得分 1.00/配分1.00

You are an IT security consultant working on a contract for a large manufacturing company to audit their entire network. After performing all the tests and building your report, you present a number of recommendations to the company and what they should implement to become more secure. One recommendation is to install a network-based device that notifies IT employees whenever malicious or questionable traffic is found. From your talks with the company, you know that they do not want a device that actually drops traffic completely, they only want notification.

What type of device are you suggesting?

- ☐ A. The best solution to cover the needs of this company would be a HIDS device.
- ☒ B. A NIDS device would work best for the company
- ☐ C. A HIPS device would best suite this company
- ☐ D. You are suggesting a NIPS device



正確答案：A NIDS device would work best for the company

答對

這次提交的分數：1.00/1.00

試題26

答對

得分 1.00/配分1.00

Jason has set a firewall policy that allows only a specific list of network services and denies everything else. This strategy is known as a _____.

- ☒ A. Default deny
- ☐ B. Default allow
- ☐ C. Default accept
- ☐ D. Default access



正確答案：Default deny

答對

這次提交的分數：1.00/1.00

試題27

答對

得分 1.00/配分1.00

Your company is planning to use an uninterruptible power supply (UPS) to avoid damage from power fluctuations. As a network administrator, you need to suggest an appropriate UPS solution suitable for specific resources or conditions. Match the type of UPS with the use and advantage:

1. Line Interactive	i. Unstable when operating a modern computer power supply load
2. Double Conversion On-Line	ii. Used for server rooms
3. Delta Conversion On-Line	iii. Useful where complete isolation and/or direct connectivity is required
4. Standby-Ferro	iv. Used in environments where electrical isolation is necessary
	v. Used for small business, Web, and departmental servers

- ☒ A. 1-v,2-iv,3-iii,4-i
- ☐ B. 1-i,2-iv,3-ii,4-v
- ☐ C. 1-v,2-iii,3-i,4-ii
- ☐ D. 1-iii,2-iv,3-v,4-iv



你答對了!

正確答案：

1-v,2-iv,3-iii,4-i

答對

這次提交的分數：1.00/1.00

試題**28**

答對

得分 1.00/配分1.00

Nancy is working as a network administrator for a small company. Management wants to implement a RAID storage for their organization. They want to use the appropriate RAID level for their backup plan that will satisfy the following requirements:

1. It has a parity check to store all the information about the data in multiple drives
2. Help reconstruct the data during downtime.
3. Process the data at a good speed.
4. Should not be expensive.

The management team asks Nancy to research and suggest the appropriate RAID level that best suits their requirements. What RAID level will she suggest?

- ☒ A. RAID 3
- ☐ B. RAID 10
- ☐ C. RAID 1
- ☐ D. RAID 0



正確答案：RAID 3

答對

這次提交的分數：1.00/1.00

試題**29**

答對

得分 1.00/配分1.00

Which of the following Wireshark filters can a network administrator use to view the packets without any flags set in order to detect TCP Null Scan attempts?

- ☐ A. tcp.flags==0x003
- ☐ B. tcp.flags==0X029
- ☐ C. tcp.dstport==7
- ☒ D. TCP.flags==0x000



你答對了!

正確答案：

TCP.flags==0x000

答對

這次提交的分數：1.00/1.00

試題**30**

答對

得分 1.00/配分1.00

What can be the possible number of IP addresses that can be assigned to the hosts present in a subnet having 255.255.255.224 subnet mask?

- ☐ A. 62
- ☒ B. 30
- ☐ C. 14
- ☐ D. 126



你答對了!

正確答案：

30

答對

這次提交的分數：1.00/1.00

試題**31**

答對

得分 1.00/配分1.00

An organization needs to adhere to the_____rules for safeguarding and protecting the electronically stored health information of employees.

- ☒ A. HIPAA
- ☐ B. SOX
- ☐ C. PCI DSS
- ☐ D. ISEC



正確答案：HIPAA

答對

這次提交的分數：1.00/1.00

試題**32**

答對

得分 1.00/配分1.00

Heather has been tasked with setting up and implementing VPN tunnels to remote offices. She will most likely be implementing IPsec VPN tunnels to connect the offices. At what layer of the OSI model does an IPsec tunnel function on?

- ☐ A. They work on the session layer.
- ☐ B. They function on either the application or the physical layer.
- ☐ C. They function on the data link layer
- ☒ D. They work on the network layer



正確答案：They work on the network layer

答對

這次提交的分數：1.00/1.00

試題**33**

答對

得分 1.00/配分1.00

James is working as a Network Administrator in a reputed company situated in California. He is monitoring his network traffic with the help of Wireshark. He wants to check and analyze the traffic against a PING sweep attack.

Which of the following Wireshark filters will he use?

- ☐ A. icmp.type==0 and icmp.type==16
- ☒ B. icmp.type==8 or icmp.type==0
- ☐ C. icmp.type==8 or icmp.type==16
- ☐ D. icmp.type==8 and icmp.type==0



正確答案：icmp.type==8 or icmp.type==0

答對

這次提交的分數：1.00/1.00

試題**34**

答對

得分 1.00/配分1.00

How does Windows' in-built security component, AppLocker, whitelist applications?

- ☐ A. Using Signature Rule
- ☒ B. Using Path Rule
- ☐ C. Using Internet Zone Rule
- ☐ D. Using Certificate Rule



你答對了!

正確答案 :
Using Path Rule

答對

這次提交的分數 : 1.00/1.00

試題**35**

答對

得分 1.00/配分1.00

Which of the following provides the target for designing DR and BC solutions?

- ☐ A. RTO
- ☐ B. RGO
- ☐ C. RCO
- ☒ D. RPO



你答對了!

正確答案 :
RPO

答對

這次提交的分數 : 1.00/1.00

試題36

答對

得分 1.00/配分1.00

Larry is responsible for the company's network consisting of 300 workstations and 25 servers. After using a hosted email service for a year, the company wants to control the email internally. Larry likes this idea because it will give him more control over the email. Larry wants to purchase a server for email but does not want the server to be on the internal network due to the potential to cause security risks. He decides to place the server outside of the company's internal firewall. There is another firewall connected directly to the Internet that will protect traffic from accessing the email server. The server will be placed between the two firewalls. What logical area is Larry putting the new email server into?

- ☐ A. Larry is going to put the email server in a hot-server zone.
- ☐ B. For security reasons, Larry is going to place the email server in the company's Logical Buffer Zone (LBZ).
- ☒ C. He is going to place the server in a Demilitarized Zone (DMZ)
- ☐ D. He will put the email server in an IPsec zone.



正確答案：He is going to place the server in a Demilitarized Zone (DMZ)

答對

這次提交的分數：1.00/1.00

試題37

答對

得分 1.00/配分1.00

You are using Wireshark to monitor your network traffic and you see a lot of packages with FIN, PUSH and URG flags activated; what can you infer about this behavior?

- ☐ A. The Layer 3 Controls are activated in the Switches
- ☐ B. One NIC is broadcasting erroneous traffic
- ☐ C. The Spanning Tree Protocol is activated in the Switches
- ☒ D. An attacker is running a XMAS scan against the network



你答對了！

正確答案：

An attacker is running a XMAS scan against the network

答對

這次提交的分數：1.00/1.00

試題**38**

答對

得分 1.00/配分1.00

USB ports enabled on a laptop is an example of____

- ☐ A. Network Attack Surface
- ☐ B. Software attack Surface
- ☐ C. System Attack Surface
- ☒ D. Physical Attack Surface



你答對了!

正確答案：

Physical Attack Surface

答對

這次提交的分數：1.00/1.00

試題**39**

答對

得分 1.00/配分1.00

Which of the following NIST incident category includes any activity that seeks to access or identify a federal agencycomputer, open ports, protocols, service or any combination for later exploit?

- ☐ A. Malicious code
- ☐ B. Denial-of-Service
- ☒ C. Scans/Probes/Attempted Access
- ☐ D. Improper usage



你答對了!

正確答案：

Scans/Probes/Attempted Access

答對

這次提交的分數：1.00/1.00

試題**40**

答對

得分 1.00/配分1.00

Identify the network topology where each computer acts as a repeater and the data passes from one computer to the other in a single direction until it reaches the destination.

- ☒ A. Ring
- ☐ B. Mesh
- ☐ C. Star
- ☐ D. Bus



正確答案：Ring

答對

這次提交的分數：1.00/1.00

試題**41**

答對

得分 1.00/配分1.00

Which of the following systems includes an independent NAS Head and multiple storage arrays?

- ☐ A. Integrated NAS System
- ☐ B. None of these
- ☒ C. Gateway NAS System
- ☐ D. FreeNAS



你答對了!

正確答案：
Gateway NAS System

答對

這次提交的分數：1.00/1.00

試題42

答對

得分 1.00/配分1.00

Identify the network topology in which the network devices are connected such that every device has a point-to-point link to all the other devices.

- ☐ A. Star Topology
- ☐ B. Hybrid Topology
- ☒ C. Mesh Topology
- ☐ D. Bus Topology



你答對了!

正確答案：

Mesh Topology

答對

這次提交的分數：1.00/1.00

試題43

答對

得分 1.00/配分1.00

Bryson is the IT manager and sole IT employee working for a federal agency in California. The agency was just given a grant and was able to hire on 30 more employees for a new extended project. Because of this, Bryson has hired on two more IT employees to train up and work. Both of his new hires are straight out of college and do not have any practical IT experience. Bryson has spent the last two weeks teaching the new employees the basics of computers, networking, troubleshooting techniques etc. To see how these two new hires are doing, he asks them at what layer of the OSI model do Network Interface Cards (NIC) work on. What should the new employees answer?

- ☒ A. They should tell Bryson that NICs perform on the Physical layer
- ☐ B. NICs work on the Session layer of the OSI model.
- ☐ C. They should answer with the Presentation layer.
- ☐ D. The new employees should say that NICs perform on the Network layer.



正確答案：They should tell Bryson that NICs perform on the Physical layer

答對

這次提交的分數：1.00/1.00


試題**44**

答對

得分 1.00/配分1.00

CORRECT TEXT

Identify the minimum number of drives required to setup RAID level 5.



- ☐ A. Multiple
- ☐ B. 2
- ☐ C. 4
- ☒ D. 3



正確答案：3

答對

這次提交的分數：1.00/1.00

試題**45**

答對

得分 1.00/配分1.00

Malone is finishing up his incident handling plan for IT before giving it to his boss for review. He is outlining the incident response methodology and the steps that are involved.

Which step should Malone list as the last step in the incident response methodology?

- ☒ A. Recovery would be the correct choice for the last step in the incident response methodology
- ☐ B. Malone should list a follow-up as the last step in the methodology
- ☐ C. He should assign eradication to the last step.
- ☐ D. Containment should be listed on Malone's plan for incident response.



正確答案：Recovery would be the correct choice for the last step in the incident response methodology

答對

這次提交的分數：1.00/1.00

試題**46**

答對

得分 1.00/配分1.00

Which of the following statements holds true in terms of virtual machines?

- ☐ A. OS-level virtualization takes place in VMs
- ☐ B. VMs are light weight than containers
- ☐ C. All VMs share the host OS
- ☒ D. Hardware-level virtualization takes place in VMs



正確答案：Hardware-level virtualization takes place in VMs

答對

這次提交的分數：1.00/1.00

試題**47**

答對

得分 1.00/配分1.00

Henry needs to design a backup strategy for the organization with no service level downtime.
Which backup method will he select?

- ☐ A. Cold backup
- ☒ B. Hot backup
- ☐ C. Normal backup
- ☐ D. Warm backup



正確答案：Hot backup

答對

這次提交的分數：1.00/1.00

試題**48**

答對

得分 1.00/配分1.00

Byron, a new network administrator at FBI, would like to ensure that Windows PCs there are upto-date and have less internal security flaws. What can he do?

- ☒ A. Download and install latest patches and enable Windows Automatic Updates
- ☐ B. Centrally assign Windows PC group policies
- ☐ C. Install antivirus software and turn off unnecessary services
- ☐ D. Dedicate a partition on HDD and format the disk using NTFS



正確答案：Download and install latest patches and enable Windows Automatic Updates

答對

這次提交的分數：1.00/1.00

試題**49**

答對

得分 1.00/配分1.00

James wants to implement certain control measures to prevent denial-of-service attacks against the organization. Which of the following control measures can help James?

- ☐ A. Strong passwords
- ☐ B. A honeypot in DMZ
- ☒ C. Reduce the sessions time-out duration for the connection attempts
- ☐ D. Provide network-based anti-virus



正確答案：Reduce the sessions time-out duration for the connection attempts

答對

這次提交的分數：1.00/1.00

試題**50**

答對

得分 1.00/配分1.00

The SNMP contains various commands that reduce the burden on the network administrators. Which of the following commands is used by SNMP agents to notify SNMP managers about an event occurring in the network?

- ☒ A. TRAPS
- ☐ B. INFORM
- ☐ C. RESPONSE
- ☐ D. SET



你答對了!

正確答案：
TRAPS

答對

這次提交的分數：1.00/1.00

試題**51**

答對

得分 1.00/配分1.00

John, a network administrator, is configuring Amazon EC2 cloud service for his organization. Identify the type of cloud service modules his organization adopted.

- ☐ A. Storage-as-a-Service (SaaS)
- ☐ B. Software-as-a-Service (SaaS)
- ☐ C. Platform-as-a-Service (PaaS)
- ☒ D. Infrastructure-as-a-Service (IaaS)



正確答案：Infrastructure-as-a-Service (IaaS)

答對

這次提交的分數：1.00/1.00

試題**52**

答對

得分 1.00/配分1.00

Riya bought some clothes and a watch from an online shopping site a few days back. Since then, whenever she accesses any other application (games, browser, etc.) on her mobile, she is spammed with advertisements for clothes and watches similar to the ones she bought.

What can be the underlying reason for Riya's situation?

- ☐ A. Riya's system was infected by Backdoor
- ☐ B. Riya's system was infected by Rootkit
- ☒ C. Riya's system was infected by Adware
- ☐ D. Riya's system was infected by Spyware



你答對了!

正確答案：

Riya's system was infected by Adware

答對

這次提交的分數：1.00/1.00

試題53

答對

得分 1.00/配分1.00

James is a network administrator working at a student loan company in Minnesota. This company processes over 20,000 student loans a year from colleges all over the state. Most communication between the company schools, and lenders is carried out through emails. Much of the email communication used at his company contains sensitive information such as social security numbers. For this reason, James wants to utilize email encryption. Since a server-based PKI is not an option for him, he is looking for a low/no cost solution to encrypt emails.

What should James use?

- ☐ A. James should utilize the free OTP software package.
- ☒ B. James could use PGP as a free option for encrypting the company's emails.
- ☐ C. James can use MD5 algorithm to encrypt all the emails
- ☐ D. James can enforce mandatory HTTPS in the email clients to encrypt emails



正確答案：James could use PGP as a free option for encrypting the company's emails.

答對

這次提交的分數：1.00/1.00

試題54

答對

得分 1.00/配分1.00

The bank where you work has 600 windows computers and 400 Red Hat computers which primarily serve as bank teller consoles. You have created a plan and deployed all the patches to the Windows computers and you are now working on updating the Red Hat computers.

What command should you run on the network to update the Red Hat computers, download the security package, force the package installation, and update all currently installed packages?

- ☐ A. You should type the sysupdate -d command
- ☐ B. You should run the WSUS -d -f -u command.
- ☒ C. You should run the up2date -d -f -u command
- ☐ D. You should run the up2data -u command



正確答案：You should run the up2date -d -f -u command

答對

這次提交的分數：1.00/1.00

試題**55**

答對

得分 1.00/配分1.00

Which of the following indicators refers to potential risk exposures that attackers can use to breach the security of an organization?

- ☒ A. Indicators of exposure
- ☐ B. Indicators of attack
- ☐ C. Indicators of compromise
- ☐ D. Key risk indicators



正確答案：Indicators of exposure

答對

這次提交的分數：1.00/1.00

試題**56**

答對

得分 1.00/配分1.00

A VPN Concentrator acts as a bidirectional tunnel endpoint among host machines.

What are the other function(s) of the device? (Select all that apply)

- ☒ A. Manages security keys
- ☒ B. Assigns user addresses
- ☒ C. Enables input/output (I/O) operations
- ☐ D. Provides access memory, achieving high efficiency



正確答案：Assigns user addresses, Enables input/output (I/O) operations, Manages security keys

答對

這次提交的分數：1.00/1.00

試題**57**

答對

得分 1.00/配分1.00

The CEO of Max Rager wants to send a confidential message regarding the new formula for its coveted soft drink, SuperMax, to its manufacturer in Texas. However, he fears the message could be altered in transit. How can he prevent this incident from happening and what element of the message ensures the success of this method?

- ☐ A. Hashing; public key
- ☐ B. Symmetric encryption; secret key
- ☒ C. Hashing; hash code
- ☐ D. Asymmetric encryption; public key



正確答案：Hashing; hash code

答對

這次提交的分數：1.00/1.00

試題**58**

答對

得分 1.00/配分1.00

Which of the following interfaces uses hot plugging technique to replace computer components without the need to shut down the system?

- ☐ A. SCSI
- ☐ B. IDE
- ☒ C. SATA
- ☐ D. SDRAM



你答對了!

正確答案：

SATA

答對

這次提交的分數：1.00/1.00

試題**59**

答對

得分 1.00/配分1.00

Which of the following examines Recovery Point Objectives (RPOs) and Recovery Time Objectives (RTOs) for a disaster recovery strategy?

- ☐ A. Business Continuity Plan
- ☐ B. Risk Assessment
- ☒ C. Business Impact Analysis
- ☐ D. Risk Management



你答對了!

正確答案：

Business Impact Analysis

答對

這次提交的分數：1.00/1.00

試題**60**

答對

得分 1.00/配分1.00

In what type of IoT communication model do devices interact with each other through the internet, primarily using protocols such as ZigBee, Z-Wave, or Bluetooth?

- ☒ A. Device-to-Device Model
- ☐ B. Device-to-Gateway Model
- ☐ C. Device-to-Cloud Model
- ☐ D. Back-End Data-Sharing Model



你答對了!

正確答案：

Device-to-Device Model

答對

這次提交的分數：1.00/1.00

試題**61**

答對

得分 1.00/配分1.00

HexCom, a leading IT Company in the USA, realized that their employees were having trouble accessing multiple servers with different passwords. Due to this, the centralized server was also being overburdened by avoidable network traffic. To overcome the issue, what type of authentication can be given to the employees?

- ☒ A. Single Sign-on (SSO)
- ☐ B. Two-Factor Authentication
- ☐ C. Biometric Authentication
- ☐ D. Smart Card Authentication



你答對了!

正確答案：

Single Sign-on (SSO)

答對

這次提交的分數：1.00/1.00

試題**62**

答對

得分 1.00/配分1.00

Which of the following entities is responsible for cloud security?

- ☒ A. Both cloud consumer and provider
- ☐ B. Cloud consumer
- ☐ C. Cloud provider
- ☐ D. Cloud broker



正確答案：Both cloud consumer and provider

答對

這次提交的分數：1.00/1.00

試題**63**

答對

得分 1.00/配分1.00

Which type of firewall consists of three interfaces and allows further subdivision of the systems based on specific security objectives of the organization?

- ☐ A. Unscreened subnet
- ☐ B. Screened subnet
- ☒ C. Multi-homed firewall
- ☐ D. Bastion host



正確答案：Multi-homed firewall

答對

這次提交的分數：1.00/1.00

試題**64**

答對

得分 1.00/配分1.00

Which of following command in powershell can detect whether SMB protocol open or close?

- ☐ A. Get-WindowsOptionalFeatures -Online -Features smb1 protocol
- ☐ B. Get-WindowsOptionalFeatures -Online -Feature smb1 protocol
- ☐ C. Get-WindowsOptionalFeature -Online -Features smb1 protocol
- ☒ D. Get-WindowsOptionalFeature -Online -Feature smb1 protocol



你答對了!

正確答案：

Get-WindowsOptionalFeature -Online -Feature smb1 protocol

答對

這次提交的分數：1.00/1.00

The company James works for wants to implement a biometric authentication technique. James researched and found various biometric authentication techniques and their functions. Match the correct authentication technique with their use:

1. <u>Fingerprinting</u>	a. Verifies the blood vessels in the retina
2. <u>Iris Scanning</u>	b. Verifies voice pitch and frequency of the person
3. <u>Voice Recognition</u>	c. Verifies the ridges and furrows of a person
4. <u>Retinal Scanning</u>	d. Verifies the colored part of the eye behind the cornea

- ☐ A. 1-d, 2-c, 3-a, 4-b
- ☒ B. 1-c, 2-d, 3-b, 4-a
- ☐ C. 1-a, 2-d, 3-b, 4-c
- ☐ D. 1-b, 2-d, 3-c, 4-a



你答對了!

正確答案：

1-c, 2-d, 3-b, 4-a

答對

這次提交的分數：1.00/1.00

How can a WAF validate traffic before it reaches a web application?

- ☐ A. It uses an access-based filtering technique
- ☒ B. It uses a rule-based filtering technique
- ☐ C. It uses a sandboxing filtering technique
- ☐ D. It uses a role-based filtering technique



正確答案：It uses a rule-based filtering technique

答對

這次提交的分數：1.00/1.00

試題**67**

答對

得分 1.00/配分1.00

Michelle is a network security administrator working in an MNC company. She wants to set a resource limit for CPU in a container. Which command-line allows Michelle to limit a container to 2 CPUs?

- ☐ A. \$cpus="2"
- ☐ B. --cpu="2"
- ☒ C. --cpus="2"
- ☐ D. \$cpu="2"



你答對了!

正確答案：

--cpus="2"

答對

這次提交的分數：1.00/1.00

試題**68**

答對

得分 1.00/配分1.00

Eric is receiving complaints from employees that their systems are very slow and experiencing odd issues including restarting automatically and frequent system hangs. Upon investigating, he is convinced the systems are infected with a virus that forces systems to shut down automatically after period of time.

What type of security incident are the employees a victim of?

- ☐ A. Distributed denial of service
- ☒ B. Malicious Code
- ☐ C. Denial of service
- ☐ D. Scans and probes



正確答案：Malicious Code

答對

這次提交的分數：1.00/1.00

試題**69**

答對

得分 1.00/配分1.00

Which of the following information security standards defines security policies, technologies and ongoing processes for organizations that handle cardholder information for debit, credit, prepaid, e-purse, ATM, and POS cards?

- ☐ A. Information Security Acts: Sarbanes Oxley Act (SOX)
- ☐ B. Information Security Acts: Gramm-Leach-Bliley Act (GLBA)
- ☒ C. Payment Card Industry Data Security Standard (PCI-DSS)
- ☐ D. Health Insurance Portability and Accountability Act (HIPAA)



你答對了!

正確答案：

Payment Card Industry Data Security Standard (PCI-DSS)

答對

這次提交的分數：1.00/1.00

試題**70**

答對

得分 1.00/配分1.00

Which of the following connects the SDN controller and SDN networking devices and relays information from network services to network devices such as switches and routers?

- ☐ A. Eastbound API
- ☐ B. Northbound API
- ☐ C. Westbound API
- ☒ D. Southbound API



正確答案：Southbound API

答對

這次提交的分數：1.00/1.00

試題**71**

答對

得分 1.00/配分1.00

Which of the following provides a set of voluntary recommended cyber security features to include in network-capable IoT devices?

- ☒ A. NIST
- ☐ B. GLBA
- ☐ C. GCMA
- ☐ D. FGMA



正確答案：NIST

答對

這次提交的分數：1.00/1.00

試題72

答對

得分 1.00/配分1.00

Assume that you are working as a network administrator in the head office of a bank. One day a bank employee informed you that she is unable to log in to her system. At the same time, you get a call from another network administrator informing you that there is a problem connecting to the main server.

How will you prioritize these two incidents?

- ☒ A. Based on a potential technical effect of the incident
- ☐ B. Based on a first come first served basis
- ☐ C. Based on the type of response needed for the incident
- ☐ D. Based on approval from management



正確答案：Based on a potential technical effect of the incident

答對

這次提交的分數：1.00/1.00

試題73

答對

得分 1.00/配分1.00

Xenon is a leading real estate firm located in Australia. Recently, the company had decided a bid amount for a prestigious construction project and was sure of being awarded the project. Unfortunately, the company lost the tender to one of its competitors. A few days later, while performing a network scan, the network admin identified that somebody had captured the confidential e-mails conversions related to the tender. Upon further investigation, the admin discovered that one of the switch ports was left open and an employee had plugged into the network using an Ethernet cable. Which attack did the employee perform in the above situation?

- ☒ A. Network Sniffing
- ☐ B. Social Engineering Attack
- ☐ C. Man-in-the-Middle Attack
- ☐ D. Password Attack



你答對了!

正確答案：

Network Sniffing

答對

這次提交的分數：1.00/1.00

試題74

答對

得分 1.00/配分1.00

An employee of a medical service company clicked a malicious link in an email sent by an attacker. Suddenly, employees of the company are not able to access billing information or client record as it is encrypted. The attacker asked the company to pay money for gaining access to their data. Which type of malware attack is described above?

- ☐ A. Rootkits
- ☐ B. Logic bomb
- ☒ C. Ransomware
- ☐ D. Trojan



正確答案：Ransomware

答對

這次提交的分數：1.00/1.00

試題75

答對

得分 1.00/配分1.00

Damian is the chief security officer of Enigma Electronics. To block intruders and prevent any environmental accidents, he needs to set a two-factor authenticated keypad lock at the entrance, rig a fire suppression system, and link any video cameras at various corridors to view the feeds in the surveillance room. What layer of network defense-in-depth strategy is he trying to follow?

- ☐ A. Perimeter
- ☐ B. Policies and procedures
- ☐ C. Host
- ☒ D. Physical



正確答案：Physical

答對

這次提交的分數：1.00/1.00

試題**76**

答對

得分 1.00/配分1.00

Peter works as a network administrator at an IT company. He wants to avoid exploitation of the cloud, particularly Azure services. Which of the following is a group of PowerShell scripts designed to help the network administrator understand how attacks happen and help them protect the cloud?

- ☐ A. Sysmon
- ☐ B. SecurityPolicyDsc
- ☐ C. POSH-Sysmon
- ☒ D. MicroBurst



正確答案：MicroBurst

答對

這次提交的分數：1.00/1.00

試題**77**

答對

得分 1.00/配分1.00

Which of the following refers to a potential occurrence of an undesired event that can eventually damage and interrupt the operational and functional activities of an organization?

- ☒ A. Threat
- ☐ B. Risk
- ☐ C. Vulnerability
- ☐ D. Attack



正確答案：Threat

答對

這次提交的分數：1.00/1.00

試題**78**

答對

得分 1.00/配分1.00

How is application whitelisting different from application blacklisting?

- ☐ A. It allows all applications other than the undesirable applications
- ☒ B. It rejects all applications other than the allowed applications
- ☐ C. It allows execution of untrusted applications in an isolated environment
- ☐ D. It allows execution of trusted applications in a unified environment



正確答案：It rejects all applications other than the allowed applications

答對

這次提交的分數：1.00/1.00

試題 **79**

答對

得分 1.00/配分1.00

Which protocol would the network administrator choose for the wireless network design. If he needs to satisfy the minimum requirement of 2.4 GHz, 22 MHz of bandwidth, 2 Mbits/s stream for data rate and use DSSS for modulation.

- ☐ A. 802.11n
- ☐ B. 802.11g
- ☒ C. 802.11b
- ☐ D. 802.11a



你答對了!

正確答案：

802.11b

答對

這次提交的分數：1.00/1.00

試題 **80**

答對

得分 1.00/配分1.00

Which biometric technique authenticates people by analyzing the layer of blood vessels at the back of their eyes?

- ☐ A. Fingerprinting
- ☐ B. Iris Scanning
- ☒ C. Retina Scanning
- ☐ D. Vein Structure Recognition



你答對了!

正確答案：

Retina Scanning

答對

這次提交的分數：1.00/1.00

試題**81**

答對

得分 1.00/配分1.00

You want to increase your network security implementing a technology that only allows certain MAC addresses in specific ports in the switches; which one of the above is the best choice?

- ☐ A. Port Knocking
- ☒ B. Port Security
- ☐ C. Port Authorization
- ☐ D. Port Detection



你答對了!

正確答案 :
Port Security

答對

這次提交的分數 : 1.00/1.00

試題**82**

答對

得分 1.00/配分1.00

Which encryption algorithm is used by WPA3 encryption?

- ☐ A. RC4
- ☐ B. RC4, TKIP
- ☐ C. AES-CCMP
- ☒ D. AES-GCMP 256



你答對了!

正確答案 :
AES-GCMP 256

答對

這次提交的分數 : 1.00/1.00

試題**83**

答對

得分 1.00/配分1.00

Elden is working as a network administrator at an IT company. His organization opted for a virtualization technique in which the guest OS is aware of the virtual environment in which it is running and communicates with the host machines for requesting resources. Identify the virtualization technique implemented by Elden's organization.

- ☐ A. Hybrid virtualization
- ☒ B. Hardware-assisted virtualization
- ☐ C. Full virtualization
- ☐ D. Para virtualization



正確答案：Hardware-assisted virtualization

答對

這次提交的分數：1.00/1.00

試題**84**

答對

得分 1.00/配分1.00

John is working as a network defender at a well-reputed multinational company. He wanted to implement security that can help him identify any future attacks that can be targeted toward his organization and take appropriate security measures and actions beforehand to defend against them.

Which one of the following security defense techniques should be implement?

- ☐ A. Retrospective security approach
- ☒ B. Proactive security approach
- ☐ C. Preventive security approach
- ☐ D. Reactive security approach



正確答案：Proactive security approach

答對

這次提交的分數：1.00/1.00

試題**85**

答對

得分 1.00/配分1.00

Ivan needs to pick an encryption method that is scalable even though it might be slower. He has settled on a method that works where one key is public and the other is private.

What encryption method did Ivan settle on?

- ☐ A. Ivan settled on the hashing encryption method
- ☐ B. Ivan settled on the private encryption method.
- ☒ C. Ivan settled on the asymmetric encryption method
- ☐ D. Ivan settled on the symmetric encryption method.



正確答案：Ivan settled on the asymmetric encryption method

答對

這次提交的分數：1.00/1.00

試題**86**

答對

得分 1.00/配分1.00

Which of the information below can be gained through network sniffing? (Select all that apply)

- ☒ A. Telnet Passwords
- ☒ B. DNS traffic
- ☐ C. Programming errors
- ☒ D. Syslog traffic



正確答案：Telnet Passwords, Syslog traffic, DNS traffic

答對

這次提交的分數：1.00/1.00

試題**87**

答對

得分 1.00/配分1.00

Which of the Windows security component is responsible for controlling access of a user to Windows resources?

- ☐ A. Network Logon Service (Netlogon)
- ☐ B. Security Accounts Manager (SAM)
- ☐ C. Local Security Authority Subsystem (LSASS)
- ☒ D. Security Reference Monitor (SRM)



正確答案：Security Reference Monitor (SRM)

答對

這次提交的分數：1.00/1.00

Timothy works as a network administrator in a multinational organization. He decides to implement a dedicated network for sharing storage resources. He uses a_____as it seperates the storage units from the servers and the user network.

- ☒ A. SAN
- ☐ B. SAS
- ☐ C. NAS
- ☐ D. SCSA



正確答案：SAN



這次提交的分數：1.00/1.00

John has planned to update all Linux workstations in his network. The organization is using various Linux distributions including Red hat, Fedora and Debian. Which of following commands will he use to update each respective Linux distribution?

1. Autoupdate	i. Slackware based
2. Swaret	ii. RPM-based
3. apt-get	iii. Red Hat based
4. up2date	iv. Debian based
	v. Fedora based

- ☐ A. 1-iv,2-v,3-iv,4-iii
- ☐ B. 1-iii,2-iv,3-ii,4-v
- ☒ C. 1-ii,2-i,3-iv,4-iii
- ☐ D. 1-v,2-iii,3-i,4-iv



你答對了!

正確答案：
1-ii,2-i,3-iv,4-iii



這次提交的分數：1.00/1.00

試題**90**

答對

得分 1.00/配分1.00

Which of the following is a best practice for wireless network security?

- ☐ A. Do not placing packet filter between the AP and the corporate intranet
- ☐ B. Enabling the remote router login
- ☐ C. Do not changing the default SSID
- ☒ D. Using SSID cloaking



正確答案：Using SSID cloaking

答對

這次提交的分數：1.00/1.00

試題**91**

答對

得分 1.00/配分1.00

An US-based organization decided to implement a RAID storage technology for their data backup plan. John wants to setup a RAID level that require a minimum of six drives but will meet high fault tolerance and with a high speed for the data read and write operations.

What RAID level is John considering to meet this requirement?

- ☐ A. RAID level 5
- ☐ B. RAID level 10
- ☐ C. RAID level 1
- ☒ D. RAID level 50



正確答案：RAID level 50

答對

這次提交的分數：1.00/1.00

試題**92**

答對

得分 1.00/配分1.00

The risk assessment team in Southern California has estimated that the probability of an incident that has potential to impact almost 80% of the bank's business is very high.

How should this risk be categorized in the risk matrix?

- ☐ A. High
- ☐ B. Low
- ☐ C. Medium
- ☒ D. Extreme



正確答案：Extreme

答對

這次提交的分數：1.00/1.00

試題**93**

答對

得分 1.00/配分1.00

Which of the following helps in viewing account activity and events for supported services made by AWS?

- ☒ A. AWS CloudTrail
- ☐ B. AWS CloudHSM
- ☐ C. AWS CloudFormation
- ☐ D. AWS Certificate Manager



正確答案：AWS CloudTrail

答對

這次提交的分數：1.00/1.00

試題**94**

答對

得分 1.00/配分1.00

How can organizations obtain information about threats through human intelligence?

- ☐ A. By extracting information from security blogs and forums
- ☐ B. From attackers through the dark web and honeypots
- ☐ C. From the data of past incidents and network monitoring
- ☒ D. By discovering vulnerabilities through exploration, understanding malware behavior through malware processing, etc.



你答對了!

正確答案：

By discovering vulnerabilities through exploration, understanding malware behavior through malware processing, etc.

答對

這次提交的分數：1.00/1.00

試題95

答對

得分 1.00/配分1.00

Lyle is the IT director for a medium-sized food service supply company in Nebraska. Lyle's company employs over 300 workers, half of which use computers. He recently came back from a security training seminar on logical security. He now wants to ensure his company is as secure as possible. Lyle has many network nodes and workstation nodes across the network. He does not have much time for implementing a network-wide solution. He is primarily concerned about preventing any external attacks on the network by using a solution that can drop packets if they are found to be malicious. Lyle also wants this solution to be easy to implement and be network-wide.

What type of solution would be best for Lyle?

- ☐ A. He should choose a HIPS solution, as this is best suited to his needs.
- ☒ B. Lyle would be best suited if he chose a NIPS implementation
- ☐ C. To better serve the security needs of his company, Lyle should use a HIDS system.
- ☐ D. A NEPT implementation would be the best choice.



正確答案：Lyle would be best suited if he chose a NIPS implementation

答對

這次提交的分數：1.00/1.00

試題96

答對

得分 1.00/配分1.00

Chris is a senior network administrator. Chris wants to measure the Key Risk Indicator (KRI) to assess the organization. Why is Chris calculating the KRI for his organization? It helps Chris to:

- ☒ A. Notifies when risk has reached threshold levels
- ☒ B. Identifies adverse events
- ☒ C. Facilitates backward viewing
- ☐ D. Facilitates post Incident management



正確答案：Identifies adverse events, Facilitates backward viewing, Notifies when risk has reached threshold levels

答對

這次提交的分數：1.00/1.00

試題**97**

答對

得分 1.00/配分1.00

Alex is administrating the firewall in the organization's network.
What command will he use to check the ports applications open?

- ☐ A. Netstat -a
- ☐ B. Netstat -o
- ☐ C. Netstat -ao
- ☒ D. Netstat -an



正確答案：Netstat -an

答對

這次提交的分數：1.00/1.00

試題**98**

答對

得分 1.00/配分1.00

The _____ mechanism works on the basis of a client-server model.

- ☒ A. Pull-based
- ☐ B. Network-based
- ☐ C. Push-based
- ☐ D. Host-based



正確答案：Pull-based

答對

這次提交的分數：1.00/1.00

試題**99**

答對

得分 1.00/配分1.00

Which of the following refers to the data that is stored or processed by RAM, CPUs, or databases?

- ☐ A. Data in Use
- ☐ B. Data in Transit
- ☒ C. Data at Rest
- ☐ D. Data in Backup



正確答案：Data at Rest

答對

這次提交的分數：1.00/1.00

試題 **100**

答對

得分 1.00/配分1.00

Martin is a professional hacker. He is performing reconnaissance on an organization to hack a few target systems. As a part of this method, he needs to determine what hosts are available on the network, what services those hosts are offering, what operating systems they are running, what type of packet filters/firewalls, etc. To obtain such information, Martin decided to use automated tools.

Which of the following tool must be employed by Martin?

- ☐ A. Burp Suite
- ☐ B. Zendio
- ☒ C. Nmap
- ☐ D. FOCA



你答對了!

正確答案：

Nmap

答對

這次提交的分數：1.00/1.00

試題 **101**

答對

得分 1.00/配分1.00

How is the chip-level security of an IoT device achieved?

- ☒ A. By encrypting the JTAG interface
- ☐ B. By closing insecure network services
- ☐ C. By changing the password of the router
- ☐ D. By turning off the device when not needed or not in use



你答對了!

正確答案：

By encrypting the JTAG interface

答對

這次提交的分數：1.00/1.00

試題**102**

答對

得分 1.00/配分1.00

Geon Solutions INC., had only 10 employees when it started. But as business grew, the organization had to increase the amount of staff. The network administrator is finding it difficult to accommodate an increasing number of employees in the existing network topology. So the organization is planning to implement a new topology where it will be easy to accommodate an increasing number of employees.

Which network topology will help the administrator solve the problem of needing to add new employees and expand?

- ☐ A. Bus
- ☐ B. Mesh
- ☒ C. Star
- ☐ D. Ring



正確答案：Star

答對

這次提交的分數：1.00/1.00

試題**103**

答對

得分 1.00/配分1.00

On which of the following OSI layers does the Pretty Good Privacy (PGP) work?

- ☐ A. Network
- ☐ B. Data Link
- ☐ C. Transport
- ☒ D. Application



你答對了!

正確答案：
Application

答對

這次提交的分數：1.00/1.00

試題 **104**

答對

得分 1.00/配分1.00

Which of the following is NOT an AWS Shared Responsibility Model devised by AWS?

- ☒ A. Shared Responsibility Model for Storage Services
- ☐ B. Shared Responsibility Model for Container Services
- ☐ C. Shared Responsibility Model for Abstract Services
- ☐ D. Shared Responsibility Model for Infrastructure Services



正確答案：Shared Responsibility Model for Storage Services

答對

這次提交的分數：1.00/1.00

試題 **105**

答對

得分 1.00/配分1.00

An IT company has just been hit with a severe external security breach. To enhance the company's security posture, the network admin has decided to first block all the services and then individually enable only the necessary services.

What is such an Internet access policy called?

- ☐ A. Promiscuous Policy
- ☐ B. Permissive Policy
- ☐ C. Paranoid Policy
- ☒ D. Prudent Policy



你答對了!

正確答案：

Prudent Policy

答對

這次提交的分數：1.00/1.00

試題 **106**

答對

得分 1.00/配分1.00

Which wireless networking topology setup requires same channel name and SSID?

- ☒ A. Ad-Hoc standalone network architecture
- ☐ B. Infrastructure network topology
- ☐ C. Hybrid topology
- ☐ D. Mesh topology



你答對了!

正確答案：

Ad-Hoc standalone network architecture

答對

這次提交的分數：1.00/1.00

試題 **107**

答對

得分 1.00/配分1.00

To provide optimum security while enabling safe/necessary services, blocking known dangerous services, and making employees accountable for their online activity, what Internet Access policy would Brian, the network administrator, have to choose?

- ☒ A. Prudent policy
- ☐ B. Promiscuous policy
- ☐ C. Paranoid policy
- ☐ D. Permissive policy



正確答案：Prudent policy

答對

這次提交的分數：1.00/1.00

試題 **108**

答對

得分 1.00/配分1.00

A network administrator is monitoring the network traffic with Wireshark.

Which of the following filters will she use to view the packets moving without setting a flag to detect TCP Null Scan attempts?

- ☐ A. Tcp.dstport==7
- ☒ B. TCRflags==0x000
- ☐ C. Tcp.flags==0X029
- ☐ D. Tcp.flags==0x003



正確答案：TCRflags==0x000

答對

這次提交的分數：1.00/1.00

試題 **109**

答對

得分 1.00/配分1.00

Which authorization lets users access a requested resource on behalf of others?

- ☐ A. Centralized Authorization
- ☐ B. Explicit Authorization
- ☐ C. Decentralized Authorization
- ☒ D. Implicit Authorization



你答對了!

正確答案：

Implicit Authorization

答對

這次提交的分數：1.00/1.00

試題 **110**

答對

得分 1.00/配分1.00

Which BC/DR activity works on the assumption that the most critical processes are brought back from a remote location first, followed by the less critical functions?

- ☒ A. Recovery
- ☐ B. Resumption
- ☐ C. Response
- ☐ D. Restoration



正確答案：Recovery

答對

這次提交的分數：1.00/1.00

試題 **111**

答對

得分 1.00/配分1.00

In MacOS, how can the user implement disk encryption?

- ☐ A. By executing dm-crypt command
- ☐ B. By enabling BitLocker feature
- ☒ C. By enabling FileVault feature
- ☐ D. By turning on Device Encryption feature



正確答案：By enabling FileVault feature

答對

這次提交的分數：1.00/1.00

試題**112**

答對

得分 1.00/配分1.00

What command is used to terminate certain processes in an Ubuntu system?

- ☐ A. # netstat Kill [Target Process]
- ☒ B. #kill-9[PID]
- ☐ C. #grep Kill [Target Process}
- ☐ D. #ps ax Kill



正確答案：#kill-9[PID]

答對

這次提交的分數：1.00/1.00

試題**113**

答對

得分 1.00/配分1.00

How is an "attack" represented?

- ☐ A. Motive (goal) + method
- ☐ B. Asset + Threat + Vulnerability
- ☐ C. Asset + Threat
- ☒ D. Motive (goal) + method + vulnerability



正確答案：Motive (goal) + method + vulnerability

答對

這次提交的分數：1.00/1.00

試題**114**

答對

得分 1.00/配分1.00

If there is a fire incident caused by an electrical appliance short-circuit, which fire suppressant should be used to control it?

- ☒ A. Dry chemical
- ☐ B. Water
- ☐ C. Wet chemical
- ☐ D. Raw chemical



正確答案：Dry chemical

答對

這次提交的分數：1.00/1.00

試題 **115**

答對

得分 1.00/配分1.00

Sophie has been working as a Windows network administrator at an MNC over the past 7 years. She wants to check whether SMB1 is enabled or disabled. Which of the following command allows Sophie to do so?

- ☐ A. Get-WindowsOptionalFeatures -Online -FeatureName SMB1 Protocol
- ☐ B. Get-WindowsOptionalFeatures -Online -FeatureNames SMB1 Protocol
- ☒ C. Get-WindowsOptionalFeature -Online -FeatureName SMB1 Protocol
- ☐ D. Get-WindowsOptionalFeature -Online -FeatureNames SMB1 Protocol



正確答案：Get-WindowsOptionalFeature -Online -FeatureName SMB1 Protocol

答對

這次提交的分數：1.00/1.00

試題 **116**

答對

得分 1.00/配分1.00

Daniel works as a network administrator in an Information Security company. He has just deployed an IDS in his organization's network and wants to calculate the false positive rate for his implementation. Which of the following formulae can he use to so?

- ☐ A. False Negative/False Negative+True Positive
- ☒ B. False Positive/False Positive+True Negative
- ☐ C. True Negative/False Negative+True Positive
- ☐ D. False Negative/True Negative+True positive



你答對了!

正確答案：

False Positive/False Positive+True Negative

答對

這次提交的分數：1.00/1.00

試題 **117**

答對

得分 1.00/配分1.00

Which technique is used in RAID level 0 where the data is split into blocks and written evenly across multiple disks?

- ☒ A. Disk stripping
- ☐ B. Disk partition
- ☐ C. Disk mirroring
- ☐ D. Data splitting



你答對了!

正確答案 :
Disk stripping

答對

這次提交的分數 : 1.00/1.00

試題 **118**

答對

得分 1.00/配分1.00

Disaster Recovery is a

- ☐ A. Security-centric strategy
- ☐ B. Business-centric strategy
- ☐ C. Operation-centric strategy
- ☒ D. Data-centric strategy



正確答案 : Data-centric strategy

答對

這次提交的分數 : 1.00/1.00

試題 **119**

答對

得分 1.00/配分1.00

Which subdirectory in /var/log directory stores information related to Apache web server?

- ☐ A. /var/log/maillog/
- ☐ B. /var/log/apachelog/
- ☒ C. /var/log/httpd/
- ☐ D. /var/log/lighttpd/



正確答案 : /var/log/httpd/

答對

這次提交的分數 : 1.00/1.00

試題 **120**

答對

得分 1.00/配分1.00

Which of the following is a worldwide organization whose mission is to create, refine and promote internet safety standards?

- ☒ A. WASC
- ☐ B. IEEE
- ☐ C. None
- ☐ D. SPROUT
- ☐ E. ANSI



你答對了!

正確答案：

WASC

答對

這次提交的分數：1.00/1.00

試題 **121**

答對

得分 1.00/配分1.00

Katie has implemented the RAID level that split data into blocks and evenly write the data to multiple hard drives but does not provide data redundancy. This type of RAID level requires a minimum of_____in order to setup.

- ☐ A. Three drives
- ☒ B. Two drives
- ☐ C. Four drives
- ☐ D. Six drives



正確答案：Two drives

答對

這次提交的分數：1.00/1.00

試題 **122**

答對

得分 1.00/配分1.00

What is composite signature-based analysis?

- ☐ A. Single Packet analysis is enough to identify attack signatures
- ☒ B. Multiple packet analysis is required to detect attack signatures
- ☐ C. Attack signatures are contained in packet payloads
- ☐ D. Attack signatures are contained in packet headers



你答對了!

正確答案：

Multiple packet analysis is required to detect attack signatures

答對

這次提交的分數：1.00/1.00

試題 **123**

答對

得分 1.00/配分1.00

Identify the attack where an attacker manipulates or tricks people into revealing their confidential details like bank account information, credit card details, etc.?

- ☐ A. Port Scanning
- ☐ B. ICMP Scanning
- ☐ C. DNS Footprinting
- ☒ D. Social Engineering Attacks



你答對了!

正確答案：

Social Engineering Attacks

答對

這次提交的分數：1.00/1.00

試題 **124**

答對

得分 1.00/配分1.00

Jason works as a System Administrator for www.company.com Inc. The company has a Windows based network. Sam, an employee of the company, accidentally changes some of the applications and system settings. He complains to Jason that his system is not working properly. To troubleshoot the problem, Jason diagnoses the internals of his computer and observes that some changes have been made in Sam's computer registry. To rectify the issue, Jason has to restore the registry.

Which of the following utilities can Jason use to accomplish the task? Each correct answer represents a complete solution. Choose all that apply.

☒ A. Resplendent registrar



☐ B. EventCombMT

☒ C. Reg.exe



☒ D. Regedit.exe



你答對了!

正確答案：

Resplendent registrar,

Reg.exe,

Regedit.exe

答對

這次提交的分數：1.00/1.00

試題 **125**

答對

得分 1.00/配分1.00

John wants to implement a firewall service that works at the session layer of the OSI model. The firewall must also have the ability to hide the private network information.

Which type of firewall service is John thinking of implementing?

☐ A. Stateful Multilayer Inspection

☒ B. Circuit level gateway



☐ C. Packet Filtering

☐ D. Application level gateway

正確答案：Circuit level gateway

答對

這次提交的分數：1.00/1.00

試題 **126**

答對

得分 1.00/配分1.00

An insider in Hexagon, a leading IT company in USA, was testing a packet crafting tool. This tool generated a lot of malformed TCP/IP packets which crashed the main server's operating system leading to restricting the employees' accesses. Which attack did the insider use in the above situation?

- ☐ A. Session Hijacking
- ☒ B. DoS attack
- ☐ C. Man-in-the-Middle
- ☐ D. Cross-Site-Scripting



你答對了!

正確答案：

DoS attack

答對

這次提交的分數：1.00/1.00

試題 **127**

答對

得分 1.00/配分1.00

Which of the following can be used to disallow a system/user from accessing all applications except a specific folder on a system?

- ☐ A. Certificate rule
- ☒ B. Path rule
- ☐ C. Internet zone rule
- ☐ D. Hash rule



正確答案：Path rule

答對

這次提交的分數：1.00/1.00

試題 **128**

答對

得分 1.00/配分1.00

Which type of Antenna is based on the principle of a satellite dish and can pick up Wi-Fi signals from 10 miles or more?

- ☐ A. Reflector Antenna
- ☐ B. Yagi Antenna
- ☐ C. Dipole Antenna
- ☒ D. Parabolic Grid Antenna



你答對了!

正確答案：

Parabolic Grid Antenna

答對

這次提交的分數：1.00/1.00

試題 **129**

答對

得分 1.00/配分1.00

Which of the following tools can be used to update Debian-based Linux distribution?

- ☐ A. swarets
- ☐ B. autoupdate
- ☒ C. apt-get
- ☐ D. up2date



你答對了!

正確答案：

apt-get

答對

這次提交的分數：1.00/1.00

試題 **130**

答對

得分 1.00/配分1.00

Stephanie is currently setting up email security so all company data is secured when passed through email. Stephanie first sets up encryption to make sure that a specific user's email is protected. Next, she needs to ensure that the incoming and the outgoing mail has not been modified or altered using digital signatures.

What is Stephanie working on?

- ☐ A. Availability
- ☐ B. Usability
- ☐ C. Confidentiality
- ☒ D. Data Integrity



正確答案：Data Integrity

答對

這次提交的分數：1.00/1.00

試題 **131**

答對

得分 1.00/配分1.00

Which of the following type of UPS is used to supply power above 10kVA and provides an ideal electric output presentation, and its constant wear on the power components reduces the dependability?

- ☐ A. Stand by On-line hybrid
- ☐ B. Stand by Ferro
- ☐ C. Line Interactive
- ☒ D. Double conversion on-line



你答對了!

正確答案：

Double conversion on-line

答對

這次提交的分數：1.00/1.00

試題**132**

答對

得分 1.00/配分1.00

Smith is an IT technician that has been appointed to his company's network vulnerability assessment team. He is the only IT employee on the team. The other team members include employees from Accounting, Management, Shipping, and Marketing. Smith and the team members are having their first meeting to discuss how they will proceed.

What is the first step they should do to create the network vulnerability assessment plan?

- ☒ A. Their first step is the acquisition of required documents, reviewing of security policies and compliance.
- ☐ B. Their first step is to create an initial Executive report to show the management team.
- ☐ C. Their first step is to make a hypothesis of what their final findings will be.
- ☐ D. Their first step is to analyze the data they have currently gathered from the company or interviews.



正確答案：Their first step is the acquisition of required documents, reviewing of security policies and compliance.

答對

這次提交的分數：1.00/1.00

試題**133**

答對

得分 1.00/配分1.00

Which among the following tools can help in identifying IoEs to evaluate human attack surface?

- ☐ A. Skybox
- ☒ B. SET
- ☐ C. Amass
- ☐ D. securiCAD



正確答案：SET

答對

這次提交的分數：1.00/1.00

試題**134**

答對

得分 1.00/配分1.00

Liza was told by her network administrator that they will be implementing IPsec VPN tunnels to connect the branch locations to the main office.

What layer of the OSI model do IPsec tunnels function on?

- ☐ A. The application and physical layers
- ☒ B. The network layer
- ☐ C. The session layer
- ☐ D. The data link layer



正確答案：The network layer

答對

這次提交的分數：1.00/1.00

試題 **135**

答對

得分 1.00/配分1.00

_____ is a group of broadband wireless communications standards for Metropolitan Area Networks (MANs)

- ☐ A. 802.15.4
- ☐ B. 802.12
- ☐ C. 802.15
- ☒ D. 802.16



正確答案：802.16

答對

這次提交的分數：1.00/1.00

試題 **136**

答對

得分 1.00/配分1.00

Malone is finishing up his incident handling plan for IT before giving it to his boss for review. He is outlining the incident response methodology and the steps that are involved.

What is the last step he should list?

- ☐ A. Containment
- ☐ B. Assign eradication
- ☐ C. A follow-up
- ☒ D. Recovery



正確答案：Recovery

答對

這次提交的分數：1.00/1.00

試題 **137**

答對

得分 1.00/配分1.00

Which Event Correlation Approach checks and compares all the fields systematically and intentionally for positive and negative correlation with each other to determine the correlation across one or multiple fields?

- ☐ A. Graph-based Approach
- ☐ B. Rule-Based Approach
- ☒ C. Automated Field Approach
- ☐ D. Field-Based Approach



你答對了!

正確答案：

Automated Field Approach

答對

這次提交的分數：1.00/1.00

試題 **138**

答對

得分 1.00/配分1.00

David is working in a mid-sized IT company. Management asks him to suggest a framework that can be used effectively to align the IT goals to the business goals of the company. David suggests the_____framework, as it provides a set of controls over IT and consolidates them to form a framework.

- ☐ A. ITIL
- ☐ B. ISO 27007
- ☐ C. RMIS
- ☒ D. COBIT



正確答案：COBIT

答對

這次提交的分數：1.00/1.00

試題 **139**

答對

得分 1.00/配分1.00

Which field is not included in the TCP header?

- ☐ A. Source Port
- ☐ B. Acknowledgment number
- ☒ C. Source IP address
- ☐ D. Sequence number



你答對了!

正確答案：

Source IP address

答對

這次提交的分數：1.00/1.00

試題 **140**

答對

得分 1.00/配分1.00

Which component of the data packets is encrypted in Transport mode encryption of an IPsec server?

- ☐ A. Header and Payload
- ☐ B. Encryption is not used in IPsec server
- ☐ C. Header
- ☒ D. Payload



你答對了!

正確答案：

Payload

答對

這次提交的分數：1.00/1.00

試題 **141**

答對

得分 1.00/配分1.00

On which layer of the OSI model does the packet filtering firewalls work?

- ☐ A. Application Layer
- ☐ B. Session Layer
- ☐ C. Physical Layer
- ☒ D. Network Layer



你答對了!

正確答案 :
Network Layer

答對

這次提交的分數 : 1.00/1.00

試題 **142**

答對

得分 1.00/配分1.00

What is a person, who offers formal experienced testimony in the court, called?

- ☐ A. Evidence Manager
- ☒ B. Expert Witness
- ☐ C. Attorney
- ☐ D. Evidence Documenter



你答對了!

正確答案 :
Expert Witness

答對

這次提交的分數 : 1.00/1.00

試題 **143**

答對

得分 1.00/配分1.00

A network is setup using an IP address range of 0.0.0.0 to 127.255.255.255. The network has a default subnet mask of 255.0.0.0. What IP address class is the network range a part of?

- ☐ A. Class D
- ☐ B. Class C
- ☒ C. Class A
- ☐ D. Class B



正確答案：Class A



這次提交的分數：1.00/1.00

試題 **144**

答對

得分 1.00/配分1.00

Which of the following is true regarding any attack surface?

- ☒ A. Decrease in vulnerabilities decreases the attack surface
- ☐ B. Increase in vulnerabilities decreases the attack surface
- ☐ C. Decrease in vulnerabilities increases the attack surface
- ☐ D. Decrease in risk exposures increases the attack surface



正確答案：Decrease in vulnerabilities decreases the attack surface



這次提交的分數：1.00/1.00

試題 **145**

答對

得分 1.00/配分1.00

Which of the following Layers of IoT Architecture provides dashboards to monitor, analyze, and implement proactive decisions?

- ☐ A. Process Layer
- ☐ B. Communication Layer
- ☒ C. Cloud Layer
- ☐ D. Device Layer



你答對了!

正確答案：
Cloud Layer



這次提交的分數：1.00/1.00

試題 146

答對

得分 1.00/配分1.00

Richard has been working as a Linux system administrator at an MNC. He wants to maintain a productive and secure environment by improving the performance of the systems through Linux patch management. Richard is using Ubuntu and wants to patch the Linux systems manually. Which among the following command installs updates (new ones) for Debian-based Linux OSes?

- ☐ A. sudo apt-get update
- ☐ B. sudo apt-get upgrade
- ☐ C. sudo apt-get dist-update
- ☒ D. sudo apt-get dist-upgrade



正確答案：sudo apt-get dist-upgrade

答對

這次提交的分數：1.00/1.00

試題 147

答對

得分 1.00/配分1.00

Simon had all his systems administrators implement hardware and software firewalls to ensure network security. They implemented IDS/IPS systems throughout the network to check for and stop any unauthorized traffic that may attempt to enter. Although Simon and his administrators believed they were secure, a hacker group was able to get into the network and modify files hosted on the company's website. After searching through the firewall and server logs, no one could find how the attackers were able to get in. He decides that the entire network needs to be monitored for critical and essential file changes. This monitoring tool alerts administrators when a critical file is altered.

What tool could Simon and his administrators implement to accomplish this?

- ☐ A. Snort is the best tool for their situation
- ☐ B. They need to use Nessus
- ☒ C. They could use Tripwire
- ☐ D. They can implement Wireshark



正確答案：They could use Tripwire

答對

這次提交的分數：1.00/1.00

試題 **148**

答對

得分 1.00/配分1.00

Consider a scenario consisting of a tree network. The root Node N is connected to two main nodes N1 and N2. N1 is connected to N11 and N12. N2 is connected to N21 and N22.

What will happen if any one of the main nodes fail?

- ☐ A. Failure of the main node affects all other child nodes at the same level irrespective of the main node.
- ☒ B. Failure of the main node will affect all related child nodes connected to the main node
- ☐ C. Does not cause any disturbance to the child nodes or its transmission
- ☐ D. Affects the root node only



正確答案：Failure of the main node will affect all related child nodes connected to the main node

答對

這次提交的分數：1.00/1.00

試題 **149**

答對

得分 1.00/配分1.00

Who is an IR custodian?

- ☒ A. An individual who receives the initial IR alerts and leads the IR team in all the IR activities
- ☐ B. An individual responsible for the remediation and resolution of the incident that occurred
- ☐ C. An individual responsible for conveying company details after an incident
- ☐ D. An individual who makes a decision on the classifications and the severity of the incident identified



正確答案：An individual who receives the initial IR alerts and leads the IR team in all the IR activities

答對

這次提交的分數：1.00/1.00

試題 **150**

答對

得分 1.00/配分1.00

Blake is working on the company's updated disaster and business continuity plan. The last section of the plan covers computer and data incidence response.

Blake is outlining the level of severity for each type of incident in the plan. Unsuccessful scans and probes are at what severity level?

- ☒ A. Low severity level
- ☐ B. High severity level
- ☐ C. Mid severity level
- ☐ D. Extreme severity level



正確答案：Low severity level

答對

這次提交的分數：1.00/1.00

試題 151

答對

得分 1.00/配分1.00

If an organization has decided to consume PaaS Cloud service model, then identify the organization's responsibility that they need to look after based on shared responsibility model.

- ☐ A. Data, interfaces, application, middleware, OS, VM, virtual network, hypervisors, processing and memory, data storage, network interfaces, facilities and data centers, etc.
- ☒ B. Data, interfaces, application, etc. 
- ☐ C. Data, interfaces, application, middleware, OS, VM, virtual network, etc.
- ☐ D. Data, interfaces, etc.

正確答案：Data, interfaces, application, etc.



這次提交的分數：1.00/1.00

試題 152

答對

得分 1.00/配分1.00

Hunter is an IT technician that has been appointed to his company's network vulnerability assessment team. He is the only IT employee on the team. The other team members include employees from Accounting, Management, Shipping and Marketing. Hunter is very proud of being appointed to this team in hopes that it will improve his chances of a promotion if they do a good job. Hunter and the team members are having their first meeting to discuss how they will proceed. What should be their first step in creating the network vulnerability assessment plan?

- ☐ A. The assessment team's first step should be to make a hypothesis of what their final findings will be
- ☐ B. Their first step should be to create an initial Executive report to show the management team
- ☐ C. The team's first step should be to analyze any data they have currently gathered from the company or from interviews
- ☒ D. Their first step should be the acquisition of required documents, reviewing of laws, and outlining a list of vulnerabilities that require testing 

你答對了!

正確答案：

Their first step should be the acquisition of required documents, reviewing of laws, and outlining a list of vulnerabilities that require testing



這次提交的分數：1.00/1.00

試題 **153**

答對

得分 1.00/配分1.00

James was inspecting ARP packets in his organization's network traffic with the help of Wireshark. He is checking the volume of traffic containing ARP requests as well as the source IP address from which they are originating.

Which type of attack is James analyzing?

- ☐ A. ARP Poisoning
- ☐ B. ARP spoofing
- ☐ C. ARP misconfiguration
- ☒ D. ARP Sweep



正確答案：ARP Sweep

答對

這次提交的分數：1.00/1.00

試題 **154**

答對

得分 1.00/配分1.00

If a network is at risk from unskilled individuals, what type of threat is this?

- ☐ A. Internal Threats
- ☐ B. Structured Threats
- ☒ C. Unstructured Threats
- ☐ D. External Threats



正確答案：Unstructured Threats

答對

這次提交的分數：1.00/1.00

試題 **155**

答對

得分 1.00/配分1.00

Jorge has developed a core program for a mobile application and saved it locally on his system. The next day, when he tried to access the file to work on it further, he found it missing from his system. Upon investigation, it was discovered that someone got into his system since he had not changed his login credentials, and that they were the ones that were given to him by the admin when he had joined the organization.

Which of the following network security vulnerabilities can be attributed to Jorge's situation?

- ☐ A. User account vulnerabilities
- ☐ B. Network device misconfiguration
- ☐ C. System account vulnerabilities
- ☒ D. Default password and settings



你答對了!

正確答案：

Default password and settings

答對

這次提交的分數：1.00/1.00

試題 **156**

答對

得分 1.00/配分1.00

Which BC/DR activity includes action taken toward resuming all services that are dependent on business-critical applications?

- ☐ A. Resumption
- ☐ B. Response
- ☐ C. Restoration
- ☒ D. Recovery



正確答案：Recovery

答對

這次提交的分數：1.00/1.00

試題 **157**

答對

得分 1.00/配分1.00

Which event type indicates a significant problem such as loss of data or loss of functionality?

- ☐ A. Warning
- ☐ B. Failure Audit
- ☒ C. Error
- ☐ D. Information



你答對了!

正確答案：

Error

答對

這次提交的分數：1.00/1.00

試題 **158**

答對

得分 1.00/配分1.00

What is Azure Key Vault?

- ☐ A. It is secure storage for the keys used to configure IAM in Azure services
- ☐ B. It is secure storage for the keys used to encrypt data in motion in Azure services
- ☐ C. It is secure storage for the keys used to encrypt data in use in Azure services
- ☒ D. It is secure storage for the keys used to encrypt data at rest in Azure services



你答對了!

正確答案：

It is secure storage for the keys used to encrypt data at rest in Azure services

答對

這次提交的分數：1.00/1.00

試題 **159**

答對

得分 1.00/配分1.00

Which of the following is an example of Indicators of Attack?

- ☐ A. Signatures
- ☐ B. Exploits
- ☒ C. Remote code execution
- ☐ D. Malware



你答對了!

正確答案：

Remote code execution

答對

這次提交的分數：1.00/1.00

試題 **160**

答對

得分 1.00/配分1.00

Tom works as a network administrator in a multinational organization having branches across North America and Europe. Tom wants to implement a storage technology that can provide centralized data storage and provide free data backup on the server. He should be able to perform data backup and recovery more efficiently with the selected technology.

Which of the following storage technologies best suits Tom's requirements?

- ☐ A. RAID
- ☐ B. DAS
- ☐ C. PAS
- ☒ D. NAS



正確答案：NAS

答對

這次提交的分數：1.00/1.00

試題 **161**

答對

得分 1.00/配分1.00

Andrew would like to configure IPsec in a manner that provides confidentiality for the content of packets.

What component of IPsec provides this capability?

- ☒ A. ESP
- ☐ B. IKE
- ☐ C. ISAKMP
- ☐ D. AH



你答對了!

正確答案：

ESP

答對

這次提交的分數：1.00/1.00

試題 **162**

答對

得分 1.00/配分1.00

If Myron, head of network defense at Cyberdyne, wants to change the default password policy settings on the company's Linux systems, which directory should he access?

- ☐ A. /etc/logrotate.conf
- ☐ B. /etc/hosts.allow
- ☐ C. /etc/crontab
- ☒ D. /etc/login.defs



正確答案：/etc/login.defs

答對

這次提交的分數：1.00/1.00

試題 **163**

答對

得分 1.00/配分1.00

Which IEEE standard does wireless network use?

- ☒ A. 802.11
- ☐ B. 802.18
- ☐ C. 802.10
- ☐ D. 802.9



正確答案：802.11

答對

這次提交的分數：1.00/1.00

試題 **164**

答對

得分 1.00/配分1.00

Jeanne is working as a network administrator in an IT company. She wants to control/limit container access to CPU, memory, swap, block IO (rates), network. Which Linux kernel feature allows Jeanne to manage, restrict, and audit groups of the process?

- ☐ A. Usersns
- ☒ B. Cgroups
- ☐ C. Seccomp
- ☐ D. LSMs



你答對了!

正確答案：

Cgroups

答對

這次提交的分數：1.00/1.00

試題 **165**

答對

得分 1.00/配分1.00

Which antenna's characteristic refer to the calculation of radiated in a particular direction. It is generally the ratio of radiation intensity in a given direction to the average radiation intensity?

- ☐ A. Polarization
- ☒ B. Directivity
- ☐ C. Typical gain
- ☐ D. Radiation pattern



你答對了!

正確答案：

Directivity

答對

這次提交的分數：1.00/1.00

試題 **166**

答對

得分 1.00/配分1.00

Steven's company has recently grown from 5 employees to over 50. Every workstation has a public IP address and navigated to the Internet with little to no protection. Steven wants to use a firewall. He also wants IP addresses to be private addresses, to prevent public Internet devices direct access to them.

What should Steven implement on the firewall to ensure this happens?

- ☒ A. Steven should enabled Network Address Translation (NAT)
- ☐ B. Steven should use a Demilitarized Zone (DMZ)
- ☐ C. Steven should use Open Shortest Path First (OSPF)
- ☐ D. Steven should use IPsec



正確答案：Steven should enabled Network Address Translation (NAT)

答對

這次提交的分數：1.00/1.00

試題 **167**

答對

得分 1.00/配分1.00

A company wants to implement a data backup method that allows them to encrypt the data ensuring its security as well as access it at any time and from any location. What is the appropriate backup method that should be implemented?

- ☒ A. Cloud backup
- ☐ B. Hot site backup
- ☐ C. Onsite backup
- ☐ D. Offsite backup



正確答案：Cloud backup

答對

這次提交的分數：1.00/1.00

試題 **168**

答對

得分 1.00/配分1.00

Which of the following wireless encryption provides enhanced password protection, secured IoT connections, and encompasses stronger encryption techniques?

- ☐ A. WEP
- ☐ B. WPA
- ☐ C. WPA2
- ☒ D. WPA3



你答對了!

正確答案：

WPA3

答對

這次提交的分數：1.00/1.00

試題 **169**

答對

得分 1.00/配分1.00

In _____ method, event logs are arranged in the form of a circular buffer.

- ☐ A. Wrapping method
- ☐ B. LIFO method
- ☒ C. FIFO method
- ☐ D. Non-wrapping method



正確答案：FIFO method

答對

這次提交的分數：1.00/1.00

試題**170**

答對

得分 1.00/配分1.00

Justine has been tasked by her supervisor to ensure that the company's physical security is on the same level as their logical security measures. She installs video cameras at all entrances and exits and installs badge access points for all doors. The last item she wants to install is a method to prevent unauthorized people piggybacking employees.

What should she install to prevent piggybacking?

- ☐ A. Justine needs to install a biometrics station at each entrance
- ☐ B. Justine will need to install a revolving security door
- ☐ C. She should install a Thompson Trapdoor.
- ☒ D. She should install a mantrap



正確答案：She should install a mantrap

答對

這次提交的分數：1.00/1.00

試題**171**

答對

得分 1.00/配分1.00

Harry has sued the company claiming they made his personal information public on a social networking site in the United States. The company denies the allegations and consulted a/an _____ for legal advice to defend them against this allegation.

- ☐ A. PR Specialist
- ☐ B. Evidence Manager
- ☒ C. Attorney
- ☐ D. Incident Handler



正確答案：Attorney

答對

這次提交的分數：1.00/1.00

試題 **172**

答對

得分 1.00/配分1.00

John is a network administrator and is monitoring his network traffic with the help of Wireshark. He suspects that someone from outside is making a TCP OS fingerprinting attempt on his organization's network.

Which of the following Wireshark filter(s) will he use to locate the TCP OS fingerprinting attempt?

- ☐ A. Tcp.options.wscale_val==20
- ☒ B. Tcp.flags=0x00
- ☒ C. Tcp.options.mss_val<1460
- ☒ D. Tcp.flags==0x2b



正確答案： Tcp.flags==0x2b, Tcp.flags=0x00, Tcp.options.mss_val<1460

答對

這次提交的分數：1.00/1.00

試題 **173**

答對

得分 1.00/配分1.00

During the recovery process, RTO and RPO should be the main parameters of your disaster recovery plan.

What does RPO refer to?

- ☐ A. The duration required to restore the data
- ☐ B. The hot plugging technique used to replace computer components
- ☒ C. The interval after which the data quality is lost
- ☐ D. The encryption feature, acting as add-on security to the data



你答對了!

正確答案：

The interval after which the data quality is lost

答對

這次提交的分數：1.00/1.00

試題 **174**

答對

得分 1.00/配分1.00

Which Internet access policy starts with all services blocked and the administrator enables safe and necessary services individually, which provides maximum security and logs everything, such as system and network activities?

- ☐ A. Permissive policy
- ☐ B. Paranoid policy
- ☒ C. Prudent policy
- ☐ D. Internet access policy



你答對了!

正確答案：

Prudent policy

答對

這次提交的分數：1.00/1.00

試題 **175**

答對

得分 1.00/配分1.00

Which of the following standards does a cloud service provider has to comply with, to protect the privacy of its customer's personal information?

- ☐ A. ISO/IEC 27021
- ☒ B. ISO/IEC 27018
- ☐ C. ISO/IEC 27020
- ☐ D. ISO/IEC 27019



你答對了!

正確答案：

ISO/IEC 27018

答對

這次提交的分數：1.00/1.00

試題 **176**

答對

得分 1.00/配分1.00

Which of the following intrusion detection techniques observes the network for abnormal usage patterns by determining the performance parameters for regular activities and monitoring for actions beyond the normal parameters?

- ☐ A. Stateful protocol analysis
- ☐ B. None of these
- ☐ C. Signature/Pattern matching
- ☒ D. Statistical anomaly detection



你答對了!

正確答案：

Statistical anomaly detection

答對

這次提交的分數：1.00/1.00

試題 **177**

答對

得分 1.00/配分1.00

Which type of wireless network attack is characterized by an attacker using a high gain amplifier from a nearby location to drown out the legitimate access point signal?

- ☐ A. Rogue access point attack
- ☐ B. Unauthorized association
- ☒ C. Jamming signal attack
- ☐ D. Ad Hoc Connection attack



你答對了!

正確答案：

Jamming signal attack

答對

這次提交的分數：1.00/1.00

試題 **178**

答對

得分 1.00/配分1.00

Steven is a Linux system administrator at an IT company. He wants to disable unnecessary services in the system, which can be exploited by the attackers. Which among the following is the correct syntax for disabling a service?

- ☐ A. \$ sudo system ctl disable [service]
- ☐ B. \$ sudo system-ctl disable [service]
- ☒ C. \$ sudo systemctl disable [service]
- ☐ D. \$ sudo system.ctl disable [service]



正確答案：\$ sudo systemctl disable [service]

答對

這次提交的分數：1.00/1.00

試題 **179**

答對

得分 1.00/配分1.00

John, who works as a team lead in Zen Technologies, found that his team members were accessing social networking sites, shopping sites and watching movies during office hours. He approached the network admin to block such websites. What kind of network security device can be used to implement John's decision?

- ☐ A. Firewall
- ☐ B. Proxy server
- ☒ C. Internet Content Filter
- ☐ D. Network Protocol Analyzer



你答對了!

正確答案：

Internet Content Filter

答對

這次提交的分數：1.00/1.00

Management asked Adam to implement a system allowing employees to use the same credentials to access multiple applications. Adam should implement the _____ authentication technique to satisfy the request.

- ☐ A. Biometric
- ☐ B. Smart card authentication
- ☒ C. Single-sign-on
- ☐ D. Two-factor authentication



正確答案：Single-sign-on

答對

這次提交的分數：1.00/1.00

Match the following NIST security life cycle components with their activities:

1. Implement	i. Applies tailoring guidance and supplemental controls as needed
2. Authorize	ii. Determines security control effectiveness
3. Categorize	iii. Determines risk to organizational operations and assets
4. Select	iv. Sets security controls within an enterprise architecture
	v. Defines criticality of information system according to potential worst-case

- ☒ A. 1-iv, 2-iii, 3-v, 4-i
- ☐ B. 1-iii, 2-iv, 3-v, 4-i
- ☐ C. 1-i, 2-v, 3-iii, 4-ii
- ☐ D. 1-ii, 2-i, 3-v, 4-iv



你答對了!

正確答案：

1-iv, 2-iii, 3-v, 4-i

答對

這次提交的分數：1.00/1.00

試題**182**

答對

得分 1.00/配分1.00

Fred is a network technician working for Johnson Services, a temporary employment agency in Boston. Johnson Services has three remote offices in New England and the headquarters in Boston where Fred works.

The company relies on a number of customized applications to perform daily tasks and unfortunately these applications require users to be local administrators. Because of this, Fred's supervisor wants to implement tighter security measures in other areas to compensate for the inherent risks in making those users local admins. Fred's boss wants a solution that will be placed on all computers throughout the company and monitored by Fred. This solution will gather information on all network traffic to and from the local computers without actually affecting the traffic.

What type of solution does Fred's boss want to implement?

- ☐ A. Fred's boss wants Fred to monitor a NIPS system.
- ☒ B. Fred's boss wants to implement a HIDS solution.
- ☐ C. Fred's boss wants to implement a HIPS solution.
- ☐ D. Fred's boss wants a NIDS implementation.



正確答案：Fred's boss wants to implement a HIDS solution.

答對

這次提交的分數：1.00/1.00

試題**183**

答對

得分 1.00/配分1.00

Which of the following acts as a verifier for the certificate authority?

- ☐ A. Directory management system
- ☐ B. Certificate Management system
- ☒ C. Registration authority
- ☐ D. Certificate authority



正確答案：Registration authority

答對

這次提交的分數：1.00/1.00

試題 **184**

答對

得分 1.00/配分1.00

Henry, head of network security at Gentech, has discovered a general report template that someone has reserved only for the CEO. Since the file has to be editable, viewable, and deletable by everyone, what permission value should he set?

- ☐ A. 600
- ☒ B. 777
- ☐ C. 755
- ☐ D. 700



正確答案：777

答對

這次提交的分數：1.00/1.00

試題 **185**

答對

得分 1.00/配分1.00

During a security awareness program, management was explaining the various reasons which create threats to network security. Which could be a possible threat to network security?

- ☐ A. Implementing VPN
- ☒ B. Having a web server in the internal network
- ☐ C. Configuring automatic OS updates
- ☐ D. Patch management



正確答案：Having a web server in the internal network

答對

這次提交的分數：1.00/1.00

試題 **186**

答對

得分 1.00/配分1.00

Assume that you are a network administrator and the company has asked you to draft an Acceptable Use Policy (AUP) for employees. Under which category of an information security policy does AUP fall into?

- ☐ A. Enterprise Information Security Policy (EISP)
- ☐ B. Incident Response Policy (IRP)
- ☒ C. System Specific Security Policy (SSSP)
- ☐ D. Issue Specific Security Policy (ISSP)



正確答案：System Specific Security Policy (SSSP)

答對

這次提交的分數：1.00/1.00

試題 **187**

答對

得分 1.00/配分1.00

Which of the following security models enable strict identity verification for every user or device attempting to access the network resources?

- I. Zero-trust network model
- II. Castle-and-Moat model

- ☒ A. I only
- ☐ B. None
- ☐ C. Both I and II
- ☐ D. II only



正確答案：I only

答對

這次提交的分數：1.00/1.00

試題 **188**

答對

得分 1.00/配分1.00

Phishing-like attempts that present users a fake usage bill of the cloud provider is an example of a:

- ☐ A. User to service attack surface
- ☒ B. Cloud to user attack surface
- ☐ C. User to cloud attack surface
- ☐ D. Cloud to service attack surface



正確答案：Cloud to user attack surface

答對

這次提交的分數：1.00/1.00

試題 **189**

答對

得分 1.00/配分1.00

Dan and Alex are business partners working together. Their Business-Partner Policy states that they should encrypt their emails before sending to each other.

How will they ensure the authenticity of their emails?

- ☐ A. Dan will use his digital signature to sign his mails while Alex will use his private key to verify the authenticity of the mails.
- ☐ B. Dan will use his public key to encrypt his mails while Alex will use Dan's digital signature to verify the authenticity of the mails.
- ☐ C. Dan will use his private key to encrypt his mails while Alex will use his digital signature to verify the authenticity of the mails.
- ☒ D. Dan will use his digital signature to sign his mails while Alex will use Dan's public key to verify the authenticity of the mails.



正確答案：Dan will use his digital signature to sign his mails while Alex will use Dan's public key to verify the authenticity of the mails.

答對

這次提交的分數：1.00/1.00

試題 **190**

答對

得分 1.00/配分1.00

Which phase of vulnerability management deals with the actions taken for correcting the discovered vulnerability?

- ☐ A. Mitigation
- ☐ B. Assessment
- ☐ C. Verification
- ☒ D. Remediation



正確答案：Remediation

答對

這次提交的分數：1.00/1.00

試題 **191**

答對

得分 1.00/配分1.00

What should a network administrator perform to execute/test the untrusted or untested programs or code from untrusted or unverified third-parties without risking the host system or OS?

- ☐ A. Application Whitelisting
- ☐ B. Application Blacklisting
- ☐ C. Deployment of WAFs
- ☒ D. Application Sandboxing



你答對了！

正確答案：

Application Sandboxing

答對

這次提交的分數：1.00/1.00

試題 **192**

答對

得分 1.00/配分1.00

John, the network administrator and he wants to enable the NetFlow feature in Cisco routers to collect and monitor the IP network traffic passing through the router.

Which command will John use to enable NetFlow on an interface?

- ☐ A. Router IP route
- ☐ B. Router# Netmon enable
- ☐ C. Router# netflow enable
- ☒ D. Router(Config-if) # IP route - cache flow



正確答案：Router(Config-if) # IP route - cache flow

答對

這次提交的分數：1.00/1.00

試題 **193**

答對

得分 1.00/配分1.00

As a network administrator, you have implemented WPA2 encryption in your corporate wireless network. The WPA2's _____integrity check mechanism provides security against a replay attack.

- ☐ A. CRC-32
- ☐ B. CRC-MAC
- ☒ C. CBC-MAC
- ☐ D. CBC-32



正確答案：CBC-MAC

答對

這次提交的分數：1.00/1.00

試題 **194**

答對

得分 1.00/配分1.00

Arman transferred some money to his friend's account using a net banking service. After a few hours, his friend informed him that he hadn't received the money yet. Arman logged on to the bank's website to investigate and discovered that the amount had been transferred to an unknown account instead. The bank, upon receiving Arman's complaint, discovered that someone had established a station between Arman's and the bank server's communication system. The station intercepted the communication and inserted another account number replacing his friend's account number. What is such an attack called?

- ☐ A. DNS Poisoning
- ☐ B. Privilege Escalation
- ☐ C. DNS Cache Poisoning
- ☒ D. Man-in-the-Middle Attack



你答對了!

正確答案：

Man-in-the-Middle Attack

答對

這次提交的分數：1.00/1.00

試題 **195**

答對

得分 1.00/配分1.00

Which of the following Event Correlation Approach checks and compares all the fields systematically and intentionally for positive and negative correlation with each other to determine the correlation across one or multiple fields?

- ☐ A. Field-Based Approach
- ☒ B. Automated Field Correlation
- ☐ C. Graph-Based Approach
- ☐ D. Rule-Based Approach



正確答案：Automated Field Correlation

答對

這次提交的分數：1.00/1.00

試題 **196**

答對

得分 1.00/配分1.00

How is a "risk" represented?

- ☐ A. Motive (goal) + method
- ☐ B. Asset + threat
- ☒ C. Asset + threat + vulnerability
- ☐ D. Motive (goal) + method + vulnerability



正確答案：Asset + threat + vulnerability

答對

這次提交的分數：1.00/1.00

試題 **197**

答對

得分 1.00/配分1.00

John has implemented _____ in the network to restrict the number of public IP addresses in his organization and to enhance the firewall filtering technique.

- ☐ A. Proxies
- ☐ B. DMZ
- ☐ C. VPN
- ☒ D. NAT



正確答案：NAT

答對

這次提交的分數：1.00/1.00

試題 198

答對

得分 1.00/配分1.00

Cindy is the network security administrator for her company. She just got back from a security conference in Las Vegas where they talked about all kinds of old and new security threats; many of which she did not know of. She is worried about the current security state of her company's network so she decides to start scanning the network from an external IP address. To see how some of the hosts on her network react, she sends out SYN packets to an IP range. A number of IPs responds with a SYN/ACK response. Before the connection is established, she sends RST packets to those hosts to stop the session. She has done this to see how her intrusion detection system will log the traffic.

What type of scan is Cindy attempting here?

- ☐ A. The type of scan she is using is called a NULL scan.
- ☐ B. She is utilizing a RST scan to find live hosts that are listening on her network.
- ☒ C. Cindy is using a half-open scan to find live hosts on her network.
- ☐ D. Cindy is attempting to find live hosts on her company's network by using a XMAS scan.



正確答案：Cindy is using a half-open scan to find live hosts on her network.

答對

這次提交的分數：1.00/1.00

試題 199

答對

得分 1.00/配分1.00

What is the name of the authority that verifies the certificate authority in digital certificates?

- ☐ A. Registration authority
- ☐ B. Directory management system
- ☐ C. Certificate authority
- ☒ D. Certificate Management system



正確答案：Certificate Management system

答對

這次提交的分數：1.00/1.00

試題**200**

答對

得分 1.00/配分1.00

Wallcot, a retail chain in US and Canada, wants to improve the security of their administration offices. They want to implement a mechanism with two doors. Only one of the doors can be opened at a time. Once people enter from the first door, they have to be authorized to open the next one. Failing the authorization, the person will be locked between the doors until an authorized person lets him or her out.

What is such a mechanism called?

- ☒ A. Mantrap
- ☐ B. Alarm system
- ☐ C. Physical locks
- ☐ D. Contraband detection device



你答對了!

正確答案：

Mantrap

答對

這次提交的分數：1.00/1.00

試題**201**

答對

得分 1.00/配分1.00

Identify the Password Attack Technique in which the adversary attacks cryptographic hash functions based on the probability, that if a hashing process is used for creating a key, then the same is used for other keys?

- ☒ A. Birthday Attack
- ☐ B. Brute Forcing Attack
- ☐ C. Dictionary Attack
- ☐ D. Hybrid Attack



你答對了!

正確答案：

Birthday Attack

答對

這次提交的分數：1.00/1.00

試題**202**

答對

得分 1.00/配分1.00

The IR team and the network administrator have successfully handled a malware incident on the network. The team is now preparing countermeasure guideline to avoid a future occurrence of the malware incident.

Which of the following countermeasure(s) should be added to deal with future malware incidents? (Select all that apply)

- ☐ A. Implementing a strong password policy
- ☐ B. Complying with the company's security policies
- ☐ C. Implementing strong authentication schemes
- ☒ D. Install antivirus software



正確答案：Install antivirus software



這次提交的分數：1.00/1.00

試題**203**

答對

得分 1.00/配分1.00

Which authentication technique involves mathematical pattern-recognition of the colored part of the eye behind the cornea?

- ☐ A. Retinal Scanning
- ☐ B. Facial Recognition
- ☐ C. Vein Scanning
- ☒ D. Iris Scanning



你答對了!

正確答案：
Iris Scanning



這次提交的分數：1.00/1.00

試題**204**

答對

得分 1.00/配分1.00

Fargo, head of network defense at Globadyne Tech, has discovered an undesirable process in several Linux systems, which causes machines to hang every 1 hour. Fargo would like to eliminate it; what command should he execute?

- ☐ A. # ps ax | grep [Target Process]
- ☒ B. # kill -9 [PID]
- ☐ C. # update-rc.d -f [service name] remove
- ☐ D. # service [service name] stop



正確答案：# kill -9 [PID]

答對

這次提交的分數：1.00/1.00

試題**205**

答對

得分 1.00/配分1.00

According to the company's security policy, all access to any network resources must use Windows Active Directory Authentication. A Linux server was recently installed to run virtual servers and it is not using Windows Authentication.

What needs to happen to force this server to use Windows Authentication?

- ☐ A. Edit the ADLIN file.
- ☐ B. Remove the /var/bin/localauth.conf file.
- ☐ C. Edit the shadow file.
- ☒ D. Edit the PAM file to enforce Windows Authentication



正確答案：Edit the PAM file to enforce Windows Authentication

答對

這次提交的分數：1.00/1.00

試題206

答對

得分 1.00/配分1.00

You are responsible for network functions and logical security throughout the corporation.

Your company has over 250 servers running Windows Server 2012, 5000 workstations running Windows 10, and 200 mobile users working from laptops on Windows 8. Last week 10 of your company's laptops were stolen from a salesman, while at a conference in Barcelona. These laptops contained proprietary company information. While doing a damage assessment, a news story leaks about a blog post containing information about the stolen laptops and the sensitive information.

What built-in Windows feature could you have implemented to protect the sensitive information on these laptops?

- ☐ A. You should have used 3DES.
- ☒ B. You could have implemented the Encrypted File System (EFS)
- ☐ C. You should have implemented the Distributed File System (DFS).
- ☐ D. If you would have implemented Pretty Good Privacy (PGP).



正確答案：You could have implemented the Encrypted File System (EFS)

答對

這次提交的分數：1.00/1.00

試題207

答對

得分 1.00/配分1.00

Choose the correct order of steps to analyze the attack surface.

- ☒ A. Visualize the attack surface->identify the indicators of exposure->simulate the attack->reduce the attack surface
- ☐ B. Identify the indicators of exposure->simulate the attack->visualize the attack surface->reduce the attack surface
- ☐ C. Identify the indicators of exposure->visualize the attack surface->simulate the attack->reduce the attack surface
- ☐ D. Visualize the attack surface->simulate the attack->identify the indicators of exposure->reduce the attack surface



正確答案：Visualize the attack surface->identify the indicators of exposure->simulate the attack->reduce the attack surface

答對

這次提交的分數：1.00/1.00

試題**208**

答對

得分 1.00/配分1.00

A local bank wants to protect their card holder data. The bank should comply with the_____standard to ensure the security of card holder data.

- ☒ A. PCI DSS
- ☐ B. HIPAA
- ☐ C. SOAX
- ☐ D. ISEC



正確答案：PCI DSS

答對

這次提交的分數：1.00/1.00

試題**209**

答對

得分 1.00/配分1.00

Which filter to locate unusual ICMP request an Analyst can use in order to detect a ICMP probes from the attacker to a target OS looking for the response to perform ICMP fingerprinting?

- ☒ A. (icmp.type==8 && (!(icmp.code==8))
- ☐ B. (icmp.type==9 && (!(icmp.code==9))
- ☐ C. (icmp.type==14) || (icmp.type==15 || (icmp.type==17)
- ☐ D. (icmp.type==12) || (icmp.type==15 || (icmp.type==17)



你答對了!

正確答案：

(icmp.type==8 && (!(icmp.code==8))

答對

這次提交的分數：1.00/1.00

試題**210**

答對

得分 1.00/配分1.00

Docker provides Platform-as-a-Service (PaaS) through _____ and delivers containerized software packages.

- ☐ A. Storage-level virtualization
- ☐ B. Server-level virtualization
- ☐ C. Network-level virtualization
- ☒ D. OS-level virtualization



正確答案：OS-level virtualization

答對

這次提交的分數：1.00/1.00

試題**211**

答對

得分 1.00/配分1.00

A network designer needs to submit a proposal for a company, which has just published a web portal for its clients on the internet. Such a server needs to be isolated from the internal network, placing itself in a DMZ. Faced with this need, the designer will present a proposal for a firewall with three interfaces, one for the internet network, another for the DMZ server farm and another for the internal network.

What kind of topology will the designer propose?

- ☐ A. Bastion host
- ☒ B. Screened subnet
- ☐ C. Multi-homed firewall
- ☐ D. DMZ, External-Internal firewall



你答對了!

正確答案：

Screened subnet

答對

這次提交的分數：1.00/1.00

試題**212**

答對

得分 1.00/配分1.00

A company has the right to monitor the activities of their employees on different information systems according to the _____policy.

- ☐ A. Internet usage
- ☐ B. Information system
- ☒ C. User access control
- ☐ D. Confidential data



正確答案：User access control

答對

這次提交的分數：1.00/1.00

試題**213**

答對

得分 1.00/配分1.00

You are tasked to perform black hat vulnerability assessment for a client. You received official written permission to work with: company site, forum, Linux server with LAMP, where this site is hosted.

Which vulnerability assessment tool should you consider using?

- ☒ A. OpenVAS
- ☐ B. hping
- ☐ C. dnsbrute
- ☐ D. wireshark



你答對了!

正確答案 :
OpenVAS

答對

這次提交的分數 : 1.00/1.00

試題**214**

答對

得分 1.00/配分1.00

An attacker uses different types of password cracking techniques to crack the password and gain unauthorized access to a system. An attacker uses a file containing a list of commonly used passwords. They then upload this file into the cracking application that runs against the user accounts.

Which of the following password cracking techniques is the attacker trying?

- ☒ A. Dictionary
- ☐ B. Rainbow table
- ☐ C. Hybrid
- ☐ D. Bruteforce



正確答案 : Dictionary

答對

這次提交的分數 : 1.00/1.00

試題**215**

答對

得分 1.00/配分1.00

Which of the following data security technology can ensure information protection by obscuring specific areas of information?

- ☐ A. Data encryption
- ☒ B. Data masking
- ☐ C. Data retention
- ☐ D. Data hashing



正確答案：Data masking

答對

這次提交的分數：1.00/1.00

試題**216**

答對

得分 1.00/配分1.00

A stateful multilayer inspection firewall combines the aspects of Application level gateway, Circuit level gateway and Packet filtering firewall. On which layers of the OSI model, does the Stateful multilayer inspection firewall works?

- ☐ A. Physical, Session & Application
- ☐ B. Session & Network
- ☒ C. Network, Session & Application
- ☐ D. Physical & Application



你答對了!

正確答案：

Network, Session & Application

答對

這次提交的分數：1.00/1.00

試題**217**

答對

得分 1.00/配分1.00

The agency Jacob works for stores and transmits vast amounts of sensitive government data that cannot be compromised. Jacob has implemented Encapsulating Security Payload (ESP) to encrypt IP traffic. Jacob wants to encrypt the IP traffic by inserting the ESP header in the IP datagram before the transport layer protocol header.

What mode of ESP does Jacob need to use to encrypt the IP traffic?

- ☐ A. He should use ESP in gateway mode
- ☒ B. Jacob should utilize ESP in tunnel mode.
- ☐ C. He should use ESP in transport mode.
- ☐ D. Jacob should use ESP in pass-through mode.



正確答案：Jacob should utilize ESP in tunnel mode.

答對

這次提交的分數：1.00/1.00

試題**218**

答對

得分 1.00/配分1.00

What is the correct order of activities that a IDS is supposed to attempt in order to detect an intrusion?

- ☐ A. Intrusion Monitoring, Intrusion Detection, Response, Prevention
- ☒ B. Prevention, Intrusion Monitoring, Intrusion Detection, Response
- ☐ C. Intrusion Detection, Response, Prevention, Intrusion Monitoring
- ☐ D. Prevention, Intrusion Detection, Response, Intrusion Monitoring



你答對了!

正確答案：

Prevention, Intrusion Monitoring, Intrusion Detection, Response

答對

這次提交的分數：1.00/1.00

試題**219**

答對

得分 1.00/配分1.00

Which of the following incident handling stage removes the root cause of the incident?

- ☐ A. Recovery
- ☐ B. Detection
- ☒ C. Eradication
- ☐ D. Containment



你答對了!

正確答案 :
Eradication

答對

這次提交的分數 : 1.00/1.00

試題**220**

答對

得分 1.00/配分1.00

Leslie, the network administrator of Livewire Technologies, has been recommending multilayer inspection firewalls to deploy the company's infrastructure. What layers of the TCP/IP model can it protect?

- ☒ A. Application, IP, and network interface
- ☐ B. Application, TCP, and IP
- ☐ C. IP, application, and network interface
- ☐ D. Network interface, TCP, and IP



正確答案 : Application, IP, and network interface

答對

這次提交的分數 : 1.00/1.00

試題**221**

答對

得分 1.00/配分1.00

Alex is administrating the firewall in the organization's network.
What command will he use to check all the remote addresses and ports in numerical form?

- ☐ A. Netstat -ao
- ☐ B. Netstat -a
- ☒ C. Netstat -an
- ☐ D. Netstat -o



正確答案 : Netstat -an

答對

這次提交的分數 : 1.00/1.00

試題**222**

答對

得分 1.00/配分1.00

Which policies exist only on AWS IAM identity (user, group, or role)?

- ☒ A. Inline Policies
- ☐ B. Customer-Managed Policies
- ☐ C. Power-user AWS managed policies
- ☐ D. Full access AWS managed policy



你答對了!

正確答案：

Inline Policies

答對

這次提交的分數：1.00/1.00

試題**223**

答對

得分 1.00/配分1.00

An attacker has access to password hashes of a Windows 7 computer. Which of the following attacks can the attacker use to reveal the passwords?

- ☐ A. XSS
- ☐ B. Dictionary attacks
- ☐ C. Brute force
- ☒ D. Rainbow table



你答對了!

正確答案：

Rainbow table

答對

這次提交的分數：1.00/1.00

試題**224**

答對

得分 1.00/配分1.00

Individuals in the organization using system resources against acceptable usage policies indicates which of the following security incident:

- ☒ A. Improper Usage
- ☐ B. Malicious Code
- ☐ C. Unauthorized Access
- ☐ D. Denial-of-Service (DoS)



你答對了!

正確答案：

Improper Usage

答對

這次提交的分數：1.00/1.00

試題**225**

答對

得分 1.00/配分1.00

Frank installed Wireshark at all ingress points in the network. Looking at the logs he notices an odd packet source. The odd source has an address of 1080:0:FF:0:8:800:200C:4171 and is using port 21. What does this source address signify?

- ☐ A. This source address is IPv6 and translates as 13.1.68.3
- ☒ B. This means that the source is using IPv4
- ☐ C. This address means that the source is using an IPv6 address and is spoofed and signifies an IPv4 address of 127.0.0.1.
- ☐ D. This source address signifies that the originator is using 802dot1x to try and penetrate into Frank's network



正確答案：This means that the source is using IPv4

答對

這次提交的分數：1.00/1.00

試題**226**

答對

得分 1.00/配分1.00

Albert works as a Windows system administrator at an MNC. He uses PowerShell logging to identify any suspicious scripting activity across the network. He wants to record pipeline execution details as PowerShell executes, including variable initialization and command invocations. Which PowerShell logging component records pipeline execution details as PowerShell executes?

- ☐ A. Event logging
- ☐ B. Script block logging
- ☐ C. Transcript logging
- ☒ D. Module logging



正確答案：Module logging

答對

這次提交的分數：1.00/1.00

試題**227**

答對

得分 1.00/配分1.00

An enterprise recently moved to a new office and the new neighborhood is a little risky. The CEO wants to monitor the physical perimeter and the entrance doors 24 hours. What is the best option to do this job?

- ☒ A. Install a CCTV with cameras pointing to the entrance doors and the street
- ☐ B. Use an IDS in the entrance doors and install some of them near the corners
- ☐ C. Use lights in all the entrance doors and along the company's perimeter
- ☐ D. Use fences in the entrance doors



正確答案：Install a CCTV with cameras pointing to the entrance doors and the street

答對

這次提交的分數：1.00/1.00

試題**228**

答對

得分 1.00/配分1.00

Identify the correct statements regarding a DMZ zone:

- ☐ A. It serves as a proxy
- ☐ B. It includes sensitive internal servers such as database servers
- ☒ C. It is a Neutral zone between a trusted network and an untrusted network
- ☐ D. It is a file integrity monitoring mechanism



正確答案：It is a Neutral zone between a trusted network and an untrusted network

答對

這次提交的分數：1.00/1.00

試題**229**

答對

得分 1.00/配分1.00

Delta IT solutions suffered a substantial data loss translating into a huge monetary loss for them. While investigation, the network admin analyzed all the packets and traffic transmitted across the network and identified that some user, within the organization, had leaked the data. Which of the following devices could have helped the network admin reach this conclusion?

- ☐ A. Network Access Control
- ☐ B. Internet Content Filter
- ☐ C. Intrusion Detection System
- ☒ D. Network Protocol Analyzer



你答對了!

正確答案：

Network Protocol Analyzer

答對

這次提交的分數：1.00/1.00

試題**230**

答對

得分 1.00/配分1.00

Sam wants to implement a network-based IDS and finalizes an IDS solution that works based on pattern matching. Which type of network-based IDS is Sam implementing?

- ☐ A. Anomaly-based IDS
- ☒ B. Signature-based IDS
- ☐ C. Behavior-based IDS
- ☐ D. Stateful protocol analysis



正確答案：Signature-based IDS

答對

這次提交的分數：1.00/1.00

試題**231**

答對

得分 1.00/配分1.00

Management wants to calculate the risk factor for their organization. Kevin, a network administrator in the organization knows how to calculate the risk factor. Certain parameters are required before calculating risk factor.

What are they? (Select all that apply) Risk factor =.....X.....X.....

- ☒ A. Attack
- ☒ B. Vulnerability
- ☐ C. Impact
- ☒ D. Threat



正確答案：Vulnerability, Attack, Threat

答對

這次提交的分數：1.00/1.00

試題**232**

答對

得分 1.00/配分1.00

The network admin decides to assign a class B IP address to a host in the network. Identify which of the following addresses fall within a class B IP address range.

- ☐ A. 18.12.4.1
- ☒ B. 172.168.12.4
- ☐ C. 169.254.254.254
- ☐ D. 255.255.255.0



正確答案：172.168.12.4

答對

這次提交的分數：1.00/1.00

試題**233**

答對

得分 1.00/配分1.00

Kelly is taking backups of the organization's data. Currently, she is taking backups of only those files that are created or modified after the last backup. What type of backup is Kelly using?

- ☐ A. Differential backup
- ☐ B. Normal backup
- ☒ C. Incremental backup
- ☐ D. Full backup



正確答案：Incremental backup

答對

這次提交的分數：1.00/1.00

試題**234**

答對

得分 1.00/配分1.00

MacOS Built-in Disk Encryption by which kind of software as below?

- ☒ A. FileVault
- ☐ B. FileZilla
- ☐ C. WinSCP
- ☐ D. BitLocker



你答對了!

正確答案：
FileVault

答對

這次提交的分數：1.00/1.00

試題**235**

答對

得分 1.00/配分1.00

Which mobile-use approach allows an organization's employees to use devices that they are comfortable with and best fits their preferences and work purposes?

- ☒ A. BYOD
- ☐ B. COPE
- ☐ C. COBO
- ☐ D. CYOD



你答對了!

正確答案：
BYOD

答對

這次提交的分數：1.00/1.00

試題**236**

答對

得分 1.00/配分1.00

A popular e-commerce company has recently received a lot of complaints from its customers. Most of the complaints are about the customers being redirected to some other website when trying to access the e-com site, leading to all their systems being compromised and corrupted. Upon investigation, the network admin of the firm discovered that some adversary had manipulated the company's IP address in the domain name server's cache. What is such an attack called?

- ☒ A. DNS Poisoning
- ☐ B. DNS Attacked by DDoS
- ☐ C. DNS Application
- ☐ D. DNS Hijacking



你答對了!

正確答案：
DNS Poisoning

答對

這次提交的分數：1.00/1.00

試題**237**

答對

得分 1.00/配分1.00

What is the best way to describe a mesh network topology?

- ☐ A. A network in which every computer meshes together to form a hybrid between a star and bus topology.
- ☐ B. A network in which every computer in the network can communicate with a single central computer.
- ☐ C. A network the is extremely cost efficient, offering the best option for allowing computers to communicate amongst each other.
- ☒ D. A network in which every computer in the network has a connection to each and every computer in the network.



你答對了!

正確答案：
A network in which every computer in the network has a connection to each and every computer in the network.

答對

這次提交的分數：1.00/1.00

試題**238**

答對

得分 1.00/配分1.00

Harry has successfully completed the vulnerability scanning process and found serious vulnerabilities exist in the organization's network.

Identify the vulnerability management phases through which he will proceed to ensure all the detected vulnerabilities are addressed and eradicated. (Select all that apply)

- ☐ A. Assessment
- ☒ B. Mitigation
- ☒ C. Remediation
- ☒ D. Verification



正確答案： Mitigation, Verification, Remediation

答對

這次提交的分數：1.00/1.00

試題**239**

答對

得分 1.00/配分1.00

An organization's web server was recently compromised triggering its admin team into action to defend the network. The admin team wants to place the web server in such a way that, even if it is attacked, the other network resources will be unavailable to the attacker. Moreover, the network monitoring will easily detect the future attacks. How can the admin team implement this plan?

- ☐ A. They can place the web server outside of the organization in a remote place
- ☐ B. They can place it beside the firewall
- ☒ C. They can place it in a separate DMZ area behind the firewall
- ☐ D. They can remove the web server from their organization



你答對了!

正確答案：

They can place it in a separate DMZ area behind the firewall

答對

這次提交的分數：1.00/1.00

試題**240**

答對

得分 1.00/配分1.00

Emmanuel works as a Windows system administrator at an MNC. He uses PowerShell to enforce the script execution policy. He wants to allow the execution of the scripts that are signed by a trusted publisher. Which of the following script execution policy setting this?

- ☒ A. AllSigned
- ☐ B. Restricted
- ☐ C. Unrestricted
- ☐ D. RemoteSigned



正確答案：AllSigned

答對

這次提交的分數：1.00/1.00

試題**241**

答對

得分 1.00/配分1.00

Syslog and SNMP are the two main _____ protocols through which log records are transferred.

- ☐ A. Pull-based
- ☒ B. Push-based
- ☐ C. Host-based
- ☐ D. Network-based



正確答案：Push-based

答對

這次提交的分數：1.00/1.00

試題**242**

答對

得分 1.00/配分1.00

Sean has built a site-to-site VPN architecture between the head office and the branch office of his company. When users in the branch office and head office try to communicate with each other, the traffic is encapsulated. As the traffic passes through the gateway, it is encapsulated again. The header and payload both are encapsulated. This second encapsulation occurs only in the _____ implementation of a VPN.

- ☐ A. Full Mesh Mode
- ☐ B. Transport Mode
- ☐ C. Point-to-Point Mode
- ☒ D. Tunnel Mode



正確答案：Tunnel Mode

答對

這次提交的分數：1.00/1.00

試題243

答對

得分 1.00/配分1.00

Kyle is an IT technician managing 25 workstations and 4 servers. The servers run applications and mostly store confidential data. Kyle must backup the server's data daily to ensure nothing is lost. The power in the company's office is not always reliable, Kyle needs to make sure the servers do not go down or are without power for too long. Kyle decides to purchase an Uninterruptible Power Supply (UPS) that has a pair of inverters and converters to charge the battery and provides power when needed.

What type of UPS has Kyle purchased?

- ☐ A. Kyle purchased a Ferro resonant Standby UPS.
- ☒ B. Kyle has bought a Standby UPS
- ☐ C. Kyle purchased a True Online UPS.
- ☐ D. Kyle purchased a Line-Interactive UPS



正確答案：Kyle has bought a Standby UPS

答對

這次提交的分數：1.00/1.00

試題244

答對

得分 1.00/配分1.00

Sam, a network administrator, is using Wireshark to monitor the network traffic of the organization. He wants to detect TCP packets with no flag set to check for a specific attack attempt. Which filter will he use to view the traffic?

- ☐ A. tcp.flags==x0000
- ☐ B. tcp.flags==000x0
- ☒ C. tcp.flags==0x000
- ☐ D. tcp.flags==0000x



正確答案：tcp.flags==0x000

答對

這次提交的分數：1.00/1.00

試題245

答對

得分 1.00/配分1.00

Which of the following is not part of the recommended first response steps for network defenders?

- ☐ A. Do not change the state of the suspected device
- ☒ B. Disable virus protection
- ☐ C. Restrict yourself from doing the investigation
- ☐ D. Extract relevant data from the suspected devices as early as possible



正確答案：Disable virus protection

答對

這次提交的分數：1.00/1.00

試題**246**

答對

得分 1.00/配分1.00

Which of the following defines the extent to which an interruption affects normal business operations and the amount of revenue lost due to that interruption?

- ☒ A. Recovery Time Objective
- ☐ B. Recovery Point Objective
- ☐ C. Recovery Consistency Objective
- ☐ D. Recovery Capacity Objective



你答對了!

正確答案：

Recovery Time Objective

答對

這次提交的分數：1.00/1.00

試題**247**

答對

得分 1.00/配分1.00

Identify the virtualization level that creates a massive pool of storage areas for different virtual machines running on the hardware.

- ☒ A. Storage device virtualization
- ☐ B. Server virtualization
- ☐ C. File system virtualization
- ☐ D. Fabric virtualization



正確答案：Storage device virtualization

答對

這次提交的分數：1.00/1.00

試題**248**

答對

得分 1.00/配分1.00

Identify the type of event that is recorded when an application driver loads successfully in Windows.

- ☐ A. Error
- ☒ B. Information
- ☐ C. Success Audit
- ☐ D. Warning



正確答案：Information

答對

這次提交的分數：1.00/1.00

試題**249**

答對

得分 1.00/配分1.00

Ross manages 30 employees and only 25 computers in the organization. The network the company uses is a peer-to-peer. Ross configures access control measures allowing the employees to set their own control measures for their files and folders. Which access control did Ross implement?

- ☐ A. Mandatory access control
- ☐ B. Non-discretionary access control
- ☐ C. Role-based access control
- ☒ D. Discretionary access control



正確答案：Discretionary access control

答對

這次提交的分數：1.00/1.00

試題**250**

答對

得分 1.00/配分1.00

Which of the following network security controls can an administrator use to detect, deflect or study attempts to gain unauthorized access to information systems?

- ☒ A. Honeypot
- ☐ B. Network Protocol Analyzer
- ☐ C. Proxy Server
- ☐ D. IDS/IPS



你答對了!

正確答案：
Honeypot

答對

這次提交的分數：1.00/1.00

試題**251**

答對

得分 1.00/配分1.00

In Public Key Infrastructure (PKI), which authority is responsible for issuing and verifying the certificates?

- ☒ A. Registration authority
- ☐ B. Digital signature authority
- ☐ C. Digital Certificate authority
- ☐ D. Certificate authority



你答對了!

正確答案：

Registration authority

答對

這次提交的分數：1.00/1.00

試題**252**

答對

得分 1.00/配分1.00

Which of the following attack signature analysis techniques are implemented to examine the header information and conclude that a packet has been altered?

- ☐ A. Composite signature-based analysis
- ☐ B. Atomic signature-based analysis
- ☐ C. Content-based signature analysis
- ☒ D. Context-based signature analysis



你答對了!

正確答案：

Context-based signature analysis

答對

這次提交的分數：1.00/1.00

試題**253**

答對

得分 1.00/配分1.00

Which of the following defines the extent to which an interruption affects normal business operations and the amount of revenue lost due to that interruption?

- ☐ A. RFO
- ☐ B. RSP
- ☐ C. RPO
- ☒ D. RTO



正確答案：RTO

答對

這次提交的分數：1.00/1.00

試題**254**

答對

得分 1.00/配分1.00

The SOC manager is reviewing logs in AlienVault USM to investigate an intrusion on the network. Which CND approach is being used?

- ☐ A. Reactive
- ☐ B. Preventive
- ☒ C. Retrospective
- ☐ D. Deterrent



你答對了!

正確答案：
Retrospective

答對

這次提交的分數：1.00/1.00

試題**255**

答對

得分 1.00/配分1.00

Which of the following network security protocols protects from sniffing attacks by encrypting entire communication between the clients and server including user passwords?

- ☐ A. RADIUS
- ☐ B. CHAP
- ☒ C. TACACS+
- ☐ D. PAP



你答對了!

正確答案：
TACACS+

答對

這次提交的分數：1.00/1.00

試題**256**

答對

得分 1.00/配分1.00

A CCTV camera, which can be accessed on the smartphone from a remote location, is an example of ____

- ☐ A. Device-to-Gateway communication model
- ☐ B. Device-to-Device communication model
- ☒ C. Device-to-Cloud communication model
- ☐ D. Back-End Data-Sharing communication model



你答對了!

正確答案：
Device-to-Cloud communication model

答對

這次提交的分數：1.00/1.00

試題**257**

答對

得分 1.00/配分1.00

James, a network admin in a large US based IT firm, was asked to audit and implement security controls over all network layers to achieve Defense-in-Depth. While working on this assignment, James has implemented both blacklisting and whitelisting ACLs. Which layer of defense-in-depth architecture is Jason working on currently?

- ☒ A. Application Layer
- ☐ B. Perimeter Layer
- ☐ C. Internal Network Layer
- ☐ D. Host Layer



你答對了!

正確答案 :
Application Layer

答對

這次提交的分數 : 1.00/1.00

試題**258**

答對

得分 1.00/配分1.00

Based on which of the following registry key, the Windows Event log audit configurations are recorded?

- ☐ A. HKEY_LOCAL_MACHINE\SYSTEM\Services\EventLog\<ErrDev>
- ☐ B. HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\EventLog\<EntAppsvc>
- ☒ C. HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\EventLog\<Event Log>
- ☐ D. HKEY_LOCAL_MACHINE\CurrentControlSet\Services\EventLog\<ESENT>



正確答案 : HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\EventLog\<Event Log>

答對

這次提交的分數 : 1.00/1.00

試題**259**

答對

得分 1.00/配分1.00

Identify the spread spectrum technique that multiplies the original data signal with a pseudo random noise spreading code.

- ☐ A. FHSS
- ☒ B. DSSS
- ☐ C. OFDM
- ☐ D. ISM



正確答案 : DSSS

答對

這次提交的分數 : 1.00/1.00

試題**260**

答對

得分 1.00/配分1.00

Brendan wants to implement a hardware based RAID system in his network. He is thinking of choosing a suitable RAM type for the architectural setup in the system. The type he is interested in provides access times of up to 20 ns.
Which type of RAM will he select for his RAID system?

- ☐ A. NVRAM
- ☐ B. SDRAM
- ☒ C. SRAM
- ☐ D. NAND flash memory



正確答案：SRAM

答對

這次提交的分數：1.00/1.00

試題**261**

答對

得分 1.00/配分1.00

David, a network and system admin, encrypted all the files in a Windows system that supports NTFS file system using Encrypted File Systems (EFS). He then backed up the same files into another Windows system that supports FAT file system. Later, he found that the backup files were not encrypted. What could be the reason for this?

- ☐ A. FAT files cannot be encrypted
- ☐ B. Copied files loses their encryption
- ☐ C. EFS is not the encryption system used in Windows
- ☒ D. EFS could only encrypt the files that follow NTFS



你答對了!

正確答案：

EFS could only encrypt the files that follow NTFS

答對

這次提交的分數：1.00/1.00

試題**262**

答對

得分 1.00/配分1.00

Frank is a network technician working for a medium-sized law firm in Memphis. Frank and two other IT employees take care of all the technical needs for the firm. The firm's partners have asked that a secure wireless network be implemented in the office so employees can move about freely without being tied to a network cable. While Frank and his colleagues are familiar with wired Ethernet technologies, 802.3, they are not familiar with how to setup wireless in a business environment.

What IEEE standard should Frank and the other IT employees follow to become familiar with wireless?

- ☐ A. Frank and the other IT employees should follow the 802.1 standard.
- ☐ B. The IEEE standard covering wireless is 802.9 and they should follow this.
- ☒ C. They should follow the 802.11 standard
- ☐ D. 802.7 covers wireless standards and should be followed



正確答案：They should follow the 802.11 standard

答對

這次提交的分數：1.00/1.00

試題**263**

答對

得分 1.00/配分1.00

Which of the following is an example of MAC model?

- ☒ A. Bell-LaPadula model
- ☐ B. Access control matrix model
- ☐ C. Chinese Waterfall model
- ☐ D. Clark-Beason integrity model



正確答案：Bell-LaPadula model

答對

這次提交的分數：1.00/1.00

試題**264**

答對

得分 1.00/配分1.00

Which among the following is used to limit the number of cmdlets or administrative privileges of administrator, user, or service accounts?

- ☐ A. Windows Security Identifier (SID)
- ☐ B. Credential Guard
- ☒ C. Just Enough Administration (JEA)
- ☐ D. User Account Control (UAC)



正確答案：Just Enough Administration (JEA)

答對

這次提交的分數：1.00/1.00

試題**265**

答對

得分 1.00/配分1.00

The GMT enterprise is working on their internet and web usage policies. GMT would like to control internet bandwidth consumption by employees. Which group of policies would this belong to?

- ☐ A. Enterprise Information Security Policy
- ☒ B. Issue Specific Security Policy
- ☐ C. Network Services Specific Security Policy
- ☐ D. System Specific Security Policy



你答對了!

正確答案：

Issue Specific Security Policy

答對

這次提交的分數：1.00/1.00

試題**266**

答對

得分 1.00/配分1.00

The network administrator wants to strengthen physical security in the organization. Specifically, to implement a solution stopping people from entering certain restricted zones without proper credentials. Which of following physical security measures should the administrator use?

- ☐ A. Mantrap
- ☐ B. Video surveillance
- ☒ C. Fence
- ☐ D. Bollards



正確答案：Fence

答對

這次提交的分數：1.00/1.00

試題**267**

答對

得分 1.00/配分1.00

John is a senior network security administrator working at a multinational company. He wants to block specific syscalls from being used by container binaries. Which Linux kernel feature restricts actions within the container?

- ☐ A. LSMs
- ☒ B. Seccomp
- ☐ C. Userns
- ☐ D. Cgroups



正確答案：Seccomp

答對

這次提交的分數：1.00/1.00

試題**268**

答對

得分 1.00/配分1.00

Management asked their network administrator to suggest an appropriate backup medium for their backup plan that best suits their organization's need.

Which of the following factors will the administrator consider when deciding on the appropriate backup medium?

- ☒ A. Reliability
- ☐ B. Accountability
- ☒ C. Capability
- ☒ D. Extensibility



正確答案：Capability, Extensibility, Reliability

答對

這次提交的分數：1.00/1.00

試題**269**

答對

得分 1.00/配分1.00

_____ is a structured and continuous process which integrates information security and risk management activities into the system development life cycle (SDLC).

- ☐ A. COBIT Framework
- ☐ B. COSO ERM Framework
- ☒ C. NIST Risk Management Framework
- ☐ D. ERM Framework



你答對了!

正確答案：

NIST Risk Management Framework

答對

這次提交的分數：1.00/1.00

試題**270**

答對

得分 1.00/配分1.00

Management wants to bring their organization into compliance with the ISO standard for information security risk management. Which ISO standard will management decide to implement?

- ☐ A. ISO/IEC 27002
- ☒ B. ISO/IEC 27005
- ☐ C. ISO/IEC 27004
- ☐ D. ISO/IEC 27006



正確答案：ISO/IEC 27005

答對

這次提交的分數：1.00/1.00

試題**271**

答對

得分 1.00/配分1.00

Which among the following control and manage the communication between VNF with computing, storage, and network resources along with virtualization?

- ☒ A. Virtualized Infrastructure Manager(s)
- ☐ B. VNF Manager(s)
- ☐ C. Element Management System (EMS)
- ☐ D. Orchestrator



你答對了!

正確答案：

Virtualized Infrastructure Manager(s)

答對

這次提交的分數：1.00/1.00

試題**272**

答對

得分 1.00/配分1.00

Which command is used to change the permissions of a file or directory?

- ☒ A. chmod
- ☐ B. rmdir
- ☐ C. kill
- ☐ D. systemctl



正確答案：chmod

答對

這次提交的分數：1.00/1.00

試題273

答對

得分 1.00/配分1.00

Match the various types of IDS alerts with their description.

1. True Negative	i. When there is no attack, an alarm is not raised
2. False Negative	ii. When an attack takes place, an alarm is not raised
3. False Positive	iii. When an attack takes place, an alarm is raised
4. True Positive	iv. When there is no attack, an alarm is raised

- ☐ A. 1-iii,2-ii,3-i,4-iv
- ☐ B. 1-iv,2-iii,3-ii,4-i
- ☒ C. 1-i,2-ii,3-iv,4-iii
- ☐ D. 1-ii,2-iii,3-i,4-iv



你答對了!

正確答案：

1-i,2-ii,3-iv,4-iii

答對

這次提交的分數：1.00/1.00

試題274

答對

得分 1.00/配分1.00

To secure his company's network, Tim the network admin, installed a security device that inspected all inbound and outbound network traffic for suspicious patterns. The device was configured to alert him if it found any such suspicious activity. Identify the type of network security device installed by Tim?

- ☐ A. Proxy server
- ☐ B. Firewall
- ☒ C. Intrusion Detection System (IDS)
- ☐ D. Honeypot



你答對了!

正確答案：

Intrusion Detection System (IDS)

答對

這次提交的分數：1.00/1.00

試題**275**

答對

得分 1.00/配分1.00

What is the IT security team responsible for effectively managing the security of the organization's IT infrastructure, called?

- ☐ A. Yellow Team
- ☒ B. Blue Team
- ☐ C. Red Team
- ☐ D. Grey Team



你答對了!

正確答案：
Blue Team

答對

這次提交的分數：1.00/1.00

試題**276**

答對

得分 1.00/配分1.00

Which of the following manages the Docker images, containers, networks, and storage volume and processes the request of Docker API?

- ☐ A. Docker CLI
- ☒ B. Docker Daemon
- ☐ C. Docker Engine REST API
- ☐ D. Docker Registries



你答對了!

正確答案：
Docker Daemon

答對

這次提交的分數：1.00/1.00

試題**277**

答對

得分 1.00/配分1.00

Jason has set a firewall policy that allows only a specific list of network services and deny everything else. This strategy is known as a_____.

- ☐ A. Default restrict
- ☐ B. Default allow
- ☐ C. Default access
- ☒ D. Default deny



正確答案：Default deny

答對

這次提交的分數：1.00/1.00

試題**278**

答對

得分 1.00/配分1.00

Rick has implemented several firewalls and IDS systems across his enterprise network. What should he do to effectively correlate all incidents that pass through these security controls?

- ☐ A. Use firewalls in Network Address Transition (NAT) mode
- ☐ B. Implement IPsec
- ☐ C. Implement Simple Network Management Protocol (SNMP)
- ☒ D. Use Network Time Protocol (NTP)



正確答案：Use Network Time Protocol (NTP)

答對

這次提交的分數：1.00/1.00

試題**279**

答對

得分 1.00/配分1.00

Mark is monitoring the network traffic on his organization's network. He wants to detect TCP and UDP ping sweeps on his network. Which type of filter will be used to detect this?

- ☒ A. tcp.dstport==7 and udp.dstport==7
- ☐ B. tcp.srcport==7 and udp.dstport==7
- ☐ C. tcp.dstport==7 and udp.srcport==7
- ☐ D. tcp.srcport==7 and udp.srcport==7



正確答案：tcp.dstport==7 and udp.dstport==7

答對

這次提交的分數：1.00/1.00

試題**280**

答對

得分 1.00/配分1.00

Which of the following can be used to suppress fire from Class K sources?

- ☐ A. Water
- ☐ B. Carbon dioxide
- ☒ C. Foam
- ☐ D. Dry Chemical



你答對了!

正確答案：

Foam

答對

這次提交的分數：1.00/1.00

試題**281**

答對

得分 1.00/配分1.00

Daniel is monitoring network traffic with the help of a network monitoring tool to detect any abnormalities. What type of network security approach is Daniel adopting?

- ☐ A. Retrospective
- ☒ B. Reactive
- ☐ C. Defense-in-depth
- ☐ D. Preventative



正確答案：Reactive

答對

這次提交的分數：1.00/1.00

試題**282**

答對

得分 1.00/配分1.00

Which OSI layer does a Network Interface Card (NIC) work on?

- ☐ A. Presentation layer
- ☒ B. Physical layer
- ☐ C. Network layer
- ☐ D. Session layer



正確答案：Physical layer

答對

這次提交的分數：1.00/1.00

試題**283**

答對

得分 1.00/配分1.00

Which type of attack is used to hack an IoT device and direct large amounts of network traffic toward a web server, resulting in overloading the server with connections and preventing any new connections?

- ☐ A. XSS
- ☒ B. DDoS
- ☐ C. XCRF
- ☐ D. Sniffing



正確答案：DDoS

答對

這次提交的分數：1.00/1.00

試題**284**

答對

得分 1.00/配分1.00

George was conducting a recovery drill test as a part of his network operation. Recovery drill tests are conducted on the_____.

- ☐ A. Archived data
- ☐ B. Deleted data
- ☐ C. Data in transit
- ☒ D. Backup data



正確答案：Backup data

答對

這次提交的分數：1.00/1.00

試題**285**

答對

得分 1.00/配分1.00

Daniel is giving training on designing and implementing a security policy in the organization. He is explaining the hierarchy of the security policy which demonstrates how policies are drafted, designed and implemented.

What is the correct hierarchy for a security policy implementation?

- ☐ A. Laws, Policies, Regulations, Procedures and Standards
- ☐ B. Procedures, Policies, Laws, Standards and Regulations
- ☒ C. Laws, Regulations, Policies, Standards and Procedures
- ☐ D. Regulations, Policies, Laws, Standards and Procedures



正確答案：Laws, Regulations, Policies, Standards and Procedures

答對

這次提交的分數：1.00/1.00

試題**286**

答對

得分 1.00/配分1.00

Which of the following commands can be used to disable unwanted services on Debian, Ubuntu and other Debian-based Linux distributions?

- ☒ A. # update-rc.d -f [service name] remove
- ☐ B. # service [service name] stop
- ☐ C. # chkconfig [service name] off
- ☐ D. # chkconfig [service name] –del



你答對了!

正確答案：

update-rc.d -f [service name] remove

答對

這次提交的分數：1.00/1.00

試題**287**

答對

得分 1.00/配分1.00

Which among the following filter is used to detect a SYN/FIN attack?

- ☐ A. tcp.flags==0x004
- ☐ B. tcp.flags==0x001
- ☐ C. tcp.flags==0x002
- ☒ D. tcp.flags==0x003



正確答案：tcp.flags==0x003

答對

這次提交的分數：1.00/1.00

試題**288**

答對

得分 1.00/配分1.00

Sam wants to implement a network-based IDS in the network. Sam finds out the one IDS solution which works is based on patterns matching.

Which type of network-based IDS is Sam implementing?

- ☐ A. Behavior-based IDS
- ☐ B. Stateful protocol analysis
- ☒ C. Signature-based IDS
- ☐ D. Anomaly-based IDS



正確答案：Signature-based IDS

答對

這次提交的分數：1.00/1.00

試題**289**

答對

得分 1.00/配分1.00

Which of the following RAID storage techniques divides the data into multiple blocks, which are further written across the RAID system?

- ☐ A. None of them
- ☐ B. Mirroring
- ☒ C. Striping
- ☐ D. Parity



你答對了!

正確答案：

Striping

答對

這次提交的分數：1.00/1.00

試題**290**

答對

得分 1.00/配分1.00

Which VPN QoS model guarantees the traffic from one customer edge (CE) to another?

- ☐ A. AAA model
- ☐ B. Hub-and-Spoke VPN model
- ☒ C. Pipe Model
- ☐ D. Hose mode



正確答案：Pipe Model

答對

這次提交的分數：1.00/1.00

試題**291**

答對

得分 1.00/配分1.00

The Circuit-level gateway firewall technology functions at which of the following OSI layer?

- ☐ A. Network layer
- ☒ B. Session layer
- ☐ C. Data-link layer
- ☐ D. Transport layer



你答對了!

正確答案：
Session layer

答對

這次提交的分數：1.00/1.00

試題**292**

答對

得分 1.00/配分1.00

Kyle is an IT consultant working on a contract for a large energy company in Houston. Kyle was hired on to do contract work three weeks ago so the company could prepare for an external IT security audit. With suggestions from upper management, Kyle has installed a network-based IDS system. This system checks for abnormal behavior and patterns found in network traffic that appear to be dissimilar from the traffic normally recorded by the IDS.

What type of detection is this network-based IDS system using?

- ☒ A. This network-based IDS system is using anomaly detection.
- ☐ B. This network-based IDS system is using dissimilarity algorithms.
- ☐ C. This system is using misuse detection.
- ☐ D. This network-based IDS is utilizing definition-based detection.



正確答案：This network-based IDS system is using anomaly detection.

答對

這次提交的分數：1.00/1.00

試題**293**

答對

得分 1.00/配分1.00

You are monitoring your network traffic with the Wireshark utility and noticed that your network is experiencing a large amount of traffic from a certain region. You suspect a DoS incident on the network.

What will be your first reaction as a first responder?

- ☒ A. Avoid Fear, Uncertainty and Doubt
- ☐ B. Make an initial assessment
- ☐ C. Communicate the incident
- ☐ D. Disable Virus Protection



正確答案：Avoid Fear, Uncertainty and Doubt

答對

這次提交的分數：1.00/1.00

試題**294**

答對

得分 1.00/配分1.00

John has successfully remediated the vulnerability of an internal application that could have caused a threat to the network. He is scanning the application for the existence of a remediated vulnerability, this process is called a_____and it has to adhere to the_____

- ☐ A. Verification, Security Policies
- ☒ B. Vulnerability scanning, Risk Analysis
- ☐ C. Risk analysis, Risk matrix
- ☐ D. Mitigation, Security policies



你答對了!

正確答案：

Vulnerability scanning, Risk Analysis

答對

這次提交的分數：1.00/1.00

試題**295**

答對

得分 1.00/配分1.00

John is backing up files that have been changed or created since the last full backup. Which backup technique is John implementing?

- ☐ A. Normal
- ☐ B. Full
- ☐ C. Incremental
- ☒ D. Differential



你答對了!

正確答案：

Differential

答對

這次提交的分數：1.00/1.00

試題**296**

答對

得分 1.00/配分1.00

Which of the following creates passwords for individual administrator accounts and stores them in Windows AD?

- ☒ A. SAM
- ☐ B. LSASS
- ☐ C. SRM
- ☐ D. LAPS



正確答案：SAM

答對

這次提交的分數：1.00/1.00

試題**297**

答對

得分 1.00/配分1.00

Which of the following statement holds true in terms of containers?

- ☐ A. Each container runs in its own OS
- ☐ B. Container requires more memory space
- ☐ C. Container is fully isolated; hence, more secure
- ☒ D. Process-level isolation happens; a container in hence less secure



正確答案：Process-level isolation happens; a container in hence less secure

答對

這次提交的分數：1.00/1.00

試題**298**

答對

得分 1.00/配分1.00

How can one identify the baseline for normal traffic?

- ☐ A. When the FIN flag appears at the beginning and the SYN flag appears at the end of the connection
- ☐ B. When the RST flag appears at the beginning and the ACK flag appears at the end of the connection
- ☐ C. When the ACK flag appears at the beginning and the RST flag appears at the end of the connection
- ☒ D. When the SYN flag appears at the beginning and the FIN flag appears at the end of the connection



正確答案：When the SYN flag appears at the beginning and the FIN flag appears at the end of the connection

答對

這次提交的分數：1.00/1.00

試題**299**

答對

得分 1.00/配分1.00

A newly joined network administrator wants to assess the organization against possible risk. He notices the organization doesn't have a_____identified which helps measure how risky an activity is.

- ☐ A. Risk Severity
- ☒ B. Key Risk Indicator
- ☐ C. Risk Matrix
- ☐ D. Risk levels



正確答案：Key Risk Indicator

答對

這次提交的分數：1.00/1.00

試題**300**

答對

得分 1.00/配分1.00

John wants to implement a packet filtering firewall in his organization's network. What TCP/IP layer does a packet filtering firewall work on?

- ☐ A. TCP layer
- ☐ B. Application layer
- ☒ C. IP layer
- ☐ D. Network Interface layer



正確答案：IP layer

答對

這次提交的分數：1.00/1.00

試題**301**

答對

得分 1.00/配分1.00

The _____ protocol works in the network layer and is responsible for handling the error codes during the delivery of packets. This protocol is also responsible for providing communication in the TCP/IP stack.

- ☒ A. ICMP
- ☐ B. RARP
- ☐ C. DHCP
- ☐ D. ARP



正確答案：ICMP

答對

這次提交的分數：1.00/1.00

試題**302**

答對

得分 1.00/配分1.00

Michael decides to view the_____to track employee actions on the organization's network.

- ☒ A. Firewall log
- ☐ B. Firewall rule set
- ☐ C. Firewall policy
- ☐ D. Firewall settings



正確答案：Firewall log

答對

這次提交的分數：1.00/1.00

試題**303**

答對

得分 1.00/配分1.00

Patrick wants to change the file permission of a file with permission value 755 to 744. He used a Linux command chmod [permission Value] [File Name] to make these changes. What will be the change in the file access?

- ☒ A. He changed the file permission from rwxr-xr-x to rwx-r--r--
- ☐ B. He changed the file permission from rwxrwxrwx to rwx- -----
- ☐ C. He changes the file permission from rwxr-xr-x to rrw- rw-
- ☐ D. He changed the file permission from rw----- to rw-r-- r--



你答對了!

正確答案：

He changed the file permission from rwxr-xr-x to rwx-r--r--

答對

這次提交的分數：1.00/1.00

試題**304**

答對

得分 1.00/配分1.00

Paul is a network security technician working on a contract for a laptop manufacturing company in Chicago. He has focused primarily on securing network devices, firewalls, and traffic traversing in and out of the network. He just finished setting up a server a gateway between the internal private network and the outside public network. This server will act as a proxy, limited amount of services, and will filter packets.

What is this type of server called?

- ☐ A. Session layer firewall
- ☒ B. Bastion host
- ☐ C. Edge transport server
- ☐ D. SOCKS hsot



正確答案：Bastion host

答對

這次提交的分數：1.00/1.00

試題**305**

答對

得分 1.00/配分1.00

Which of the following connects the SDN application layer and SDN controller and allows communication between the network services and business applications?

- ☐ A. Eastbound API
- ☒ B. Northbound API
- ☐ C. Southbound API
- ☐ D. Westbound API



你答對了!

正確答案：
Northbound API

答對

這次提交的分數：1.00/1.00

試題**306**

答對

得分 1.00/配分1.00

Which of the following helps prevent executing untrusted or untested programs or code from untrusted or unverified third-parties?

- ☒ A. Application sandboxing
- ☐ B. Application whitelisting
- ☐ C. Deployment of WAFS
- ☐ D. Application blacklisting



正確答案：Application sandboxing

答對

這次提交的分數：1.00/1.00

試題**307**

答對

得分 1.00/配分1.00

Which of the following things need to be identified during attack surface visualization?

- ☒ A. Attacker's tools, techniques, and procedures
- ☐ B. Authentication, authorization, and auditing in networks
- ☐ C. Assets, topologies, and policies of the organization
- ☐ D. Regulatory frameworks, standards and, procedures for organizations



正確答案：Attacker's tools, techniques, and procedures

答對

這次提交的分數：1.00/1.00

試題**308**

答對

得分 1.00/配分1.00

Identify the password cracking attempt involving precomputed hash values stored as plaintext and using these to crack the password.

- ☒ A. Rainbow table
- ☐ B. Hybrid
- ☐ C. Bruteforce
- ☐ D. Dictionary



正確答案：Rainbow table

答對

這次提交的分數：1.00/1.00

Ryan, a network security engineer, after a recent attack, is trying to get information about the kind of attack his users were facing. He has decided to put into production one honeypot called Kojoney. He is interested in emulating the network vulnerability, rather than the real vulnerability system, making this probe safer and more flexible.

Which type of honeypot is he trying to implement?

- ☒ A. Low interaction honeypots
- ☐ B. High interaction honeypots
- ☐ C. Pure honeypots
- ☐ D. Research honeypot



你答對了!

正確答案：

Low interaction honeypots

答對

這次提交的分數：1.00/1.00

◀ 公佈欄

跳至...



Pictures 312-38 (隱藏) ▶