



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

QUESTIONS

Q1. Given condition is :



- a) Collaural fistula
- b) Preauricular sinus
- c) Bat ear
- d) Darwin tubercle

Q2. Korner septum is ?

- a) Petrosquamous suture line
- b) Temporosquamous suture line
- c) Petromastoid suture line
- d) Frontozygomatic suture line

Q3. Bony part of external auditory canal is ;

- a) Medial $\frac{1}{3}$
- b) Lateral $\frac{1}{3}$
- c) Medial $\frac{2}{3}$
- d) Lateral $\frac{2}{3}$

Q4. Length of Eustachian tube is ?

- a) 24 mm
- b) 36 mm
- c) 28 mm
- d) 16 mm

Q5. Macewen's triangle is the landmark for :

- a) Maxillary sinus
- b) Ethmoid sinus
- c) Mastoid antrum
- d) None

Q6. In right middle ear pathology, Weber's test will be :

- a) Normal
- b) Centralized
- c) Lateralised to right side
- d) Lateralised to left side



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

Q7. Bing test is done in :

- a) Senile deafness
- b) Traumatic deafness
- c) Otosclerosis
- d) Serous otitis media

Q8. Negative rinne test indicates:

- a) Menieres disease
- b) CSOM
- c) BPPV
- d) Sensorineural hearing loss

Q9. C type of tympanogram is seen in:

- a) Serous otitis media
- b) Otosclerosis
- c) Ossicular discontinuity
- d) Eustachian tube dysfunction

Q10. Hitzelberger sign is seen in :

- a) Menieres disease
- b) Otosclerosis
- c) Acoustic neuroma
- d) Unsafe CSOM

Q11. Which among the following tests is for the diagnosis of BPPV?

- a) Epleys manoeuvre
- b) Brandt Daroff manoeuvre
- c) Dix hallpike manoeuvre
- d) Semonts manoeuvre

Q12. False negative fistula test is seen in :

- a) Otosclerosis
- b) Glomus tumour
- c) Menieres disease
- d) Dead labyrinth

Q13. Fungus causing otomycosis is most commonly:

- a) Mucor
- b) Aspergillus niger
- c) Candida
- d) Blastomycosis



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- Q14. 60 year old diabetic patient comes to opd with extremely painful lesion in the external ear and otorrhoea. There was evidence of granulation tissue in the ear with facial nerve involvement. most likely diagnosis is :
- a) Chronic suppurative otitis media
 - b) Acute suppurative otitis media
 - c) Exostosis of the external ear
 - d) Malignant otitis externa
- Q15. Swimmers ear is the other name of :
- a) Perichondritis of pinna
 - b) Diffuse otitis externa
 - c) Osteoma of ear
 - d) Malignant otitis externa
- Q16. Cartwheel appearance of Tympanic membrane is seen in :
- a) ASOM
 - b) CSOM
 - c) Glomus tumour
 - d) Otosclerosis
- Q17. Myringotomy is done in which quadrant?
- a) Anterosuperior
 - b) Anteroinferior
 - c) Posterosuperior
 - d) Posteroinferior
- Q18. Schwartz sign is a feature of :
- a) Serous otitis media
 - b) CSOM
 - c) Trauma to the ear
 - d) Otosclerosis
- Q19. Autophony is a feature of :
- a) Blocked eustachian tube
 - b) Eustachian tube dysgenesis
 - c) Eustachian tube retraction
 - d) Patulous eustachian tube
- Q20. Wullstein type II tympanoplasty is :
- a) Myringoplasty
 - b) Myringostapediopexy
 - c) Myringoincudopexy
 - d) Fenestration surgery
- Q21. Tubercular otitis media features are all except :



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) Multiple perforations
- b) Pale granulations
- c) Pain in ear
- d) Profuse discharge

Q22. Treatment of choice for atticoantral CSOM is :

- a) Mastoidectomy
- b) Medical management
- c) Myringoplasty
- d) Ventilation tube insertion

Q23. All are the extracranial complications of CSOM except :

- a) Mastoiditis
- b) Labyrinthitis
- c) Meningitis
- d) Petrositis

Q24. Bluish discolouration of mastoid due to mastoid emissary veins engorgement is called as :

- a) Crowe beck sign
- b) Gresinger sign
- c) Tobey ayer sign
- d) Halo sign

Q25. Trotters sign is a feature of:

- a) Epistaxis
- b) Nasopharyngeal carcinoma
- c) Pre vertebral abscess
- d) ASOM

Q26. Rising sun sign is seen in :

- a) Glomus jugulare
- b) Otosclerosis
- c) Menieres disease
- d) Acoustic neuroma

Q27. Most common cause of facial palsy is :

- a) Trauma
- b) Post operative
- c) Ramsay hunt syndrome
- d) Bell's palsy

Q28. All are the features of Menieres disease except :

- a) Tinnitus
- b) fluctuating deafness
- c) Vertigo



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

d) Diplopia

Q29. Vertigo in loud sound is called as :

- a) Tulio phenomenon
- b) Recruitment phenomenon
- c) Tumarkin crisis
- d) Paracusis willisi

Q30. All are ototoxic drugs except:

- a) Gentamycin
- b) Kanamycin
- c) Streptomycin
- d) Amoxicillin

Q31. 28 year old Ramesh met with RTA came to ENT OPD after 48 hours with a history of nasal trauma. On examination patient was found to have nasal bone fracture. What shall be the management of the patient?

- a) Septoplasty
- b) Open reduction
- c) Immediate closed reduction
- d) anti-inflammatory drugs for 5-7days followed by closed reduction

Q32. Omalizumab is used in:

- a) Acoustic neuroma
- b) Allergic rhinitis
- c) Vasomotor rhinitis
- d) Otosclerosis

Q33. Commonest presentation of a child presenting with bilateral choanal atresia is :

- a) Difficulty in breathing
- b) Dysphagia
- c) Post nasal drip
- d) Excessive sneezing

Q34. All the sinus open into the middle meatus except :

- a) Maxillary
- b) Ant ethmoid
- c) Post ethmoid
- d) Frontal

Q35. Anterior most ethmoidal air cell is called as :

- a) Agger nasi cell
- b) Onodi cell
- c) Haller cell
- d) Bulla ethmoidalis



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

Q36. Sinuses that will be present in a child of 5 years age is/are :

- a) Maxillary & frontal
- b) Sphenoid, frontal & maxillary
- c) Maxillary and ethmoid
- d) Maxillary, ethmoid and sphenoid

Q37. Most common site of nasopharyngeal carcinoma is :

- a) Eustachian tube
- b) Nasal septum
- c) Fossa of rosenmueler
- d) Nasal vestibule

Q38. Most common presentation of nasopharyngeal carcinoma is :

- a) Swelling in the neck
- b) Sneezing
- c) Decreased hearing
- d) Palatal palsy

Q39. Which among the following is the treatment method for atrophic rhinitis?

- a) Mastoidectomy
- b) FESS
- c) Youngs operation
- d) None

Q40. Vidian neurectomy is the treatment methodology for :

- a) Nasopharyngeal carcinoma
- b) Adenoids
- c) Vasomotor rhinitis
- d) Sinusitis

Q41. 18 year old Ramesh fell down and had a minor nasal trauma that was followed by epistaxis.
What shall be the first line of treatment for epistaxis?

- a) Nasal packing
- b) Sphenopalatine artery ligation
- c) External carotid artery ligation
- d) Trotters method

Q42. Floating palate is a feature of :

- a) Leforte type I fracture
- b) Leforte type II fracture
- c) Leforte type III fracture
- d) None

Q43. Best test for investigating CSF rhinorrhea is :



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) Beta 2 transferrin test
- b) Handkerchief test
- c) Halo test
- d) Xray nose and PNS

Q44. Drug of choice for rhinoscleroma is :

- a) Amoxicillin + clavulanic acid
- b) Streptomycin + tetracycline
- c) Piperacillin + tazobactam
- d) None

Q45. Which among the following arteries is not a part of little's area ?

- a) Ant ethmoidal artery
- b) Post ethmoidal artery
- c) Sphenopalatine artery
- d) Greater palatine artery

Q46. Rhinolalia clausa is seen in all except:

- a) Palatal insufficiency
- b) Adenoid hypertrophy
- c) Bilateral inferior turbinate hypertrophy
- d) Bilateral nasal obstruction

Q47. Which X-ray PNS view is best for Ethmoid sinus:

- a) Waters view
- b) Caldwell view
- c) Pieres view
- d) None

Q48. All are unpaired cartilages of larynx except:

- a) Thyroid
- b) Cricoid
- c) Epiglottis
- d) Arytenoid

Q49. A teacher with history of voice abuse and episodes of acid reflux presents with change in voice. what shall be the most probable diagnosis?

- a) Vocal nodule
- b) Vocal polyp
- c) Reinkes edema
- d) Quinsy

Q50. Safety muscle of larynx is :

- a) Cricothyroid
- b) Interarytenoid



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- c) Thyroarytenoid
- d) Post Cricoarytenoid

Q51. All are true statements for laryngomalacia except :

- a) Not common congenital anomaly of larynx
- b) Presents with flaccid larynx
- c) Stridor decreases with prone position
- d) Turban shaped epiglottis is seen

Q52. Cotton meyer grading is the classification for :

- a) Tympanoplasty
- b) Supraglottic malignancy
- c) Subglottic stenosis
- d) Hypopharynx malignancy

Q53. A 60 year old male smoker presents with change in voice. Endoscopic examination reveals involvement of arytenoids only. It was also noticed that vocal cords were immobile. What shall be the T staging of the patient ?

- a) T1
- b) T2
- c) T3
- d) T4

Q54. A 60 year old patient smoker presents with change in voice. Endoscopy reveals involvement of arytenoids, AE folds, True vocal cords and false vocal cords. What shall be the preferred treatment of the patient ?

- a) Chemotherapy
- b) Radiotherapy
- c) Total laryngectomy
- d) Vertical partial laryngectomy

Q55. The following gives a diagnosis of :



- a) Croup
- b) Acute Epiglottitis
- c) Pharyngitis rent
- d) Tonsillitis



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

Q56. Management of bilateral Superior laryngeal nerve palsy includes :

- a) Wait and watch
- b) Tracheostomy followed by Type 2 Thyroplasty
- c) Tracheostomy followed by Type 1 Thyroplasty
- d) None

Q57. Bryce sign is seen in :

- a) Post cricoid laryngeal carcinoma
- b) Laryngocoele
- c) Carotid body tumour
- d) All of the above

Q58. Following sign seen post trauma is ?




- a) Battle sign
- b) Lyre sign
- c) Rising sun sign
- d) Phelps sign

Q59. Following gives the diagnosis of :



- a) Normal tympanic membrane
- b) Glomus tumour
- c) Otosclerosis
- d) Cholesteatoma

Q60. The following investigation is the investigation of choice for :




- a) Menieres disease
- b) Otosclerosis
- c) Glomus tumour
- d) Acoustic neuroma

Q61. The image gives diagnosis of :



- a) Bat ear
- b) Wildermuth ear
- c) Mozart ear
- d) None

Q62. The name of the incision in the image is :






MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) Kochers incision
- b) Wildes incision
- c) Lempert incision
- d) Rosen incision

Q63. True about the given image is all except :



- a) Cone of light is in anteroinferior quadrant
- b) It is pearly white in colour
- c) It is a Right side TM
- d) It is a Left side TM

Q64. Most common long term complication of Functional endoscopic sinus surgery is :

- a) Adhesions / synechiae
- b) Bleeding
- c) Infection
- d) None

Q65. A 14 year old boy came with profuse epistaxis. Radiological image is shown. Identify the disease ?



- a) JNA
- b) Nasal polyps
- c) Nasopharyngeal carcinoma
- d) Rhinosporodiosis

Q66. Test in the image shown is :




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026




- a) Cottle test
- b) Stenger test
- c) Cotton wool test
- d) None

Q67. Diagnosis of this Pure tone audiogram is :



- a) Left conductive hearing loss
- b) Right conductive hearing loss
- c) Left mixed hearing loss
- d) Right mixed hearing loss

Q68. Above picture depicts the line known as :




- a) Oghrens line
- b) Donaldsons line
- c) Moores line
- d) None

Q69. The audiogram gives a most probable diagnosis of :



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026



- a) Otosclerosis
- b) Eustachian tube dysfunction
- c) Ossicular discontinuity
- d) None

Q70. Gradiengo triad includes all except:

- a) Diplopia
- b) Neuralgia
- c) Ear discharge
- d) Neck swelling

Q71. All of the following statements are correct except :

- a) Inferior turbinate is the largest turbinate
- b) Maxillary sinus is the largest sinus
- c) Onodi cell is the largest most consistent ethmoid cell
- d) None

Q72. Nasolacrimal duct opens into :

- a) Inferior meatus
- b) Middle meatus
- c) Superior meatus
- d) Sphenoethmoidal recess

Q73. Zenkers diverticulum is formed between which two muscles ?

- a) Superior and middle constrictor
- b) Thyropharyngeus and cricopharyngeus
- c) Middle and inferior constrictor
- d) None

Q74. Griesel syndrome is associated with which procedure ?

- a) Adenoidectomy
- b) Thyroidectomy
- c) Laryngectomy
- d) Tracheostomy

Q75. Low tracheostomy is indicated in:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) Foreign body aspiration
- b) Myasthenia gravis
- c) Patient planned for total laryngectomy
- d) Carcinoma of the oropharynx

Q76. A infant in neonatal developed difficulty in breathing. His symptoms improve with crying. In which disease, symptoms get improve with crying?

- a) Atrophic rhinitis
- b) Acute rhinosinusitis
- c) Allergic rhinitis
- d) Choanal atresia

Q77. Tubercular otitis media features are all except :

- a) Multiple perforations
- b) Pale granulations
- c) Pain in ear
- d) Profuse discharge

Q78. Bulla ethmoidalis drain in which among the following?

- a) Middle meatus
- b) Superior meatus
- c) Inferior meatus
- d) Middle concha

Q79. Which of the following is true regarding the external nose?

- a) Bone 1/3 rd cartilage 2/3rd
- b) Bone 2/3 rd cartilage 1/3rd
- c) Bone 1/2rd cartilage 1/2rd
- d) Bone 1/3rd cartilage 1/3rd

Q80. Vertigo in loud sound is called as :

- a) Tulio phenomenon
- b) Recruitment phenomenon
- c) Tumarkin crisis
- d) Paracusis willisi

Q81. All are ototoxic drugs except:

- a) Gentamycin
- b) Kanamycin
- c) Streptomycin
- d) Amoxicillin

Q82. Brown sign is seen in:

- a) Acoustic neuroma
- b) Glomus tumour



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- c) Menieres disease
- d) Otosclerosis

Q83. Commonest presentation of a child presenting with bilateral choanal atresia is :

- a) Difficulty in breathing
- b) Dysphagia
- c) Post nasal drip
- d) Excessive sneezing

Q84. All the sinus open into the middle meatus except :

- a) Maxillary
- b) Ant ethmoid
- c) Post ethmoid
- d) Frontal

Q85. Cotton meyer grading is the classification for :

- a) Tympanoplasty
- b) Supraglottic malignancy
- c) Subglottic stenosis
- d) Hypopharynx malignancy

Q86. A 60 year old male smoker presents with change in voice. Endoscopic examination reveals involvement of arytenoids only. It was also noticed that vocal cords were immobile. What shall be the T staging of the patient ?

- a) T1
- b) T2
- c) T3
- d) T4

Q87. A 60 year old patient smoker presents with change in voice. Endoscopy reveals involvement of arytenoids, AE folds, True vocal cords and false vocal cords. What shall be the preferred treatment of the patient ?


- a) Chemotherapy
- b) Radiotherapy
- c) Total laryngectomy
- d) Vertical partial laryngectomy

Q88. Identify the prominent sinus in the image:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026



- a) Sphenoid sinus
- b) Ethmoid sinus
- c) Maxillary sinus
- d) Frontal sinus

Q89. A 35-year-old female takes a tablet of aspirin for her headache, later she presented with wheezing and breathlessness. These symptoms are more likely due to which of the following?

- a) IgE release
- b) Nasal Polyp
- c) Drug interaction
- d) Extrinsic asthma


Q90. A patient who's a teacher by profession presented to the clinic with complaints of hoarseness of voice. What is the possible diagnosis in this patient?

- a) Vocal polyp
- b) Vocal nodule
- c) Vocal cyst
- d) Reinke's edema

Q91. A 25 year old female came with complaints of decrease in hearing (CHL) and pulsatile tinnitus. On examination tympanic membrane appeared red and bulging. What would be the diagnosis?

- a) Glomus tumor
- b) Serous otitis media
- c) Acute otitis media
- d) Chronic otitis media

Q92. Which type of tracheostomy tube used in the case of ICU patient?



- a) Matallic tube
- b) Cuffed tube
- c) Uncuffed tube



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

d) Fenestrated cuffless tube

Q93. A 7-year-old child while playing fell down. He has developed nasal blockage on both sides and there is swelling around the nose. What is the further treatment of this child?



- a) Aspiration of septal swelling
- b) Anterior Nasal packing
- c) Start Intravenous steroids
- d) Start Topical Corticosteroid nasal spray

Q94. What is a Battle sign?



- a) Periorbital Ecchymosis
- b) Ecchymosis on Mastoid
- c) Blood collection behind the tympanic membrane
- d) Pitting edema on the mastoid

Q95. Which of the following is true about Little's area?

- a) Keisselbach's plexus is present in Little's area
- b) It is present on the lateral wall of the nose
- c) It is present in the posterior part of the nasal cavity
- d) It is a rare site of epistaxis

Q96. A 14-year-old boy presents with reddish nasal mass, profuse epistaxis & Proptosis. What is the possible diagnosis?

- a) Nasopharyngeal carcinoma
- b) Juvenile nasopharyngeal Angiofibroma
- c) Inverted Papilloma
- d) Rhinosporidiosis

Q97. A 60-year-old diabetic patient has presented with severe ear ache and blood-stained ear discharge. The examination shows granulations in the external auditory canal. What is the possible diagnosis in this case?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) Malignant otitis externa
- b) Diffuse otitis externa
- c) Otomycosis
- d) Chronic suppurative otitis media

Q98. An infant presented with inspiratory stridor and the clinical picture shows omega shaped epiglottitis. The probable diagnosis is?



- a) Acute epiglottitis
- b) RLN palsy
- c) SLN Palsy
- d) Laryngomalacia

Q99. Identify the image shown below ?



- a) Rhinophyma
- b) Rhinosporidiosis
- c) Rhinoscleroma
- d) Rhinosinusitis

Q100. What is the best management for atrophic Rhinitis?

- a) FESS
- b) Young's operation
- c) Nasal steroid spray
- d) Immunotherapy

Q101. Laryngeal crepitus is seen in all except?

- a) Tongue cancer
- b) Pneumonia
- c) Laryngitis
- d) Post cricoid carcinoma

Q102. The cause of Nasopharyngeal carcinoma is?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- a) HSV
- b) EBV
- c) HZV
- d) Parainfluenza Virus

Q103. Identify the procedure shown below ?



- a) Hemlich maneuver
- b) Epleys maneuver
- c) Semonts maneuver
- d) Cottles maneuver

Q104. A patient presented to ER after fracture of base of skull with CSF rhinorrhea. On further investigation, the following image was obtained. What is the name of this sign shown below?



- a) Schwartz sign
- b) Brown sign
- c) Halo sign
- d) Phelp sign

Q105. A 5 year old child presents with reduced hearing for the past 2-3 months Most likely diagnosis is :



- a) Myringitis bullosa
- b) Acute otitis media



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

- c) Serous otitis media
- d) Pneumo Tympanum


Q106. A patient with the history of asthma and sinusitis. On looking into books, it's attributed to a Samter's triad. Which drug should be avoided in this patient?

- a) Aspirin
- b) Co Amoxiclav
- c) Cotrimoxazole
- d) Chloramphenicol

Q107. Stimulation of external auditory canal leads to cough due to which nerve?

- a) Auricular branch Vagus
- b) Greater auricular nerve
- c) Auriculotemporal nerve
- d) Facial nerve

Q108. Steeple sign on X-Ray:



- a) Acute Epiglottitis
- b) Acute Laryngotracheobronchitis
- c) Laryngomalacia
- d) Laryngeal web

Q109. Arrange the structures of the auditory pathway in the sequential order of sound transmission:

1. Cochlear nerve
 2. Superior olivary complex
 3. Inferior colliculus
 4. Cochlear nuclei
 5. Lateral lemniscus
 6. Medial geniculate body
- a) 1, 4, 2, 5, 3, 6
 - b) 1, 2, 3, 4, 5, 6
 - c) 6, 3, 2, 5, 4, 1
 - d) 1, 2, 5, 4, 6, 3

ENT SUBJECT WISE TEST DATED ON 3rd MAY 2026

Q110. A South Indian male cattle breeder presents to the OPD with the complains of epistaxis. The examination of the nose is as below. A biopsy was taken and the histopathology appearance is also given below. What is the likely diagnosis?



- a) Nasal polyp
- b) Hemangioma
- c) Rhinosporidiosis
- d) Rhinophyma

ANSWERS

1	a
2	a
3	c
4	b
5	c
6	c
7	a
8	b
9	d
10	c
11	c
12	d
13	b
14	d
15	b
16	a
17	b
18	d
19	d
20	c
21	c
22	a

23	c
24	b
25	b
26	a
27	d
28	d
29	a
30	d
31	d
32	b
33	a
34	c
35	a
36	d
37	c
38	a
39	c
40	c
41	d
42	a
43	a
44	b

45	b
46	a
47	b
48	d
49	a
50	d
51	d
52	c
53	c
54	b
55	a
56	c
57	b
58	a
59	b
60	a
61	a
62	b
63	d
64	a
65	a
66	a

67	a
68	a
69	b
70	d
71	c
72	a
73	b
74	a
75	a
76	d
77	c
78	a
79	a
80	a
81	d
82	b
83	a
84	c
85	c
86	c
87	b
88	c

89	b
90	b
91	a
92	b
93	a
94	b
95	a
96	b
97	a
98	d
99	a
100	b
101	d
102	b
103	d
104	c
105	c
106	a
107	a
108	b
109	a
110	c