



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

QUESTIONS

- Q1. A midline neck swelling moves with Swallowing and on Tongue protrusion. What is the likely Diagnosis?
- Branchial cyst
 - Thyroglossal cyst
 - Dermoid cyst
 - Lymph node
- Q2. A pelvic kidney is found incidentally. What is the most likely cause?
- Failure of ascent
 - Failure of rotation
 - Duplication of ureter
 - Abnormal ureteric bud
- Q3. A patient presents with Ipsilateral tongue deviation and Contralateral hemiplegia. Lesion is in?
- Lateral medulla
 - Medial medulla
 - Lateral pons
 - Midbrain
- Q4. A newborn has fecal discharge from umbilicus. What is the cause for this ?
- Patent urachus
 - Persistent vitelline duct
 - Meckel's diverticulum
 - Omphalocele
- Q5. Which tract crosses at level of spinal cord?
- Corticospinal
 - Spinothalamic
 - Dorsal column
 - Vestibulospinal
- Q6. Neural crest cells form:
- Adrenal cortex
 - Adrenal medulla
 - Kidney
 - Liver
- Q7. Which structure passes through diaphragm at T8?
- Aorta
 - Esophagus
 - IVC
 - Thoracic duct
- Q8. A 65-year-old male presents with Dysphagia, Hoarseness & Ataxia. He also has Loss of pain and temperature on contralateral body & Ipsilateral facial pain loss. Most likely lesion is at what location?
- Medial medulla
 - Lateral medulla



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Medial pons
- d) Midbrain

Q9. The patient is found to have a congenital defect in the diaphragm which is located on the posterolateral aspect. What is the likely diagnosis?

- a) Bochdalek congenital diaphragmatic hernia
- b) Morgagni congenital diaphragmatic hernia
- c) Hiatal hernia
- d) Umbilical hernia

Q10. A patient presents with Ophthalmoplegia, Loss of corneal reflex and Facial pain. Which structure is involved?

- a) Cavernous sinus
- b) Pterygopalatine fossa
- c) Infratemporal fossa
- d) Orbit

Q11. During childbirth, a woman develops Loss of bladder control and Loss of sensation in perineum. Which structure is most likely damaged?

- a) Pudendal nerve
- b) Obturator nerve
- c) Femoral nerve
- d) Sciatic nerve

Q12. A newborn presents with Cyanosis, Difficulty in feeding and Failure of separation of trachea and esophagus. Which embryological structure failed?

- a) Pharyngeal arch
- b) Tracheoesophageal septum
- c) Neural crest cells
- d) Vitelline duct

Q13. A patient cannot Turn head to the opposite side and cannot Shrug the shoulder. Which structure is damaged?

- a) Jugular foramen contents
- b) Hypoglossal canal contents
- c) Superior orbital fissure contents
- d) Foramen rotundum contents

Q14. Which muscle is attached to the arrow marked area of the bone?



- a) Sartorius
- b) Adductor longus




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Psoas major
- d) Gluteus medius

Q15. Which nucleus lies under the arrow marked structure?



- a) Fifth
- b) Sixth
- c) Seventh
- d) Eighth

Q16. Identify the arrow marked structure



- a) Midbrain
- b) Pons
- c) Medulla
- d) Hypothalamus

Q17. Identify the arrow marked structure



- a) Sphenoid sinus
- b) Mastoid process
- c) Cribriform plate
- d) Sella Turcica

Q18. A patient with recurrent ulcers has high gastrin and very low gastric pH. Regarding gastric acid secretion, all are TRUE EXCEPT:

- a) Parietal cells secrete hydrogen ions through H^+/K^+ ATPase.



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- b) Histamine stimulates acid secretion via H₂ receptors.
- c) Somatostatin inhibits gastrin and acid secretion.
- d) Secretin strongly increases gastric acid secretion after acid enters duodenum.

Q19. A patient with duodenal acid exposure shows increased pancreatic bicarbonate output. Regarding pancreatic physiology, all are TRUE EXCEPT:

- a) Secretin stimulates pancreatic bicarbonate secretion.
- b) CCK stimulates pancreatic enzyme secretion.
- c) Vagal stimulation supports pancreatic secretion.
- d) Pancreatic bicarbonate secretion is mainly stimulated by gastric distension through aldosterone.

Q20. A patient with obstructive jaundice develops pale stools and fat malabsorption. Regarding bile physiology, all are TRUE EXCEPT:

- a) Bile salts help form micelles for fat absorption
- b) Bile acids are synthesized from cholesterol
- c) 95% of the bile salts undergo enterohepatic circulation
- d) Bile salts directly digest triglycerides into free fatty acids without pancreatic lipase.

Q21. A 52-year-old man with chronic alcohol use develops jaundice, ascites, and coagulopathy. Laboratory studies reveal elevated bilirubin and prolonged PT. Regarding liver physiology, all are TRUE EXCEPT:

- a) The liver conjugates bilirubin to increase water solubility before biliary excretion.
- b) Albumin synthesis occurs predominantly the liver
- c) The liver stores glycogen and participates in gluconeogenesis during fasting
- d) Unconjugated bilirubin is normally excreted efficiently into urine because it is highly water-soluble.

Q22. Regarding retinal physiology, all are TRUE EXCEPT:

- a) Rod photoreceptors are highly sensitive to low-intensity light and contribute predominantly to scotopic vision.
- b) Cone photoreceptors are concentrated densely within the fovea and mediate high-acuity color vision.
- c) Rod photoreceptors are maximally concentrated within the fovea centralis where visual acuity is greatest.
- d) Vitamin A deficiency may impair rhodopsin regeneration and contribute to nyctalopia.

Q23. All of the following are incorrect EXCEPT:

- a) Nernst equation calculates membrane potential when multiple ions are involved.
- b) Goldman equation considers relative permeability of multiple ions
- c) Myelination decreases conduction velocity
- d) Saltatory conduction occurs in unmyelinated nerve fibers.

Q24. All of the following are incorrect EXCEPT:

- a) IPSP usually occurs due to sodium influx
- b) EPSP increases the chance of action potential generation
- c) Chemical synapses are faster than electrical synapses
- d) Neurotransmitter release is independent of calcium.

Q25. All of the following are incorrect EXCEPT:

- a) Beta-1 receptors are mainly present in bronchial smooth muscle
- b) Alpha-1 receptor stimulation causes vasoconstriction
- c) Adrenal medulla has muscarinic receptors
- d) Beta-2 receptor stimulation decreases heart rate.



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- Q26. All of the following are incorrect EXCEPT:
- Calcium binds directly to actin to initiate contraction
 - ATP is not required for muscle relaxation
 - Actin and myosin slide over each other without change in filament length
 - A band shortens during skeletal muscle contraction.
- Q27. All of the following are incorrect EXCEPT:
- Cardiac muscle lacks gap junctions
 - Smooth muscle contraction depends on calcium-calmodulin
 - Skeletal muscle contraction is regulated by calcium-calmodulin
 - Cardiac muscle shows tetany easily due to a short refractory period.
- Q28. All of the following are incorrect EXCEPT:
- Muscle spindle detects muscle tension
 - Golgi tendon organ detects muscle tension
 - Inverse stretch reflex causes contraction of the same muscle
 - Gamma motor neurons supply extrafusal muscle fibers.
- Q29. All of the following are incorrect EXCEPT:
- First heart sound is due to closure of semilunar valves
 - Second heart sound is due to closure of AV valves
 - Isovolumetric contraction occurs after AV valve closure and before semilunar valve opening
 - Ventricular filling occurs mainly during systole.
- Q30. Which of the following is a correct statement?
- Vital capacity is tidal volume plus inspiratory reserve volume only
 - Residual volume can be measured directly by simple spirometry
 - Functional residual capacity is expiratory reserve volume plus residual volume
 - Total lung capacity is vital capacity minus residual volume.
- Q31. Which of the following statements regarding V/Q ratio is correct?
- Normal overall V/Q ratio for the whole lung is approximately 0.8
 - Dead space has V/Q ratio of zero
 - Shunt has V/Q ratio of infinity
 - Apex of lung has lower V/Q ratio than base.
- Q32. Which of the following statements regarding regulation of respiration is correct?
- Medullary centers are not involved in respiration
 - Elevated PCO_2 in the plasma stimulates the central chemoreceptors by increasing H^+ in CSF
 - Peripheral chemoreceptors do not respond to hypoxemia
 - Voluntary control cannot influence breathing.
- Q33. Which of the following statements regarding pain physiology is correct?
- Fast pain is carried mainly by unmyelinated C fibers
 - Gate control theory involves modulation of pain transmission in the dorsal horn
 - Substance P inhibits pain transmission
 - Pain pathway decussates in the medulla like dorsal column pathway.
- Q34. All of the following are incorrect EXCEPT:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- a) Cerebellar lesions cause complete paralysis
- b) Cerebellar lesion causes ipsilateral ataxia
- c) Basal ganglia lesions mainly cause loss of pain sensation
- d) Parkinsonism is due to increased dopamine in nigrostriatal pathway.


Q35. A 6 month old baby was brought to the Dermatology OPD with the complain of a golden color rash over scalp which was diagnosed as cradle cap for which tear free salicylic acid based anti-dandruff shampoo was given. Senior consultant sends the patient to Pediatric OPD where a vitamin deficiency is suspected. What's the most likely vitamin deficient in this child?

- a) Vitamin A
- b) Vitamin B1
- c) Vitamin B2
- d) Vitamin C

Q36. False about gluconeogenesis is:

- a) Prevent hypoglycemia during prolonged fasting
- b) Occur both in muscle and liver
- c) Fructose 2, 6 Bisphosphate inhibit it\
- d) Excess acetyl CoA causes stimulation

Q37. Which vitamin is needed for the post translational modification of the following protein?



- a) Vitamin A
- b) Vitamin B1
- c) Vitamin B2
- d) Vitamin C

Q38. Best technique to determine molecular weight of a protein is:

- a) SDS-PAGE
- b) Tandem Mass Spectrometry
- c) X-Ray diffraction Crystallography
- d) CD Spectroscopy

Q39. If you need to diagnose a syndromic illness such as TB meningitis. Which of the following diagnostic techniques is most appropriate?

- a) Multiplex PCR
- b) Uniplex PCR
- c) Attributed PCR
- d) Nested PCR




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

Q40. Triad of Hyperammonemia, Hyperornithinemia & Homocitrullinuria is a feature of:

- a) Carbamoyl Phosphate Synthetase I defect
- b) Carbamoyl Phosphate Synthetase II defect
- c) Ornithine transcarbamoylase defect
- d) Ornithine transporter defect

Q41. Identify the abnormal electrophoresis pattern:



- a) Nephrotic Syndrome
- b) Cirrhosis of Liver
- c) Multiple Myeloma
- d) Chronic infection

Q42. A child presents with recurrent infections. Laboratory tests reveal low levels of both B and T lymphocytes. Genetic testing shows a mutation in the adenosine deaminase (ADA) gene. What is the most likely diagnosis ?

- a) X-linked agammaglobulinemia
- b) Common variable immunodeficiency (CVID)
- c) Severe combined immunodeficiency (SCID)
- d) DiGeorge syndrome

Q43. A boy presents with the hyperstretchable skin & flexible fingers with which he can reach his forearm. What's the most likely condition?

- a) Osteogenesis imperfecta
- b) Ehlers Danlos Syndrome
- c) Chondrodysplasia
- d) Marfan syndrome

Q44. Vitamin K is involved in the post-translational modification of:

- a) Glutamate
- b) Aspartate
- c) Lysine
- d) Proline

Q45. All of the following are true regarding Type I collagen except:

- a) Found in non-cartilaginous connective tissue
- b) Most abundant collagen type in bone
- c) Present in vitreous humor of eye
- d) Defect leads to osteogenesis imperfecta



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- Q46. A patient presents with skin cancer and hyperpigmentation that worsens with sunlight exposure. Which of the following DNA repair mechanisms is most likely defective in this condition ?
- Nucleotide excision repair
 - Base excision repair
 - Non-homologous end joining (NHE)
 - Mismatch repair
- Q47. The reasons for ketosis in von Gierke's disease are all except
- Acetyl CoA concentration is low
 - Oxaloacetate is necessary for gluconeogenesis
 - Blood glucose less than 40 mg/dL
 - Fatty acid mobilization is high
- Q48. All of following are true statements about fatty acids except:
- Linoleic acid is found in Soyabean oil
 - Linolenic and linoleic acids are cis derivatives containing double bonds
 - Arachidonic acid contain five double bonds
 - Monoenoic acids contain one double bond at 9th position
- Q49. Which of the following lipoproteins does not move towards charged end in electrophoresis
- VLDL
 - IDL
 - LDL
 - Chylomicron
- Q50. A 22 year old tall male presents with long limbs, increased arm span, hypermobile joints, and high-arched palate. On examination, he has lens subluxation and a diastolic murmur suggestive of aortic root dilation. Which of the following genes is most likely mutated in this condition ?
- Fibrillin-1 (FBN1)
 - COL4A5
 - COL1A1
 - Elastin
- Q51. Organomegaly in Hunter's syndrome is because of the accumulation of
- Keratan sulphate and Dermatan sulphate
 - Keratan sulphate and Heparan sulphate
 - Heparan sulphate and Dermatan sulphate
 - Keratan sulphate and Hyaluronic acid
- Q52. A 62-year-old man is admitted to the emergency department with sudden onset severe retrosternal chest pain radiating to the left arm and jaw. Investigations are suggestive of an acute myocardial infarction. The patient subsequently develops cardiogenic shock and dies despite intensive management. Histopathological examination of the myocardium with electron microscopy demonstrates disrupted plasma membranes, marked mitochondrial damage, and dense amorphous deposits within the mitochondrial matrix, indicating irreversible cellular injury.
- Which of the following electron microscopic findings is most characteristic of irreversible cell injury in this patient?
- Swelling of mitochondria with preservation of internal structure
 - Detachment of ribosomes from the rough endoplasmic reticulum



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Formation of amorphous flocculent densities within mitochondria
- d) Clumping of nuclear chromatin along the nuclear membrane

Q53. A 52-year-old man with uncontrolled type 2 diabetes mellitus develops a rapidly enlarging abscess over his left thigh associated with fever and leukocytosis. Microscopic examination of tissue surrounding the lesion shows numerous neutrophils migrating from small blood vessels into the infected connective tissue. During this process, the neutrophils are observed passing between adjacent endothelial cells of postcapillary venules before moving toward the site of bacterial infection under the influence of chemotactic agents.

Which of the following adhesion molecules is most important for the step in which leukocytes pass through endothelial junctions into the extravascular tissue?

- a) Sialyl-Lewis X involved in leukocyte margination
- b) PECAM-1 (CD31) involved in transmigration/diapedesis
- c) P-selectin responsible for leukocyte rolling
- d) C3b involved in bacterial opsonization


Q54. A 62-year-old male presents with a rapidly growing, firm mass in his right thigh. A core needle biopsy is performed. Microscopic examination reveals cells that show a total lack of structural and functional differentiation, resembling no known adult tissue. The cells are highly pleomorphic with a high nuclear-to-cytoplasmic (N:C) ratio, hyperchromatic nuclei, and numerous tripolar mitotic figures. The pathologist notes that the tumor is "primitive" in appearance. Which of the following terms best describes this lack of differentiation in a malignant neoplasm?

- a) Metaplasia
- b) Dysplasia
- c) Anaplasia
- d) Desmoplasia

Q55. A 7-year-old child presents with severe obesity, hyperphagia, short stature, small hands and feet, and hypogonadism. Genetic analysis reveals absence of expression of paternally active genes in the 15q11-q13 region. Further testing shows two maternal copies of chromosome 15 with no paternal contribution. Which diagnosis best fits these findings?

- a) Angelman syndrome due to maternal deletion of 15q11-q13
- b) Prader-Willi syndrome caused by paternal deletion of 15q11-q13
- c) Prader-Willi syndrome caused by maternal uniparental disomy of chromosome 15
- d) Angelman syndrome caused by paternal uniparental disomy of chromosome 15

Q56. Comment on the pedigree analysis.



- a) Cystic fibrosis
- b) Marfan syndrome
- c) Hemophilia A
- d) Alport syndrome



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

Q57. A 7-year-old boy of Mediterranean descent is brought to the pediatric clinic with progressive fatigue, poor growth, and abdominal distension. His parents report that he requires frequent blood transfusions for severe anemia. Physical examination reveals pallor, frontal bossing, maxillary overgrowth, and marked splenomegaly. Laboratory studies show severe microcytic hypochromic anemia. Hemoglobin electrophoresis reveals markedly reduced HbA with a compensatory increase in other hemoglobin fractions.

Which of the following hemoglobin patterns is most likely to be found in this patient?



- a) Increased HbA with decreased HbF
- b) Increased HbF and increased HbA2 with absent or markedly reduced HbA
- c) Increased HbH (β_4 tetramers) with normal HbA2
- d) Predominantly Hb Bart's (γ_4 tetramers)

Q58. A 42-year-old man presents with fatigue, recurrent infections, and spontaneous gum bleeding for the past few weeks. On examination, he has pallor, petechiae, and marked gingival hypertrophy with swollen, bleeding gums. Laboratory investigations reveal anemia, thrombocytopenia, and a markedly elevated white blood cell count with circulating blasts.

The hematologist explains that gingival infiltration and gum hyperplasia are classically associated with a specific subtype of AML that shows monocytic differentiation.

Which of the following AML subtypes is most commonly associated with gingival hyperplasia?

- a) AML with minimal differentiation (M0)
- b) Acute promyelocytic leukemia (M3)
- c) Acute myelomonocytic/monocytic leukemia (M4/M5)
- d) Acute erythroid leukemia (M6)

Q59. A 64-year-old man is evaluated after routine laboratory testing reveals elevated serum protein levels. He reports mild fatigue but denies bone pain, weight loss, recurrent infections, or fractures. Physical examination is unremarkable. Laboratory investigations show a monoclonal spike on serum protein electrophoresis and increased plasma cells on bone marrow biopsy. However, serum calcium, renal function, and hemoglobin levels are within normal limits, and skeletal survey shows no lytic bone lesions.

The hematologist diagnoses an asymptomatic plasma cell disorder with a high risk of progression to active Multiple myeloma.

Which of the following is the most likely diagnosis in this patient?

- a) Monoclonal gammopathy of undetermined significance (MGUS)
- b) Smoldering multiple myeloma
- c) Waldenström macroglobulinemia
- d) Solitary plasmacytoma

Q60. A 12-year-old boy is brought to the hematology clinic with recurrent episodes of epistaxis, gum bleeding, and easy bruising since early childhood. His parents report prolonged bleeding after minor injuries. Physical examination reveals multiple petechiae and ecchymoses over the extremities. Laboratory investigations show thrombocytopenia with unusually large platelets on peripheral smear. Bleeding time is



MIST- MEDICAL INSTITUTE FOR SCREENING TEST


MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

prolonged, while PT and aPTT are normal. Platelet function testing demonstrates failure of platelet aggregation with ristocetin that does not correct with the addition of normal plasma.

Which of the following is the most likely underlying defect in this patient?

- a) Deficiency of glycoprotein IIb/IIIa causing impaired platelet aggregation
- b) Deficiency of glycoprotein Ib causing defective platelet adhesion to von Willebrand factor
- c) Autoimmune destruction of platelets by antiplatelet antibodies
- d) Deficiency of factor VIII causing impaired secondary hemostasis

Q61. A 32-year-old woman presents with gradually progressive hearing loss in her right ear associated with tinnitus and occasional imbalance for the past several months. Neurological examination reveals decreased hearing acuity on the affected side. MRI of the brain demonstrates a well-circumscribed mass arising from the vestibular portion of cranial nerve VIII at the cerebellopontine angle. Surgical excision is performed, and histopathological examination reveals spindle-shaped cells arranged in fascicles with alternating hypercellular and hypocellular areas. Prominent nuclear palisading around eosinophilic acellular zones forming Verocay bodies is noted.



Which of the following genetic abnormalities is most commonly associated with this tumor?

- a) Mutation of NF1 gene on chromosome 17
- b) Mutation of NF2 gene on chromosome 22
- c) BCR-ABL translocation
- d) APC gene mutation

Q62. A 12-year-old boy is brought to the pediatric clinic with fever, migratory pain and swelling of the knees and ankles, and shortness of breath for the past week. His mother reports that he had a sore throat about 3 weeks ago that was not treated properly. On examination, a new pansystolic murmur is heard at the apex, and involuntary jerky movements of the hands are noted. Laboratory investigations reveal elevated ESR and positive anti-streptolysin O (ASO) titers. The physician applies the revised Jones criteria to diagnose Acute rheumatic fever.

Which of the following is considered a major Jones criterion?

- a) Fever
- b) Elevated ESR
- c) Polyarthrititis
- d) Prolonged PR interval on ECG

Q63. A 55-year-old man presents with progressive unilateral hearing loss, tinnitus, and episodes of imbalance for 8 months. Neurologic exam shows decreased corneal reflex on the affected side. MRI reveals a well-circumscribed enhancing mass at the cerebellopontine angle, extending into the internal acoustic meatus. What is the most likely diagnosis?

- a) Benign nerve sheath tumor arising from Schwann cells of CN VIII, often presenting with hearing loss and CP-angle mass
- b) Dural-based tumor with psammoma bodies that typically attaches to the tentorium or falx
- c) Infiltrative primary brain tumor derived from glial cells, usually located within brain parenchyma rather than CP angle



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- d) Tumor arising from ependymal lining of the ventricles, commonly located near the fourth ventricle in children

Q64. A 45-year-old man presents with recurrent sinusitis, chronic nasal congestion, hemoptysis, and progressive shortness of breath for the past several months. He also complains of fatigue and dark-colored urine. Physical examination reveals nasal ulceration and bilateral crackles in the lungs. Laboratory investigations show elevated serum creatinine and hematuria with red blood cell casts. Chest CT demonstrates multiple cavitary nodules in both lungs. Serologic testing is positive for c-ANCA (PR3-ANCA).

Which of the following histopathological findings is most characteristic of this condition?

- a) Noncaseating granulomas with bilateral hilar lymphadenopathy
- b) Necrotizing granulomatous vasculitis involving small to medium vessels
- c) Immune complex deposition with IgA in small vessels
- d) Eosinophilic granulomas associated with asthma and eosinophilia

Q65. A chemotherapeutic agent used in leukemia acts specifically during the S-phase of the cell cycle by inhibiting DNA synthesis. It interferes with DNA replication by inhibiting DNA polymerase. Which of the following drugs fits this description?

- a) Cyclophosphamide
- b) Vinblastine
- c) Cytarabine
- d) Vincristine

Q66. Cancer patient develops painful erythema and desquamation of palms and soles during chemotherapy. This presentation is consistent with hand-foot syndrome. Which of the following drugs is most commonly implicated?

- a) Cyclophosphamide
- b) Chloramphenicol
- c) Mitomycin C
- d) Capecitabine

Q67. A patient receives botulinum toxin injections for muscle spasticity. The drug produces muscle relaxation by interfering with neurotransmitter release at the neuromuscular junction. Which of the following best describes its mechanism?

- a) Stimulates ACh receptors
- b) Blocks calcium entry
- c) Inhibits acetylcholinesterase
- d) Inhibits acetylcholine release

Q68. A patient complains of discomfort in the legs at night relieved by movement. He is diagnosed with restless legs syndrome. Laboratory tests reveal iron deficiency anemia. Which of the following is the most appropriate initial therapy?

- a) Gabapentin
- b) Vitamin B12
- c) Tramadol
- d) Iron supplementation

Q69. A patient treated for meningitis develops right upper quadrant pain. Imaging shows biliary sludge and gallstones. This is a known adverse effect of a commonly used antibiotic. Which drug is responsible?

- a) Penicillin



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- b) Vancomycin
- c) Ceftriaxone
- d) Ampicillin

Q70. A patient with heart failure following myocardial infarction presents with dyspnea and reduced exercise tolerance. A drug is started that reduces mortality by preventing cardiac remodeling. Which of the following is most appropriate?

- a) Terazosin
- b) Hydrochlorothiazide
- c) Amlodipine
- d) Lisinopril

Q71. A patient presents with episodic headache, palpitations, and sweating. Blood pressure is markedly elevated. Investigations confirm pheochromocytoma. Which drug should be given preoperatively for adequate control?

- a) Nitroprusside
- b) Labetalol
- c) Phenoxybenzamine
- d) Phentolamine

Q72. A patient with mechanical prosthetic heart valves develops atrial fibrillation during follow-up. Long-term anticoagulation is required to prevent systemic thromboembolism. Considering drug efficacy and current recommendations, which of the following is most appropriate for chronic use in this patient?

- a) Direct oral anticoagulants
- b) Alteplase
- c) Heparin
- d) Warfarin

Q73. A patient develops profuse diarrhea after receiving broad-spectrum antibiotics. Stool examination suggests *Clostridioides difficile* infection. Appropriate antimicrobial therapy is planned. Which of the following drugs is NOT used in the management of this condition?

- a) Vancomycin
- b) Fidaxomicin
- c) Metronidazole
- d) Ciprofloxacin

Q74. A patient with organophosphate poisoning is treated with atropine and pralidoxime. The latter drug helps reverse the toxic effects by restoring enzyme function. Which of the following best describes the mechanism of pralidoxime?

- a) Blocks muscarinic receptors
- b) Inhibits acetylcholine release
- c) Reactivates acetylcholinesterase
- d) Inhibits choline uptake

Q75. A patient undergoing chemotherapy develops severe nausea and vomiting. A drug is administered that acts centrally by blocking serotonin receptors in the chemoreceptor trigger zone. Which of the following mechanisms best explains this action?

- a) D2 receptor blockade
- b) H1 receptor blockade



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Muscarinic receptor blockade
- d) 5-HT₃ receptor blockade

Q76. A postoperative patient receiving opioid analgesia develops severe biliary colic. This is attributed to increased tone of the sphincter of Oddi caused by the drug. Which of the following agents is responsible for this effect?

- a) Naloxone
- b) Atropine
- c) Morphine
- d) Aceclofenac

Q77. A patient with hypertension and benign prostatic hyperplasia presents with urinary hesitancy and poor stream. A drug is prescribed that improves urine flow by selectively blocking α_1A receptors with minimal systemic hypotension. Which of the following is most appropriate?

- a) Terazosin
- b) Phenoxybenzamine
- c) Tamsulosin
- d) Finasteride

Q78. 36 year old pregnant female infected with Gram negative kidney shaped diplococci. She delivered a FTND newborn developing eye discharge, swelling and redness of conjunctiva, blepharitis and blepharospasm. Diagnosis

- a) Ophthalmia nodosa
- b) Ophthalmia rosacea
- c) Ophthalmia neonatorum
- d) Ophthalmia sympathica

Q79. SCID baby was given passive immunity with antibody cocktail. Antibod(ies) always having valency of 2 would be:

- a) IgG, IgE, IgD
- b) IgM, IgA
- c) IgG, IgA, IgM, IgD, IgE
- d) Monoclonal antibodies

Q80. 26 year old with multiple eschars on the skin after bomb blast injury was being treated by piperacillin. All are possible except

- a) Pyocyanin pigment
- b) Tumbling motility
- c) Cetrinide agar
- d) Green colored pus

Q81. FTND newborn delivered by a teenage mother in a remote village developed muscle stiffness leading to opisthotonus on 8th day of birth. Which neurotransmitters were inhibited?


- a) Glycine, GABA
- b) Acetylcholine, dynein
- c) Serotonin, dopamine
- d) Oxytocin, endorphin

Q82. Newborn baby with neonatal sepsis due to intrapartum infection. Identify test and bacteria



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026



- a) CAMP test, *Strep agalactiae*
- b) Reverse CAMP test, *Clostridium perfringens*
- c) Modified CAMP test, *Vibrio cholera O1 El Tor*
- d) Elek's gel precipitation test, *Corynebacterium diphtheria*

Q83. COVID outbreak rapidly spread in Dharavi, Mumbai. The entire area was quarantined and slum dwellers were encouraged to report if symptomatic. Even after 15 days, only 50000 out of 500000 people reported to health officer. This is likely due to

- a) Antibody dependent enhancement
- b) Immunogenic infection
- c) Iceberg phenomenon
- d) Hepatitis D


Q84. 12 school children presented with fever, headache, myalgia, fatigue and painful eschars on extremities. Epidemiological investigation revealed a microhabitat of rodents and chigger trombiculid mites in the area. Diagnosis and etiology:

- a) Epidemic typhus, *Rickettsia prowazekii*
- b) Scrub typhus, *Orientia tsutsugamushi*
- c) Tick typhus, *Rickettsia conorii*
- d) Endemic typhus, *Rickettsia typhi*

Q85. 8 year old with fever, dysphagia, dysarthria, dyspnoea, inspiratory stridor and barking cough was found to have Bull neck. Identify microscopy findings

- a) Chinese letter pattern with Babes Ernst granules
- b) Comma shaped bacilli with darting motility
- c) Bamboo stick pattern with drumstick spores
- d) Capsulated diplococci with coagulase positive

Q86. 55 year old patient with post tubercular lung cavity presented with chest complaints. HRCT chest revealed a growth in the cavity which revealed the following pattern in fungal stain. Diagnosis and Rx



- a) Emphysema, pleurodesis
- b) Non small cell lung carcinoma, chemoRx
- c) Aspergilloma, voriconazole
- d) Mycetoma, Welsh regimen



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026


Q87. You are the public health physician with municipal corporation. Which chemical is used to treat municipal water, how is the biological chlorine demand decided, what should be the end user chlorine concentration and how it is tested?

- a) CaOCl_2 , Horrock's test, 0.5 ppm, orthotoluidine test
- b) Bismuth sulphide, Weil Felix test, 5 ppm, sodium thiosulphate test
- c) Orthotoluidine, Anton's test, 1 ppm, Sereny test
- d) Polymetaphosphate, Phospholipase test, 10 ppm, lecithinase test

Q88. A lesbian couple reporting to Suraksha clinic was given Green kit containing Secnidazole 2gm and Fluconazole 150 mg. All are differential diagnosis except

- a) Trichomoniasis
- b) Vaginal Candidiasis
- c) Bacterial vaginosis
- d) Syphilis

Q89. 79 year old with poorly controlled diabetes mellitus developed pain, swelling and blackish discoloration of scrotum and perineum. Diagnosis and most probable etiology.



- a) Meleny's gangrene, Neisseria gonorrhoeae
- b) Fournier's gangrene, E. coli
- c) Buerger's disease, Bacillus anthracis
- d) Gas gangrene, Clostridium perfringens

Q90. Match the following vaccines:

Pathogen	Vaccine	Trade name
W. Ebola	1. RTS, S	E. Typhoral
X. Malaria	2. rVsV- ZEBOV	F. Mosquirix
Y. Dengue	3. Gal-E-mutant	G. Ervebo
Z. Typhoid	4. CYD-TDV	H. Dengvaxia

- a) W4E, X3F, Y2G, Z1H
- b) W2G, X1F, Y4H, Z3E
- c) W3H, X3F, Y2E, Z4G
- d) W1E, X4F, Y3G, Z2H

Q91. The kit which is used for medical examination of Rape victim is called as

- a) SAFE kit
- b) NASE kit
- c) WOME kit
- d) DOC kit

Q92. Ghon's method of dissection is?

- a) Block Dissection and organ separation



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- b) En masse Dissection and organ separation
- c) Individual organ Removal and dissection
- d) Organ Dissection in Situ

Q93. If it is said that rigor mortis is present all over the body in a dead body. What is the most likely time since death?

- a) Less than 6 hours
- b) Around 18 hours
- c) More than 36 hours
- d) Less than 2 hours

Q94. An important sign indicative of ante-mortem drowning is?

- a) Cutis anserina
- b) Washerwomen feet
- c) Wet clothing's
- d) Frothing from nose and mouth

Q95. In the urine of a person, Envelope shaped crystals are seen. After investigations he is found to have Hypocalcemia also. The doctors suspect some poisoning. What substance can it be?

- a) Cyanide poisoning
- b) Carbolic acid poisoning
- c) Oxalic acid poisoning
- d) Phosphorus poisoning

Q96. A patient is presenting in emergency room with alleged history of gunshot injury. There is burning, blackening, tattooing and cherry red color around wound. Which type of gunshot wound is this?



- a) Close shot entry wound
- b) Close shot exit wound
- c) Distant shot entry wound
- d) Distant shot exit wound

Q97. Grazed abrasions are commonly formed in abundance in cases of road traffic accident during which phase?

- a) Primary impact injury
- b) Secondary impact injury
- c) Tertiary impact injury
- d) Any time

Q98. If it is said that a dead body shows 'La facies sympathique'. The true statement is?

- a) Case of hanging with one eye open with dilated pupil
- b) Case of strangulation with both eyes open and dilated pupils



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Case of hanging with both eyes open and one pupil dilated
- d) Case of myocardial infarction

Q99. A boy has eaten something from roadside. He presents in emergency with high temperature and retention of urine. O/E his body is dry, and he speaks with difficulty. What antidote is needed?

- a) Amyle nitrite
- b) Atropine
- c) Naloxone
- d) Physostigmine

Q100. What is not involved in following RIGHT protocol in snake bite case?

- a) Immobilization
- b) Pressure by tourniquet
- c) Going to hospital immediately
- d) Reassurance

Q101. A 12-year-old boy is bitten by a stray dog on the leg. The wound is deep with bleeding. The dog is not traceable. The child is brought to the health centre within 2 hours. The doctor washes the wound thoroughly and plans further management. What is the most appropriate next step?



- a) Only wound cleaning
- b) Rabies vaccine only
- c) Rabies vaccine + rabies immunoglobulin
- d) Antibiotics only

Q102. A child from a rural rice-growing area presents with high fever, altered sensorium, and seizures. The area has pig farming nearby. CSF suggests viral encephalitis. Which disease is most likely?



- a) Rabies
- b) Japanese encephalitis
- c) Dengue
- d) Malaria

Q103. A patient with hypopigmented patches and sensory loss is diagnosed with leprosy. He is started on multidrug therapy (MDT) under a national program aiming for elimination. All are incorrect about drug administration except:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- a) Once/month dose of rifampicin 600 mg, clofazimine 50 mg supervised
- b) Once/month dose of rifampicin 600 mg, clofazimine 300 mg supervised
- c) Once/month dose of rifampicin 300 mg, clofazimine 300 mg supervised
- d) Monthly dose is taken by patient at home himself

Q104. A patient is diagnosed with HIV infection and is started on antiretroviral therapy under a national program. The program also includes prevention, counselling, and testing services. Incorrect match about this program:



- a) Suraksha clinic- syndromic management for STI/RTI
- b) ART centre- distribute 2nd line ART drugs
- c) Window period- best test for diagnosis RTPCR
- d) TB preventive therapy- 3month weekly dose of rifapentine and isoniazid

Q105. Incorrect match for given program activity:

- a) MEENA- UNICEF mascot for girl child empowerment
- b) KAYAKALP- cleanliness in private sector
- c) ANMOL- make ANM online with availability of tablets for data recording
- d) UJJAWALA- prevention of human trafficking

Q106. All are incorrect about given image except:



- a) Double digit NNMR, SBR by 2025
- b) Double digit NNMR, SBR by 2030
- c) Single digit NNMR, SBR by 2025
- d) Single digit NNMR, SBR by 2030

Q107. Incorrect match:

- a) PM JAY- 5lac/family/per year medical support
- b) JEET- public private partnership for elimination of tetanus
- c) Saarthi van- mobile van for family planning promotion
- d) MERM- digital box for TB medicine

Q108. All diseases are included under given program logo in India except:




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026




- a) Cataract
- b) Onchocerciasis
- c) Glaucoma
- d) Diabetic retinopathy

Q109. Identify significance of circle number 3 in given image:




- a) Total hypertensive population of community
- b) Diagnosed hypertensive population of community
- c) Undiagnosed hypertensive population of community
- d) Hypertensive population of community which is taking anti-hypertensive medicine

Q110. Use of given approach



- a) Surveillance of zoonotic diseases
- b) Surveillance of respiratory diseases
- c) Surveillance of sexually transmitted infection
- d) Surveillance of non-communicable diseases

Q111. Given chart is used for calculation of an index of a serious condition. Incorrect about that condition:



- a) Obesity- if index value ≥ 30
- b) Undernutrition- - if index value > 18.5
- c) Morbid obesity- - if index value ≥ 40



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

d) Over weight- - if index value 25.0- 29.99

Q112. Incorrect about given image



- a) Pleomorphic rash with centrifugal distribution
- b) Period of communicability- 2 days before to 5 days after rash
- c) Period of communicability- 2 days before to complete fall of crust
- d) Most important source of transmission- direct contact with lesion material/ body fluid

Q113. Reservoir for Hantavirus disease:

- a) Pigs
- b) Rats
- c) Dogs
- d) Soil

Q114. All are correct about Ebola virus disease except:


- a) CFR- 50% (RANGE 20-90%)
- b) Severe bleeding manifestation in advanced stage of disease
- c) Group C bioterrorism agent
- d) As no specific treatment available so prevention is only alternative

Q115. 2year baby presented with H/O high grade fever with difficulty in breathing, on examination baby has given appearance of neck with finding in oral cavity. all are correct about this disease except:



- a) Main source of infection is carrier of disease.
- b) Vaccination can prevent disease but not preventing carrier stage
- c) Main source of infection is a case of disease.
- d) Toxoid vaccine is used to prevent this condition and this vaccine is part of UIP program

Q116. Identify disease which is related to worm where dogs are acting as definitive host:



- a) Hydatidiform mole




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- b) Vesicular mole
- c) Echinococcosis
- d) Taeniasis

Q117. Drug of choice for prophylaxis of given disease:



- a) Doxycycline
- b) Ciprofloxacin
- c) Penicillin
- d) Tetracycline

Q118. 30year male coming to clinic in Delhi with C/O fever with chills and rigours for 2days. you had suspicion of malaria and order kit test for diagnosis. Sister brings card to you for result opinion. what is that:



- a) P vivax infection
- b) P. falciparum infection
- c) Mixed infection
- d) Invalid result

Q119. Identify method of health education where 6-12 members discuss among themselves and sociogram is prepared at end:



a)



b)



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026



c)



d)

Q120. Identify incorrect match:



A



B



C

- a) A- nuclear family
- b) B- joint family
- c) B. – three generation family
- d) C. three generation family

Q121. Identify phase of family cycle where a couple is having three children, out of these 2 are already settled abroad, now youngest one is also boarding train to go to another city for higher study:



- a) Extension
- b) Complete extension



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Retraction
- d) Complete retraction

Q122. Incorrect about given image:



- a) To get benefit contribution of employee- 0.75%
- b) To get benefit monthly salary should be more than 21,000 Rs
- c) Maternity leave of 26 weeks with 100% salary if delivery took place after 28 weeks of pregnancy
- d) Sickness leave for 91 days with 70% salary

Q123. All are correct about biomedical waste disposed-off in given bag:



- a) Non chlorinated plastic bag
- b) Disposal by incineration
- c) Disposal of recyclable infectious waste
- d) No pre disinfection needed for this bag content

Q124. Identify phase of disaster cycle in given image:



- a) Rescue and medical management
- b) Rehabilitation
- c) Mitigation
- d) Preparedness

Q125. Identify head office of given organisation:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026



- a) Geneva
- b) New-York
- c) Washington
- d) Rome

Q126. Disease caused by given vector




- a) Malaria
- b) Filariasis
- c) Plague
- d) Leishmaniasis

Q127. All are correct about given instrument except:



- a) Used for measurement of free residual chlorine
- b) Used for measurement of chlorine demand
- c) Starch iodide is indicator
- d) Tells us about amount of bleaching powder needed for water disinfection

Q128. Identify study design:



- a) Case control study
- b) Prospective cohort study




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Retrospective cohort study
- d) RCT

Q129. Which babies as per given chart needs hospitalisation for recovery



- a) Baby in green zone
- b) Baby in yellow zone
- c) Baby in red zone
- d) Baby below red zone

Q130. Cash incentive of 5000 Rs in 2instalment for promotion of hospital delivery for primigravida given under:



a)



b)



c)



d)

Q131. Bullous myringitis is caused by-

- a) Bacteria
- b) Virus
- c) Fungus



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

d) Mycoplasma Pneumonia

Q132. Rinnies Test is negative if minimum air bone group is –

- a) 15-20 Db
- b) 25-30 Db
- c) 35-40 Db
- d) 15-30 Db

Q133. Ideal time of correction of fracture of nasal bone is :

- a) Immediately
- b) 5 Days
- c) After 2 Weeks
- d) After 3 Weeks

Q134. Mulberry appearance of nasal mucosal membrane is seen in –

- a) Atrophic Rhinitis
- b) Rhinoscleroma
- c) Coryza
- d) Chronic Hypertrophic Rhinitis

Q135. One of the following is not a test for vestibular function –

- a) Dixhallpike Maneuver
- b) Epleys Maneuver
- c) Modified Kobark Test
- d) Galvanic Test

Q136. Commonest cause of epistaxis in children –

- a) Foreign Body
- b) Finger Nail Trauma
- c) Nasal Diphtheria
- d) Haemophilia

Q137. Korners septum is-

- a) Petrotemporal Suture
- b) Petrosquamous Suture
- c) Temporosquamous Suture
- d) None

Q138. pH of nasal secretion is :

- a) 5
- b) 8
- c) 7
- d) 9

Q139. Columella tympanoplasty is –

- a) Type I
- b) Type II
- c) Type III
- d) Type IV




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

Q140. Feature Of Melkersson Syndrome Are All Except –

- a) Recurrent Facial Palsy
- b) Fissured Tongue
- c) Bilateral Facial Nerve Palsy
- d) Swelling Of Lips

Q141. A patient presents with pain, redness and decreased vision. On examination, given lesion is seen and corneal sensations are found to be reduced. Which of the following drugs is the absolutely contraindicated in this case?



- a) Acicvir eye drops
- b) Steroid eye drops
- c) Atropine
- d) Lubricants

Q142. A patient with severe acute pancreatitis develops:

Fever
Leukocytosis
Organ failure
CT:
Necrotic pancreas
Gas bubbles within necrotic tissue
Diagnosis?

- a) Sterile necrosis
- b) Pancreatic pseudocyst
- c) Infected pancreatic necrosis
- d) Pancreatic abscess

Q143. A 52-year-old man presents 6 weeks after acute pancreatitis with early satiety and vomiting. CT shows a 9-cm mature pancreatic pseudocyst compressing the stomach.



Best management?

- a) Observation only
- b) Emergency Whipple procedure



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Internal drainage/cystogastrostomy
- d) Total pancreatectomy

Q144. A mother of a 7-month-old child visits the pediatrician's office for developmental evaluation of her infant. The pediatrician examines the child. All of the following milestones are likely to be present in this child except:

- a) Sitting with support
- b) Walking with support
- c) Transferring objects
- d) Mirror play

Q145. Which of the following is correct for the following image :



- a) Lachman test
- b) Test for medial meniscus injury
- c) Test for lateral meniscus injury
- d) Test for lateral collateral ligament injury

Q146. A 3 year old child presents with multiple soft pea-sized bumps on the skin having button hole sign positive with some pigmentary lesions on body. Correct statement is



- a) Hypopigmented- café au lait macule
- b) Hypopigmented- ash leaf macule
- c) Hyperpigmented- café au lait macule
- d) Hyperpigmented- ash leaf macule

Q147. A 64 year old hypertensive obese female was undergoing Surgery for FRACTURE femur under general Anaesthesia . Intra-operatively her end tidal carbon dioxide decreased to 20 from 40 mm Hg, followed by hypotension and oxygen saturation of 85%. What would be the most probable cause:

- a) Fat embolism
- b) Hypovolemia



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

- c) Bronchospasm
- d) Myocardial infarction

Q148. Which hormone is primarily responsible for the LH surge leading to ovulation in the menstrual cycle?

- a) Progesterone
- b) Estrogen
- c) FSH
- d) Inhibin

Q149. Which of the following correctly matches the cell type with its role in spermatogenesis?

- a) Leydig cells – Nourish developing sperm
- b) Sertoli cells – Produce testosterone
- c) Sertoli cells – Form blood-testis barrier
- d) Spermatogonia – Secrete inhibin

Q150. A 28-year-old woman presents with abdominal pain and vomiting. USG shows a 7 cm complex ovarian mass with calcifications and hair. Likely diagnosis?

- a) Serous cystadenoma
- b) Granulosa cell tumor
- c) Dermoid cyst
- d) Dysgerminoma

ANSWERS

1	b
2	a
3	b
4	b
5	b
6	b
7	c
8	b
9	a
10	a
11	a
12	b
13	a
14	c
15	b
16	a
17	d

18	d
19	d
20	d
21	d
22	c
23	b
24	b
25	b
26	c
27	b
28	b
29	c
30	c
31	a
32	b
33	b
34	b

35	c
36	b
37	d
38	a
39	a
40	d
41	c
42	c
43	b
44	a
45	c
46	a
47	a
48	c
49	d
50	a
51	c

52	c
53	b
54	c
55	c
56	b
57	b
58	c
59	b
60	b
61	b
62	c
63	a
64	b
65	c
66	d
67	d
68	d

69	c
70	d
71	c
72	d
73	d
74	c
75	d
76	c
77	c
78	c
79	a
80	b
81	a
82	a
83	c
84	b
85	a



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST – 6 PAPER -1 TEST DATED ON 16 JUNE 2026

86	c
87	a
88	d
89	b
90	b
91	a
92	a
93	b
94	d
95	c
96	a
97	c
98	a

99	d
100	b
101	c
102	b
103	b
104	b
105	b
106	d
107	b
108	b
109	a
110	d
111	b

112	b
113	b
114	c
115	c
116	c
117	a
118	d
119	a
120	c
121	d
122	b
123	c
124	a

125	b
126	d
127	a
128	c
129	c
130	b
131	b
132	a
133	b
134	d
135	b
136	b
137	c

138	c
139	c
140	c
141	b
142	c
143	c
144	b
145	c
146	c
147	a
148	b
149	c
150	c