



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

QUESTIONS

Q1. Which epithelium lines urinary bladder?

- a) Stratified squamous
- b) Transitional epithelium
- c) Simple columnar
- d) Pseudostratified

Q2. Which nerve carries parasympathetic fibers to lacrimal gland?

- a) Facial nerve
- b) Trigeminal nerve
- c) Oculomotor nerve
- d) Glossopharyngeal nerve

Q3. Most important stabilizer of shoulder joint:

- a) Deltoid
- b) Rotator cuff
- c) Glenoid labrum
- d) Coracoacromial ligament

Q4. During lumbar puncture, what is the sequence in which ligaments are pierced from outer to inner side?

- a) Ligamentum flavum, Interspinous ligament, Supraspinous ligament
- b) Interspinous ligament, Ligamentum flavum, Supraspinous ligament
- c) Supraspinous ligament, Ligamentum flavum, Interspinous ligament
- d) Supraspinous ligament, Interspinous ligament, Ligamentum flavum

Q5. Which one of the following structures passes superior to the right lung root hilum?

- a) The azygos vein
- b) The arch of the aorta
- c) The pulmonary ligament
- d) The internal thoracic artery

Q6. Which one is not a content of posterior mediastinum?


- a) Oesophagus
- b) Descending thoracic aorta
- c) Superior venacava
- d) Vagus nerve

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q7. Pterygopalatine ganglion is functionally related to which nerve?


- a) Oculomotor nerve
- b) Chorda tympani nerve
- c) Greater petrosal nerve
- d) Glossopharyngeal nerve

Q8. The arrow marked structure is which type of epiphysis?



- a) Pressure Epiphysis
- b) Traction Epiphysis
- c) Atavistic Epiphysis
- d) Aberrant Epiphysis

Q9. Identify the arrow marked structure?



- a) Descending aorta
- b) Superior vena cava
- c) Inferior vena cava
- d) Esophagus

Q10. Arrow marked structure is which type of fibres?





MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026



- a) Projection fibers
- b) Commissural fibers
- c) Association fibers
- d) None

Q11. A surgeon was operating in axillary region. When he removed skin and fascia and retracted muscles, then he observed the muscle pectoralis minor. He removed axillary lymph nodes located below and lateral to the muscle pectoralis minor. The lymph nodes removed are of which level ?

- a) Level I
- b) Level II
- c) Level III
- d) Level IV

Q12. Occlusion of 2nd part of axillary artery was found, but on examination it was observed that ischemia has not occurred in the upper limb. The blood flow to the upper limb is maintained by anastomosis of arteries around scapula. These arteries are all Except:

- a) Transverse cervical artery
- b) Suprascapular artery
- c) Subscapular artery
- d) Lateral thoracic artery

Q13. Thoracic duct drains where ?

- a) Junction of Left Internal jugular vein & Left Brachiocephalic vein
- b) Junction of Left Internal jugular vein & Left Subclavian vein
- c) Junction of Left subclavian vein & Left Brachiocephalic vein
- d) Junction of Right Brachiocephalic vein & Left Brachiocephalic vein

Q14. Inferior surface of the heart of formed by?

- a) Both atrium
- b) Both ventricles




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- c) Left ventricle
- d) Right atrium + Right ventricle

Q15. Identify the arrow marked structure :




- a) Eustachian tube opening
- b) Frontal sinus
- c) Sphenoid sinus
- d) Superior meatus of nasal cavity

Q16. A man suffered an injury on head and after this the blood collected around the eyes. Which structure attachment causes this condition?

- a) Periosteum
- b) Aponeurosis attachment
- c) Cellulitis
- d) Neuroblastoma

Q17. Which nerve passes through the marked foramen in the given image?



- a) Lingual nerve
- b) Mandibular nerve
- c) Chorda tympani nerve
- d) Inferior alveolar nerve



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q18. Which of the following statements regarding sleep physiology is correct?

- a) REM sleep is dominated by slow delta waves.
- b) REM sleep is associated with rapid eye movements and muscle atonia.
- c) NREM stage 3 is the lightest stage of sleep.
- d) Alpha waves are mainly seen in deep sleep.

Q19. A person hiking on mountain has increased rate and depth of respiration. Which of the following is the most probable reason for high altitude hypoxia?

- a) More P_{CO_2} in the air in high altitude
- b) Less PO_2 in the air in high altitude
- c) Due to cold environment, difficulty in expanding the chest
- d) High barometric pressure on high altitude

Q20. A 22-year-old male student from Chennai goes to Leh with his friends after finishing his exams. He has no major illness, but he has been sleeping poorly due to late-night revision and excessive coffee intake. On the first day, he walks uphill for sightseeing, takes photographs, eats local food, and later complains of headache, dizziness, breathlessness, tingling around the lips, and difficulty sleeping. His oxygen saturation is low. ABG shows decreased PaO_2 , decreased $PaCO_2$, and increased pH.

What is the initial acid-base disturbance?

- a) Acidosis
- b) Alkalosis
- c) Hypercapnia
- d) Hypoventilation

Q21. A 35-year-old woman who works as a school teacher complains of drooping eyelids for several months. She feels better in the morning but becomes tired by evening after teaching classes. Her husband says she has difficulty chewing dinner, but breakfast is easier. She also has double vision while reading mobile messages at night. Examination shows worsening ptosis after sustained upward gaze.

Which receptor site is affected?

- a) Presynaptic
- b) Postsynaptic
- c) Muscarinic
- d) Adrenergic

Q22. A 58-year-old chronic smoker presents with difficulty rising from a chair. He says his legs feel weak initially, but after walking a short distance, his strength improves slightly. He also complains of dry mouth and weight loss. Chest imaging reveals a hilar mass suspicious for small cell carcinoma of lung. Reflexes are reduced initially but improve after repeated contraction.

Which site is affected?

- a) Presynaptic
- b) Postsynaptic



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- c) Muscarinic
- d) Cortical

Q23. A 60-year-old retired bank employee had a stroke while reading the newspaper after breakfast. Initially, he had right-sided weakness. After a few weeks, his son notices that the affected arm and leg have become stiff. Dressing him has become difficult. Examination shows increased tone, exaggerated deep tendon reflexes, ankle clonus, and extensor plantar response.

Which finding is expected?

- a) Spasticity
- b) Areflexia
- c) Fasciculation
- d) Hypotonia

Q24. A 68-year-old man is brought by his daughter because he has become slow in daily activities. His handwriting has become small, he takes a long time to button his shirt, and he walks with short shuffling steps. The doctor notices a pill-rolling tremor while his hand is resting on his lap. The tremor decreases when he reaches for an object.

Which neurotransmitter is deficient?

- a) Dopamine
- b) Serotonin
- c) Glycine
- d) Histamine

Q25. A 42-year-old man says he feels as if he is drunk even when he has not consumed alcohol. His wife says he spills tea while drinking and cannot touch objects accurately. On examination, he has a broad-based gait. During the finger-nose test, he overshoots the target. He also has intention tremor and difficulty performing rapid alternating movements.

Which abnormality is present?

- a) Ataxia
- b) Spasticity
- c) Anesthesia
- d) Paralysis

Q26. A 45-year-old man undergoes a routine health check-up for workplace insurance. He has no major symptoms except mild fatigue after office work. His blood pressure and physical examination are normal. ECG shows a PR interval of 0.24 seconds. Every P wave is followed by a QRS complex, and the rhythm is regular.

How is the PR interval?

- a) Prolonged
- b) Shortened
- c) Absent



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

d) Normal

Q27. A 40-year-old man is brought after a chest injury. He is pale, anxious, and hypotensive. Heart sounds are muffled, and jugular venous pressure is raised. Relatives are shouting outside the emergency room while the resident orders urgent echocardiography. Echo shows fluid in the pericardial cavity compressing the heart.

Which cardiac process is impaired?

- a) Filling
- b) Emptying
- c) Automaticity
- d) Repolarization

Q28. A 32-year-old man is found unconscious in a closed room where a coal heater was burning overnight. His wife says he had headache and nausea before sleeping. In the emergency department, he is confused. His lips appear pinkish, and pulse oximetry appears misleadingly normal. ABG shows normal PaO_2 , but oxygen content is reduced.

Which property is reduced?

- a) Oxygen carrying capacity of blood
- b) Diffusion of respiratory gases
- c) Ventilation
- d) Perfusion

Q29. A 55-year-old obese woman undergoes abdominal surgery and remains immobilized for several days. On the fifth postoperative day, she suddenly develops breathlessness, chest pain, anxiety, and low oxygen saturation. The resident suspects pulmonary embolism from a deep vein thrombus. A branch of the pulmonary artery is blocked, but ventilation to those alveoli continues.

Which condition is produced?

- a) Deadspace
- b) Shunt
- c) Fibrosis
- d) Edema

Q30. A 19-year-old student with type 1 diabetes misses insulin for 2 days while preparing for exams. He develops vomiting, abdominal pain, excessive thirst, frequent urination, dehydration, fruity breath, and deep rapid breathing. ABG shows low pH, low bicarbonate, and low PaCO_2 .

What is the primary disturbance?

- a) Acidosis
- b) Alkalosis
- c) Hypoxia
- d) Hypercapnia



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q31. A 52-year-old man with uncontrolled hypertension is evaluated because his blood pressure remains high despite multiple medicines. He has a history of smoking and hyperlipidemia. An abdominal bruit is heard. Doppler study shows renal artery narrowing. Plasma renin activity is increased, and RAAS activation is suspected.

Which arteriole is preferentially constricted?

- a) Efferent
- b) Afferent
- c) Venous
- d) Ureteric

Q32. A 38-year-old woman undergoes total thyroidectomy for multinodular goiter. The next day, she complains of tingling around the mouth and numbness in her fingers. Later, she develops painful carpopedal spasm. Tapping over the facial nerve causes twitching of facial muscles. The surgeon suspects accidental damage to the parathyroid glands.

What happens to neuromuscular excitability?

- a) Increased
- b) Decreased
- c) Normal
- d) Absent

Q33. A 21-year-old man with type 1 diabetes is admitted with diabetic ketoacidosis. He is dehydrated, drowsy, and breathing deeply. His serum potassium before treatment is 5.8 mEq/L. A junior doctor wonders why potassium is high even though the patient has been passing large amounts of urine. The senior explains that total body potassium is depleted despite high serum potassium.

Which potassium shift occurs initially?

- a) Outward
- b) Inward
- c) Fecal
- d) Biliary

Q34. A 24-year-old woman with regular 28-day cycles asks about her fertile period. She says menstruation lasts 4–5 days and she sometimes has mild lower abdominal pain around the middle of the cycle. She has no thyroid disorder and is not taking hormonal pills. The doctor explains the hormonal event responsible for ovulation around day 14.

Which hormone triggers ovulation?

- a) LH
- b) FSH
- c) TSH
- d) ACTH

Q35. During the Separation of subcellular organelles LDH is primarily present in :



MIST- MEDICAL INSTITUTE FOR SCREENING TEST


MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- a) Mitochondria
- b) Nucleus
- c) Cytoplasm
- d) Golgi complexes

Q36. A patient presents with orange-colored tonsils. Laboratory investigations reveal triglyceride level of 140 mg/dL and HDL cholesterol of 5 mg/dL. What is the most likely diagnosis ?

- a) Familial hypercholesterolemia
- b) Tangier disease
- c) Type 1 hyperlipoproteinemia
- d) Abetalipoproteinemia

Q37. Following is not seen in:



- a) Niemann Pick's disease
- b) Gaucher's disease
- c) Tay Sach's disease
- d) Krabbe's disease

Q38. A frameshift mutation occurs due to the insertion of a new nucleotide at the 4th position of an mRNA sequence with 900 nucleotides. What is the most likely outcome of this mutation ?

- a) No change in the final protein
- b) Partial protein production
- c) Complete change in protein production
- d) No change due to RNA editing

Q39. Ammonia is released during the breakdown of amino acids in early phases of starvation in skeletal muscle. In order to counter hyperammonemia body's response is predominantly concerned with conversion of ammonia primarily to :

- a) Alanine
- b) Glycine
- c) Glutamine

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

d) Aspartate

Q40. A 42 year old currently working as CEO in a MNC mostly leading a sedentary life style presents to the Medicine OPD with recent development of palmoplantar pigmentation. X-Ray spine showed calcification of intervertebral discs. There is no history of difficulty in bending forward or any associated pain. Intern on duty gets confused and calls PGT who suggests in doing a Benedict's test with urine sample rather than referring the case to Dermatology OPD and eventually the test becomes positive. Most probable diagnosis is:



- a) Phenylketonuria
- b) Alkaptonuria
- c) Tyrosinemia type II
- d) Acral Melanosis

Q41. In a patient with uncontrolled T2DM there is high chance of snowflake cataract primarily due to accumulation of :


- a) Glucose
- b) Galactose
- c) Sugar amines
- d) Sugar alcohols

Q42. A 35 years old male returns back to India from China. On immigration he was found to have slightly elevated temperature. One of the following screening tests was used for this?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026



- a) CBNAAT
- b) D- Dimer
- c) Real time RT-PCR
- d) CRP

Q43. Exercise induced myoglobinuria with second wind phenomenon is a classical finding in:

- a) Von Gierke's disease
- b) Pompe's disease
- c) McArdle's disease
- d) Andersen's disease

Q44. A neonate few days after birth suddenly becomes lethargic and starts refusing breast feeding and vomits during forced breast feeding. However, accepts the glucose-water. Mother states that the baby had developed diarrhoea on the 3rd day. Clinical examination reveals that the infant has developed pot belly due to hepatomegaly. Urine Benedict test is positive for presence of reducing sugar. Which of the following is most likely diagnosis?





MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- a) Essential Fructosuria
- b) Von Gierke's disease
- c) Galactosemia
- d) Essential pentosuria

Q45. Regarding HMP shunt all of the following are true except :

- a) Occurs in cytoplasm and occurs as an alternate of glycolysis
- b) No ATP is produced and pathway is diverted towards formation of reduced glutathione
- c) Active in RBC, gonads, liver
- d) Oxidative phase generates NADPH and the non-oxidative phase generates lactate

Q46. All of the following are part of Nitric Oxide Synthase except:

- a) FAD
- b) Hemoglobin
- c) Tetrahydrobiopterin
- d) Calmodulin

Q47. A patient presents with elevated total cholesterol, subcutaneous xanthomas, and a positive family history of similar findings. Triglyceride levels are normal (< 140 mg/dL). What is the most likely type of familial dyslipidemia ?

- a) Type I
- b) Type IIa
- c) Type IIb
- d) Type II

Q48. Choose the incorrect statement regarding Lesch-Nyhan Syndrome:

- a) Affects young boys
- b) Presents with gouty arthritis
- c) The enzyme defect enhances the reutilization of purine bases
- d) Bizarre behaviour of self-mutilation

Q49. Iron absorption through our GIT is stimulated by keeping the iron in its ferrous form. One of the following is playing a major role in increasing the absorption of iron by this mechanism:

- a) Vitamin A
- b) Vitamin C
- c) Vitamin D
- d) Vitamin E



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q50. A patient presents with anemia, positive Romberg sign, and other neurological findings suggestive of vitamin B12 deficiency. Which amino acid is likely to be deficient in this patient ?

- a) Cysteine
- b) Methionine
- c) Tyrosine
- d) Glutamate

Q51. A child presents with a history of fractures, multiple petechiae, perifollicular hemorrhages, and gum bleeding. Which of the following enzyme defects is involved?

- a) Lysyl oxidase
- b) Prolyl hydroxylase
- c) Tyrosinase
- d) Alkaline phosphatase

Q52. A 56-year-old woman presents with progressive fatigue, generalized bone pain, constipation, and recurrent episodes of kidney stones over the past year. She also reports muscle weakness and recent confusion. Laboratory investigations reveal markedly elevated serum calcium levels. CT imaging demonstrates diffuse calcium deposition in the lungs, kidneys, and gastric mucosa despite the absence of prior tissue injury in these organs. Histopathological examination confirms calcium deposition within otherwise normal tissues.

Which of the following conditions is the most likely underlying cause of the pathological process seen in this patient?

- a) Previous myocardial infarction with tissue necrosis
- b) Acute pancreatitis causing enzymatic fat destruction
- c) Primary hyperparathyroidism causing persistent hypercalcemia
- d) Chronic tuberculosis with granuloma formation

Q53. A 6-year-old boy is brought to the pediatric clinic because of recurrent episodes of fever, skin infections, and pneumonia since early childhood. On physical examination, the child has pale skin, silvery-gray hair, and light-colored irides. Multiple healed scars from previous bacterial skin infections are present over the extremities. Neurological examination reveals peripheral neuropathy and mild ataxia. Peripheral blood smear shows giant azurophilic granules within neutrophils and other granulocytes. Genetic testing identifies a mutation affecting lysosomal trafficking and phagolysosome formation.

The physician explains that the patient's recurrent pyogenic infections are due to defective intracellular killing caused by impaired fusion of lysosomes with phagosomes in neutrophils.

Which of the following is the most likely diagnosis in this patient?

- a) Chronic granulomatous disease
- b) Leukocyte adhesion deficiency
- c) Chediak–Higashi syndrome
- d) Wiskott–Aldrich syndrome



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q54. A 12-year-old boy is brought to the dermatology clinic with intense itching, dry skin, and recurrent erythematous lesions over the flexural surfaces of his elbows and knees. His mother reports that the symptoms worsen during seasonal changes and after exposure to dust. The child also has a history of allergic rhinitis and asthma. Laboratory investigations reveal elevated serum IgE levels and peripheral eosinophilia. Skin-prick testing shows immediate wheal-and-flare reactions to common environmental allergens.

Which type of hypersensitivity reaction is primarily responsible for the pathogenesis of this patient's condition?

- a) Type I hypersensitivity
- b) Type II hypersensitivity
- c) Type III hypersensitivity
- d) Type IV hypersensitivity

Q55. What is the most Radio-resistant phase of cell cycle?

- a) G1
- b) G1-S
- c) G2
- d) G2-M

Q56. A 5-year-old boy is evaluated for severe developmental delay and absent speech. His parents report frequent episodes of inappropriate laughter and an unusually happy demeanor. On examination, he has microcephaly, a wide-based ataxic gait with jerky movements, prognathism, and recurrent seizures. Genetic analysis reveals a deletion involving the maternal allele of chromosome 15q.

Which of the following is the most likely diagnosis and underlying genetic abnormality in this patient?

- a) Prader-Willi syndrome; paternal deletion due to maternal imprinting
- b) Angelman syndrome; maternal deletion due to paternal imprinting
- c) Fragile X syndrome; CGG trinucleotide repeat expansion
- d) Cri-du-chat syndrome; deletion of the short arm of chromosome 5

Q57. A 19-year-old man with a known history of Sickle cell disease presents to the emergency department with severe pain in his chest and lower limbs after returning from a high-altitude trekking trip. He reports that similar painful crises are often triggered by dehydration and strenuous exercise. Laboratory studies reveal hemolytic anemia and sickled erythrocytes on peripheral smear.

The physician explains that several physiological conditions promote polymerization of HbS and increase red cell sickling.

Which of the following factors is LEAST likely to promote sickling in this patient?

- a) Hypoxia
- b) Dehydration
- c) Acidosis
- d) Increased oxygen tension



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q58. A 46-year-old man with a long history of chronic alcohol use presents with progressive fatigue, weakness, and exertional dyspnea. He also complains of numbness and tingling in his feet. Physical examination reveals pallor and mild hepatomegaly. Laboratory investigations show:

Hemoglobin: 8.8 g/dL

MCV: 72 fL

Peripheral smear: dimorphic red cell population with hypochromic microcytic cells

Bone marrow examination demonstrates ring sideroblasts surrounding the nucleus of erythroid precursors on Prussian blue staining.

Which of the following combinations of laboratory findings is most consistent with this condition?

- a) ↓ Ferritin, ↑ TIBC, ↓ Transferrin saturation
- b) ↑ Ferritin, ↓ TIBC, ↑ Transferrin saturation
- c) ↓ Ferritin, ↓ TIBC, ↓ Transferrin saturation
- d) ↑ Ferritin, ↑ TIBC, ↓ Transferrin saturation

Q59. A 3-year-old boy with a known history of Down syndrome is brought to the pediatric clinic with fever, pallor, easy bruising, and progressive lethargy. Physical examination reveals petechiae, hepatosplenomegaly, and generalized weakness. Laboratory investigations show anemia, thrombocytopenia, and circulating blast cells in the peripheral blood. Bone marrow examination confirms a subtype of acute myeloid leukemia commonly associated with children who have Down syndrome.

Which of the following AML subtypes is most strongly associated with Down syndrome?

- a) Acute promyelocytic leukemia (M3)
- b) Acute megakaryoblastic leukemia (M7)
- c) Acute monocytic leukemia (M5)
- d) Acute erythroid leukemia (M6)

Q60. What is the most common type of translocation associated with Burkitt's lymphoma?

- a) t(8:22)
- b) t(8:14)
- c) t(14:8)
- d) t(11:14)

Q61. A 32-year-old woman is brought to the emergency department with high-grade fever, hypotension, and altered mental status following a complicated septic abortion. On examination, she has diffuse petechiae, ecchymoses, and bleeding from venipuncture sites. Laboratory investigations reveal thrombocytopenia, prolonged PT and aPTT, elevated D-dimer levels, and decreased fibrinogen concentration. Peripheral blood smear shows fragmented red blood cells (schistocytes).

The physician suspects DIC caused by widespread activation of the coagulation cascade leading to both thrombosis and bleeding.

Which of the following best explains the pathogenesis of this condition?

- a) Isolated deficiency of factor VIII leading to impaired coagulation
- b) Autoimmune destruction of circulating platelets



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- c) Widespread activation of coagulation with consumption of platelets and clotting factors
- d) Defective platelet adhesion due to glycoprotein Ib deficiency

Q62. A 56-year-old woman presents with progressive headaches and occasional episodes of blurred vision for the past several months. Neurological examination is unremarkable except for mild papilledema. MRI of the brain reveals a well-circumscribed extra-axial mass attached to the dura over the parasagittal region. Surgical excision is performed. Histopathological examination demonstrates whorled clusters of meningothelial cells along with multiple concentric laminated calcified structures. Serum calcium levels are within normal limits.

The pathologist explains that the calcified structures seen in this tumor are due to calcium deposition occurring in degenerated tissue despite normal serum calcium concentration.

Which of the following best describes the type of calcification occurring in this patient's tumor?

- a) Metastatic calcification due to hypercalcemia
- b) Dystrophic calcification occurring in damaged tissue
- c) Calcification secondary to hyperparathyroidism
- d) Deposition of urate crystals within viable tissue

Q63. A 58-year-old male presents with severe retrosternal chest pain radiating to the left arm for 2 hours. ECG shows ST elevation. Which of the following is the earliest biochemical marker to rise in myocardial infarction?

- a) CK-MB
- b) Troponin I
- c) Myoglobin
- d) LDH

Q64. A 30-year-old Asian female presents to the vascular clinic complaining of easy fatigability of her arms while hanging laundry and occasional "dizziness" when she turns her head. On physical examination, the physician notes that the radial pulse is nearly absent on the right side and significantly weakened on the left.

Blood Pressure (Left Arm): 150/90 mmHg. Blood Pressure (Right Arm): 100/70 mmHg. Bruit: A systolic bruit is heard over the left subclavian artery. Imaging (MRA): Reveals granulomatous thickening and narrowing of the aortic arch and its major branches. What is the most likely diagnosis?

- a) Giant Cell Arteritis (Temporal Arteritis)
- b) Takayasu Arteritis
- c) Polyarteritis Nodosa (PAN)
- d) Thromboangiitis Obliterans (Buerger's Disease)

Q65. A patient with chronic obstructive pulmonary disease is prescribed tiotropium. Due to its anticholinergic effects, caution is advised in certain comorbid conditions. In which of the following conditions is this drug contraindicated?

- a) Asthma



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- b) Hypertension
- c) Peptic ulcer disease
- d) Urinary retention

Q66. A patient with acute decompensated heart failure is treated with nesiritide, a recombinant BNP analog. It produces vasodilation and natriuresis. Which of the following statements regarding this drug is incorrect?

- a) Causes natriuresis
- b) Used in acute heart failure
- c) Given orally
- d) Acts as BNP analogue

Q67. A patient is prescribed imipenem for a severe infection. It is co-administered with cilastatin to prevent its degradation in the kidneys. Which of the following mechanisms explains this combination?

- a) Beta-lactamase inhibition
- b) Increased absorption
- c) Synergistic antimicrobial effect
- d) Inhibition of renal dehydropeptidase

Q68. A patient on allopurinol therapy for gout requires dose adjustment of another drug due to interaction. Allopurinol inhibits xanthine oxidase, affecting metabolism of certain drugs. Which of the following requires dose reduction?

- a) Cyclophosphamide
- b) 5-Fluorouracil
- c) Cimetidine
- d) 6-Mercaptopurine

Q69. A female patient on long-term antiepileptic therapy presents with gingival hyperplasia and hirsutism. On examination, there is marked gum overgrowth. Which of the following drugs is most likely responsible for these adverse effects?

- a) Carbamazepine
- b) Valproate
- c) Ethosuximide
- d) Phenytoin

Q70. A patient undergoes jejunal resection and develops malabsorption with chronic diarrhea. A drug is prescribed that promotes intestinal mucosal growth and enhances nutrient absorption. Which of the following is most appropriate?

- a) Semaglutide
- b) Exenatide



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- c) Liraglutide
- d) Teduglutide

Q71. A pregnant woman in her first trimester presents with fever and is diagnosed with *Plasmodium vivax* malaria. Considering fetal safety, which of the following drugs is the most appropriate treatment?

- a) Artemisinin-based therapy
- b) Doxycycline
- c) Chloroquine
- d) Primaquine

Q72. A patient presents with CNS depression and metabolic acidosis following drug overdose. Sodium bicarbonate is administered as part of management. Which of the following drugs is most likely responsible?

- a) Morphine
- b) Amphetamine
- c) Phenobarbitone
- d) Opioids

Q73. A patient with benign prostatic hyperplasia is prescribed a drug that reduces prostate size by blocking conversion of testosterone to dihydrotestosterone. Which enzyme is inhibited by this drug?

- a) Alpha receptor
- b) Beta receptor
- c) Androgen receptor
- d) 5-alpha reductase

Q74. A patient on lithium therapy develops polyuria and polydipsia. Nephrogenic diabetes insipidus is diagnosed. A drug is prescribed that reduces lithium entry into renal tubular cells. Which of the following is most appropriate?

- a) Vasopressin
- b) Diclofenac
- c) Indapamide
- d) Amiloride

Q75. A patient presents with digoxin toxicity characterized by arrhythmias and visual disturbances. Immediate treatment is required to neutralize circulating drug. Which of the following is most effective?

- a) Atropine
- b) Cardioversion
- c) Hemodialysis
- d) Digoxin-specific antibody fragments



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q76. A drug's maintenance dose is calculated to maintain steady-state plasma concentration. It depends on the rate of drug elimination from the body. Which pharmacokinetic parameter is most important?

- a) Volume of distribution
- b) Bioavailability
- c) Clearance
- d) Loading dose

Q77. A patient with arrhythmia is treated with a beta-blocker that reduces heart rate and AV conduction. According to Vaughan Williams classification, which of the following is the correct classification?

- a) Quinidine – Class IB
- b) Amiodarone – Class IV
- c) Lidocaine – Class IA
- d) Esmolol – Class II

Q78. 29 year male presented with condyloma lata and palmoplantar lesions. Clinical diagnosis, tests for screening, confirmation and prognosis after treatment?

- a) Primary syphilis, TPHA, TPI, RPR
- b) Secondary syphilis, VDRL, TPHA, VDRL
- c) Tertiary syphilis, RPR, FTA-ABS, RPR
- d) Latent syphilis, DFA, TPI, RPR

Q79. 32 year female with fever, weakness, tachycardia and hypotension was found to have the following. Which criteria can be used for diagnosis ?



- a) Jones criteria
- b) Dukes criteria
- c) Ransons criteria
- d) Mantrel criteria

Q80. New coronavirus pandemic started in 2030 on earth was being studied by a human colony on Mars for quarantine of space travellers. Reason for evolution of this pandemic is?

- a) Zoonotic transmission
- b) Antigenic drift
- c) Antigenic shift
- d) Amphixenotic transmission



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q81. 32 year female with saddleback fever, rash, retro-orbital pain after Aedes bite. Diagnosis, treatment, vaccine?

- a) Chikungunya, no treatment, no vaccine
- b) Dengue, no treatment, Dengvaxia
- c) Zika, no treatment, no vaccine
- d) Yellow fever, no treatment, 17D

Q82. 58 year old farmer sustained blunt trauma eye from mouldy plant matter and developed the following condition. Diagnosis, most common etiology, topical treatment :



- a) Oculomycosis, Aspergillus, voriconazole
- b) Dendritic ulcer, Herpes simplex, acyclovir
- c) Trachoma, Chlamydia, azithromycin
- d) Bacterial keratitis, Staph aureus, Vancomycin

Q83. 68 year old patient with diabetic foot. Culture revealed Pseudomonas. Which method can be used for antimicrobial susceptibility testing?

- a) Chick Martin test
- b) Neil Mooser test
- c) ONPG test
- d) Kirby Bauer test

Q84. 33 year old with rice water stools 15 episodes daily for past 24 hours with vomiting after drinking water from a tubewell. Examination revealed dehydration. Which is the first test to be done to diagnose?

- a) Complete blood count
- b) Stool routine examination
- c) Hanging drop preparation
- d) Arterial blood gas

Q85. 45-year-old chronic alcoholic developed high fever, breathlessness and dyspnoea on exertion. Chest X ray revealed consolidation in right lower zone. Most common cause, type of hemolysis on blood agar and capsule status?

- a) Staph aureus, β hemolysis, uncapsulated
- b) Mycoplasma pneumoniae, no hemolysis, uncapsulated
- c) Strep pneumoniae, α hemolysis, capsulated



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

d) *Klebsiella pneumoniae*, β hemolysis, capsulated

Q86. 41 year old presenting with persistent transaminasemia and hyperbilirubinemia, was treated for 3 months with sofosbuvir + ledipasvir. Diagnosis?

- a) Hepatitis E
- b) Hepatitis B
- c) Hepatitis C
- d) Hepatitis D

Q87. The following type of test represents :

BLOOD TYPE	ANTI-A	ANTI-B	ANTI-D	CONTROL
O-POSITIVE				
O-NEGATIVE				
A-POSITIVE				
A-NEGATIVE				
B-POSITIVE				
B-NEGATIVE				
AB-POSITIVE				
AB-NEGATIVE				
INVALID				

- a) Precipitation for ABO and Rh system
- b) Agglutination for ABO and Rh system
- c) Neutralization for Bombay blood group
- d) Opsonization with blood group antibodies

Q88. 45 year old with disseminated TB and millet like dots in lungs, liver and spleen. Diagnosis, liquid culture media?

- a) Extrapulmonary TB, LJ medium
- b) Miliary TB, Middlebrook 7H9 medium
- c) Potts spine, Pawlowsky media
- d) Latent TB, LSS media

Q89. An 18 year old obese diabetic female with atrophic rhinitis, insomnia and merciful anosmia. Etiology and treatment?

- a) *Klebsiella rhinoscleromatis*, cautery
- b) *Aspergillus*, FESS
- c) *Klebsiella ozaenae*, Young's operation
- d) *Rhinosporidium*, turbinectomy



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q90. Match the following:

E. coli	Disease	Toxin
W. ETEC	1. Infantile diarrhea	E. Verotoxin
X. EPEC	2. Bloody diarrhea	F. No toxin
Y. EHEC	3. Travelers diarrhea	G EAST-1 enterotoxin.
Z. EAEC	4. Persistent diarrhea	H. Labile toxin

- a) W4E, X3F, Y2G, Z1H
- b) W2G, X3H, Y4E, Z1F
- c) W3H, X1F, Y2E, Z4G
- d) W1E, X4F, Y3G, Z2H

Q91. A virgin female is raped. During her medical examination the doctor notice hymen tear. Which segment of hymen is expected to have tear?

- a) 3 o'clock position
- b) 12 o'clock position
- c) 5 o'clock position
- d) 9 o'clock position

Q92. A sample is collected from a crime site. The smear of the sample is mixed with certain reagent and upon microscopic examination pink, feathery crystals are seen. What is the correct combination?

- a) Takayama test-blood
- b) Barberio's test- semen
- c) Tiechman's test-blood
- d) Florance test- semen

Q93. A fetus is born dead. Upon performing hydrostatic test on his lungs during autopsy, the lung pieces are seen floating. The flotation is due to?

- a) Residual air after live birth
- b) Putrefactive air in lungs
- c) Tidal volume in airways
- d) Atelectasis

Q94. A forensic teacher tells his residents that upon biting of one kind of snake the symptom resembles that of crush syndrome. Which is that snake?

- a) Cobra
- b) Krait
- c) Sea snake
- d) Russel's viper



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- Q95. A dead body has come for postmortem examination in a suspected case of poisoning. The given image is showing the present picture of dead body. Most likely poisoning is?
- Arsenic
 - Mercury
 - Carbon monoxide
 - Hydrogen sulphide
- Q96. A worker of a paint factory has abdominal pain, and loss of muscle power. The doctor suspects chronic lead poisoning. His blood and urine sample are sent for examinations. What finding will be seen in this case?
- Envelope shaped crystals in urine
 - Target cells in blood smear
 - Green color urine
 - Basophilic stippling in peripheral smear
- Q97. A young male is brought to the emergency with alleged history of substance abuse. He is unconscious, slow labored breathing and decreased heart rate. His pupils are pin point. The substance responsible for his condition is?
- Amphetamines
 - Cocaine
 - Heroin
 - Theophylline
- Q98. In a patient of chronic mercury poisoning all are expected to be seen except?
- Acrodynia
 - Hatter shakes
 - Colitis
 - Black foot disease
- Q99. A patient was brought in the medical emergency with drooling, leaking of urine and feces in clothes and difficulty in respiration. He is a labour in an agricultural field and he was working in the field when he developed symptoms. What immediate treatment is needed by him?
- Naloxone
 - Salbutamol
 - Atropine
 - Physostigmine
- Q100. A 27-year-old male presented in an emergency in view of a cyanide gas leak in a factory. You examined the patient and asked the staff for a cyanide kit. Which of the following is not part of this kit?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- a) Amyl nitrite
- b) Ammonium nitrate
- c) Sodium nitrate
- d) Sodium thiosulphate

Q101. In a study measuring mean systolic BP in adults, a sample of 400 gives a mean of 130 mmHg with SD = 20. Calculate standard error of mean:

- a) 1
- b) 3
- c) 0.05
- d) 0.3

Q102. In a cohort study after intake of suspected food item:

- Among exposed (ate food): 100 people, 40 developed illness
- Among non-exposed (not taken food) : 200 people, 20 developed illness

What is the risk ratio?

- a) 2.0
- b) 3.0
- c) 4.0
- d) 6.0

Q103. In a small industrial town, observed deaths in a year are 120.

Expected deaths based on standard population age-specific rates are 100.

What is the SMR?

- a) 80
- b) 100
- c) 120
- d) 200

Q104. A screening test for a cancer has:

- Sensitivity = 80%
- Specificity = 80%
- Disease prevalence in population = 20%

What is the Positive Predictive Value (PPV) approximately?

- a) 80%
- b) 50%
- c) 20%
- d) 4%

Q105. As per UIP, first prophylactic dose of vitamin A to a baby:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- a) 50,000 IU
- b) 1,00,000 IU
- c) 1,50,000IU
- d) 2,00,000IU

Q106. For a 20-kg child with Category III bite with multiple wounds, doctor decided to give both vaccine and immunoglobulins after proper wound care, correct about human- immunoglobulin dose:



- a) 400 IU I/M at deltoid
- b) 400 IU local at each wound site
- c) 800 IU I/M at deltoid
- d) 800 IU local at each wound site

Q107. A PHC covers a population of 50,000. According to NVBDCP, what is the minimum number of blood slides that should be examined annually to meet ABER standards?

- a) 1,000
- b) 2,000
- c) 5,000
- d) 10,000

Q108. Calculate GFR for given condition:

Total population: 1,00,000

Reproductive female population: 20,000

Total birth: 1050

Still birth: 50

- a) 10
- b) 10.5
- c) 50
- d) 52.5

Q109. Study started in 2020 on 10000 individuals, it was noted after 5 years that out of 5000 obese individuals 50 developed hypertension, while hypertension was seen in only 10 out of 5000 normal individuals. Observation of this study:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- A. Case control study – OR- 5
- B. Prospective cohort RR- 5
- C. Retrospective cohort -RR- 5
- D. ATTRIBUTABLE risk- 80%
- E. Population attributable risk – 80 %

Correct statement is:

- a) A,D
- b) B,D,E
- c) C,D,E
- d) B,D

Q110. Study among 25,000 population in a city; 100 were identified as hepatitis b positive, correct about this study:

- a) Cohort study, Incidence: 4/1000
- b) Cross sectional study, Incidence: 4/1000
- c) Cohort study, prevalence: 4/1000
- d) Cross sectional study, prevalence: 4/1000

Q111. A chest physician observed the distribution of forced expiratory volume (FEV) in 200 COPD patients and calculated a median value of 2.0 litres. The value at 1st and 3rd quartile was 1.5 and 3.0 litres respectively. Based on this data how many patients are expected to have FEV between 1.5 to 3.0 litres:

- a) 25
- b) 50
- c) 75
- d) 100

Q112. Score obtained by medical students in a quiz are: (5,3,5,8,7,8,3,11,6,3), identify data distribution pattern:

- a) Positive skewed
- b) Negative skewed
- c) Normal deviation
- d) No comment

Q113. In a NCD clinic of a primary health centre, random blood sugar was measured and values obtained as; (85,93,104,108,105,120,129,202,160,410,400), calculate most appropriate measure of central tendency for given data:

- a) Mean=120
- b) Median=120
- c) Mean=174.1
- d) Median=174.1



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q114. Country with population of 10,000; reported live births in last year 180 and deaths 60, calculate CBR, CDR per 1000 population:

- a) 18/6
- b) 6/18
- c) 180/60
- d) 60/180

Q115. A lady has given birth to 3 live female children but 2 died within 5 years of birth due to some medical illness. calculated by above statement is:

- a) TFR- 3, GRR- 1, NRR-1
- b) TFR - 3, NRR-0, GRR-0
- c) TFR-3, GRR-2, NRR-0
- d) TFR-3, GRR-3, NRR-1

Q116. Calculate growth rate of country with CBR as 19.5, and CDR as 7.5:

- a) 12/1000
- b) 1.2/1000
- c) 12.0%
- d) 1.2%

Q117. Calculate sex ratio for population where ratio of girls to boys at birth is 60: 40:

- a) 500
- b) 1000
- c) >1000
- d) <1000

Q118. 200 women used a new contraceptive for 12 months and reported pregnancy are 4, calculate pearl index:

- a) 0.4
- b) 0.5
- c) 1.0
- d) 2.0

Q119. In a 4member family 2 are working and bearing all expenses of rest 2 which are non- working. Calculate dependency ratio of given family:

- a) 0.66
- b) 0.5
- c) 1.0
- d) 1.5



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q120. In population of 1,00,000; reported live births were 10,000, maternal death due to PPH-6, eclampsia-2, rupture uterus-1, snake bite-1, ruptured ectopic-1; calculate MMR:

- a) 10
- b) 100
- c) 11
- d) 110

Q121. Calculate number of total pregnancies in an area where expected live birth is about 60/1000 population:

- a) 60
- b) 66
- c) 300
- d) 330

Q122. In population of 50,000; reported total births are 2050, still births-50, early neonatal death- 50, late neonatal death- 20; calculate neonatal mortality rate:

- a) 24
- b) 25
- c) 34
- d) 35

Q123. Calculate relative risk in given cohort study:

	PCOS	No PCOS
Obese adolescent girls	10	90
Non obese adolescent girls	5	95

- a) 2.0
- b) 0.5
- c) 0.53
- d) 1.9

Q124. Calculate ODD ratio for given table:

	Accidents	No accidents
Rainny season	10	90
Non rainy season	6	94

- a) 0.57
- b) 1.59
- c) 1.66
- d) 1.74



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q125. Total population of 1000 was assessed for HIV infection. Disease prevalence calculated as 10%. A new ELISA screening test was applied on same group with sensitivity of 90% and specificity of 80%. calculate positive predictive value of the new screening test:

- a) 33%
- b) 50%
- c) 82%
- d) 90%

Q126. In normal distribution pattern median value is 200 with standard deviation of 10, calculate range of 95% population:

- a) 190-210
- b) 180-220
- c) 170-230
- d) 160-240

Q127. Calculate BMI for a girl with weight of 60kg and height 160 cm and comment on its obesity status:

- a) < 25 normal
- b) 25-30 over weight
- c) 30-35 obesity
- d) 35-40 severe obesity

Q128. In tribal area with population of 1000, wild animal bite cases reported were 75 in last year but due to prompt treatment only 5 died rest all were saved. calculate case fatality rate in this situation:

- a) 0.5%
- b) 5.0%
- c) 6.67%
- d) 7.5%

Q129. In a class of 50 children, 10 are completely vaccinated. On 1st DEC 2024, 1 child reported with chicken pox and between 15 -16th Dec 2024, 13 more children had chicken pox, calculate SAR of chicken pox:


- a) 13%
- b) 26%
- c) 32.5%
- d) 33.3%

Q130. Study was conducted to see association of obesity and exercise and result is given in image below. correct statement about correlation coefficient in this condition:



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026



- a) -0.5
- b) -1.0
- c) 0.0
- d) +1.0

Q131. In Infant Most Sensitive Audiometric Screening Is:

- a) Electrocochleography
- b) Bera
- c) Cortical Evoked Response
- d) Tympanometry

Q132. Alkaline Nasal Douching Solution Contains All The Following Except :

- a) Sodium Chloride
- b) Glucose
- c) Sodium Bicarbonate
- d) Sodium Biborate

Q133. CSF Rhinorrohea Is Diagnosed By :

- a) Beta 2 Microglobullin
- b) Beta 2 Transferrin
- c) Tyroglobulin
- d) Transthyretin

Q134. Wood workers are associated sinus malignancy :

- a) Squamous cell carcinoma
- b) Anaplastic ca
- c) Melanoma
- d) Adenocarcinoma

Q135. Which of the following is associated with objective tinnitus :

- a) Menieres disease
- b) Ear wax impaction
- c) Acoustic neuroma



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

d) Palatal myoclonus

Q136. Hitzelbergers sign is seen in :

- a) Cholesteatoma
- b) Bells palsy
- c) Vestibular schwannoma
- d) Mastoiditis

Q137. Dimension of tympanic membrane:

- a) 10mm tall, 9mm wide and 0.1mm thick
- b) 1mm tall, 9mm wide , 0.1mm thick
- c) 10 mm tall, 9mm wide,1mm thick
- d) 1mm tall, 9mm wide, 1mm thick

Q138. Frontal sinuses appear radiologically at age of :

- a) 2
- b) 4
- c) 12
- d) 6

Q139. Recruitment phenomenon is seen in :

- a) Asom
- b) Csom
- c) Traumatic perforation
- d) Endolymphatic hydrops


Q140. Labyrinthine artery is a branch of :

- a) Internal carotis artery
- b) Basilar artery
- c) Posterior cerebellar artery
- d) Anterior inferior cerebellar artery

Q141. Identify the lesion shown in the given image:



MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026



- a) Symblepharon
- b) Ankyloblepharon
- c) Entropion
- d) Distichiasis

Q142. A 40-year-old man presents with severe, constant, throbbing perianal pain, fever (38.5°C), and swelling lateral to the right side of the anus. There is fluctuance on the right. This is an ischiorectal abscess. What is the definitive treatment?

- a) IV antibiotics for 7 days — adequate for ischiorectal abscess
- b) Incision and drainage under anaesthesia — without searching for fistula-in-ano
- c) Incision and drainage under anaesthesia — if fistula found, seton insertion; do not lay open fistula at acute stage
- d) Ano-cutaneous flap repair immediately

Q143. A 35-year-old woman undergoes laparoscopic ventral mesh rectopexy for full-thickness rectal prolapse with faecal incontinence. 3 years post-operatively she returns with new-onset severe constipation, straining, and inability to defaecate without enemas. She has no recurrence on examination. MRI pelvis shows the mesh in correct position. Which of the following BEST explains this complication and its management?

- a) Mesh erosion into the rectum — immediate mesh removal
- b) Post-rectopexy constipation from kinking of the rectum at the mesh fixation point or autonomic nerve injury — managed with dietary modification, laxatives, biofeedback; rarely requires mesh removal
- c) Anastomotic stricture — endoscopic dilation
- d) Pudendal neuralgia from mesh contraction — pudendal nerve block

Q144. A 55-year-old postmenopausal woman presents with irregular vaginal bleeding and pelvic pain. Examination reveals a cervical growth. MRI pelvis shows extension of the tumor to the pelvic wall. CT scan demonstrates para-aortic lymph node metastasis and associated hydronephrosis due to ureteric obstruction. According to the 2018 FIGO staging system for carcinoma cervix, what is the most appropriate stage?

- a) Stage IIIB
- b) Stage IIIC1



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

- c) Stage IIIC2
- d) Stage IVA

Q145. A 52-year-old obese woman presents for counseling regarding risk factors for endometrial carcinoma. She attained menarche at age 11 years and has a history of prolonged tamoxifen therapy following treatment for breast cancer. She has four children delivered at term. Which of the following factors is least likely to increase her risk of endometrial carcinoma?

- a) Early menarche
- b) Multiparity
- c) Obesity
- d) Tamoxifen therapy

Q146. A 35-year-old woman, gravida 5 para 4, delivers twins vaginally. Thirty minutes later she develops massive postpartum hemorrhage. Examination reveals a soft, enlarged, boggy uterus. Uterine massage, oxytocin infusion, prostaglandins, and intrauterine balloon tamponade fail to control the bleeding. Emergency hysterectomy is planned. During surgery, the uterine vessels running through which ligament must be ligated to achieve hemostasis?

- a) Round ligament
- b) Uterosacral ligament
- c) Cardinal ligament
- d) Suspensory ligament of ovary

Q147. A 9-year-old child is diagnosed with nephrotic syndrome, with history of multiple episodes of intermittent proteinuria since the last 4-5 years; although most episodes showed good response to prednisolone. Since the last 2 episodes, there is history periorbital puffiness over the face and proteinuria (urine proteins +++) developing within a week of discontinuing his prednisolone treatment. What treatment option is now best suited for this child?

- a) Levamisole
- b) Cyclosporine
- c) Cyclophosphamide
- d) Tacrolimus

Q148. A one and a half year old child holding her father's hand suddenly slipped and fell but did not let go her father's hand. Immediately after the injury she started crying. At the time of presentation to the hospital, the Orthopaedician on call noticed decreased movements of the affected Elbow joint with forearm in an attitude of Pronation . What is the most appropriate management?

- a) Supinate the forearm
- b) Immediate X Ray followed by POP application
- c) Blood tests to rule out Acute Osteomyelitis
- d) Examination under GA



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

Q149. Characteristic feature of scales seen in given condition:



- a) Fish like
- b) Branny
- c) Collarette
- d) Yellow greasy

Q150. According to ASA what is the initial management for cardiac arrest:

- a) Secure airway
- b) Carotid pulse palpation
- c) IV adrenaline
- d) Cardiac compression

ANSWERS

1	b
2	a
3	b
4	d
5	a
6	c
7	c
8	c
9	a
10	b
11	a
12	d
13	b
14	b
15	c
16	b
17	d
18	b
19	b
20	b

21	b
22	a
23	a
24	a
25	a
26	a
27	a
28	a
29	a
30	a
31	a
32	a
33	a
34	a
35	c
36	b
37	d
38	c
39	a
40	b

41	d
42	c
43	c
44	c
45	d
46	b
47	b
48	c
49	b
50	b
51	b
52	c
53	c
54	a
55	b
56	b
57	d
58	b
59	b
60	b

61	c
62	b
63	c
64	b
65	d
66	c
67	d
68	d
69	d
70	d
71	c
72	c
73	d
74	d
75	d
76	c
77	d
78	b
79	b
80	c

81	b
82	a
83	d
84	c
85	c
86	c
87	b
88	b
89	c
90	c
91	c
92	a
93	b
94	c
95	c
96	d
97	c
98	d
99	c
100	b



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

MOCK TEST - 7 PAPER - 1 DATED ON 18th JUNE 2026

101	a
102	c
103	c
104	b
105	b
106	b
107	c
108	c
109	d
110	d

111	d
112	a
113	b
114	a
115	d
116	d
117	c
118	d
119	c
120	b

121	b
122	d
123	a
124	d
125	a
126	b
127	a
128	c
129	d
130	b

131	b
132	b
133	b
134	d
135	d
136	c
137	a
138	d
139	d
140	d

141	b
142	c
143	b
144	c
145	b
146	c
147	a
148	a
149	c
150	d

