



MIST- MEDICAL INSTITUTE FOR SCREENING TEST


OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

QUESTIONS

Q1. A patient is planned for cataract surgery. On slit lamp examination, corneal guttata are seen in both eyes. Which of the following investigation should be done prior to cataract surgery in this case?


- a) Optical coherence tomography
- b) Specular microscopy
- c) Pachymetry
- d) Perimetry

Q2. A young girl presents with a progressively growing painless swelling in the right eye as shown in the given image. What is the likely diagnosis in this case?



- a) Chalazion
- b) Orbital varices
- c) Dermoid cyst
- d) Orbital cellulitis

Q3. A 26 years old man has been using rigid gas permeable lenses to correct his refractive error. He underwent the procedure shown in the given image. What is the likely diagnosis in this case?



- a) Keratoconus
- b) Keratoglobus
- c) Complicated cataract
- d) Corneal dystrophy

Q4. The given instrument is used for which of the following procedures?



- a) Corneal scrapings



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- b) Schirmer's test
- c) Jone's dye test
- d) Syringing & Probing


Q5. Which of the following is not true about orbital cellulitis?

- a) Ethmoidal sinusitis is the most common source of infection.
- b) Intravenous antibiotics are the mainstay of the treatment.
- c) Patient presents with normal pupillary reaction and eye movements.
- d) Patient presents with painful proptosis and decreased vision.

Q6. A 46 years old lady presents in the emergency with headache and painful red eye. On examination, her right eye is stony hard to touch. There is noted shallow anterior chamber and a fixed oval pupil. What is the likely diagnosis in this case?


- a) Acute anterior uveitis
- b) Acute congestive glaucoma
- c) Optic neuritis
- d) Malignant glaucoma

Q7. A young boy presents with decreased vision and the following fundus findings with abnormal electro-oculogram?



- a) Best Disease
- b) Choroidal neovascular membrane
- c) Stargardt's disease
- d) Central serous retinopathy

Q8. On fundus examination with indirect ophthalmoscope, posterior staphyloma is seen in both eyes of a patient. What is the diagnosis in this case?



- a) Keratoconus
- b) Pathological myopia
- c) Posterior uveitis
- d) Hypermetropia


Q9. A patient presents with miosis and mild ptosis. On examination, pupil reacts to light or near reflex, but is slow to dilate in the dark. What is the likely site of lesion in this condition?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- a) Cervical sympathetic chain
- b) Pons
- c) Midbrain
- d) Ciliary ganglion

Q10. The procedure shown in the given image is done in which of the following conditions?



- a) Primary open angle glaucoma
- b) Posterior capsular opacification
- c) Angle closure glaucoma
- d) Pseudoexfoliation glaucoma

Q11. Mutton fat keratic precipitates are seen on:

- a) Corneal endothelium
- b) Corneal epithelium
- c) Iris
- d) Choroid

Q12. Which of the following is not a feature of pigmentary glaucoma?

- a) Transillumination defects
- b) Krukenberg spindle
- c) Polychromatic lustre
- d) Iris atrophy

Q13. A patient had cataract surgery 3 months back and now presents with decreased vision. On anterior segment examination, eye is quiet and posterior capsule is clear. Fundus examination shows honeycomb appearance and cystoid spaces on optical coherence tomography. What will be the findings on fluorescein angiography in this case?

- a) Flower petal appearance
- b) Ink blot leakage
- c) Smoke stack leak
- d) Diffuse leakage

Q14. A young man presents with intermittent proptosis in the left eye which increases with coughing and Valsalva maneuver. What is the likely diagnosis in this case?

- a) Thyroid ophthalmopathy
- b) Orbital cellulitis
- c) Orbital varices
- d) Orbital hemangioma

Q15. Which of the following is not suitable test for visual acuity in preverbal children?


- a) Snellen's vision chart



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- b) Optokinetic nystagmus
- c) Visual evoked response
- d) Preferential acuity test

Q16. A young man who has been using rigid permeable lenses presented with sudden painful decrease in vision in left eye. There is history of frequent changes in his prescription. On examination, Munsen's sign is seen. What is the possible cause for his condition?



- a) Corneal hydrops
- b) Acanthamoeba keratitis
- c) Acute angle closure glaucoma
- d) Acute anterior uveitis


Q17. A girl presents with painless nodular swelling on the upper lid growing away from the lid margin. Which of the following glands are likely involved in this case?

- a) Glands of Zeis
- b) Glands of Moll
- c) Meibomian glands
- d) Accessory lacrimal glands

Q18. All of the following can cause esotropia except ?

- a) High AC/A ratio
- b) Sixth nerve palsy
- c) Third nerve palsy
- d) Congenital esotropia

Q19. A patient who underwent cataract surgery 4 days back, now has developed red eye and painful decrease in vision. On examination, the following findings are seen. Which of the following is the most likely causative organism in this case?



- a) Staph aureus
- b) E.coli
- c) Pseudomonas
- d) Staph epidermidis

Q20. Which of the following is not true of the examination done by indirect ophthalmoscope?

- a) Peripheral retina can be examined till ora serrata.
- b) Magnification is 3-5x.



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026


- c) Image is virtual and erect.
- d) Gives stereoscopic binocular view of the retina.

Q21. A 26 years old boy presents with progressive decrease in vision and night blindness. He is also facing difficulty in driving, as he cannot see vehicles passing his side. His fundus picture is as shown in the following image. What is the diagnosis in this case?



- a) Retinal vein occlusion
- b) Best disease
- c) Vitamin A deficiency
- d) Retinitis pigmentosa

Q22. Identify the refractive error shown in the given image.



- a) Myopia
- b) Hypermetropia
- c) Corrected Myopia
- d) Corrected Astigmatism

Q23. A 26 years old lady presents with severely painful eye with decreased vision. She regularly uses soft contact lenses and recently has been on a hiking trip for 1 week ago. The slit lamp examination shows the following findings. What is the likely diagnosis in this case?



- a) Fungal corneal ulcer
- b) Acanthamoeba keratitis
- c) Bacterial corneal ulcer
- d) Viral keratitis

Q24. A young boy has refractive error of +1.0 Dsph in right eye and +4.0 Dsph in left eye. What is this condition called as?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- a) Anisocoria
- b) Amblyopia
- c) Anisometropia
- d) Aphakia

Q25. Which of the following is the initial step in management of a 5 years old girl presenting with left eye esotropia?

- a) Occlusion of right eye
- b) Occlusion of left eye
- c) Retinoscopy under atropine
- d) Squint surgery

Q26. Which of the following is the best treatment option for a patient presenting with recurrent pterygium?

- a) Observation
- b) Excision with amniotic membrane graft
- c) Excision with conjunctival autograft
- d) Simple excision

Q27. Identify the procedure and the dye used shown in the given image :



- a) Hydrodissection - Sodium Fluorescein
- b) Capsulorhexis - Brilliant blue
- c) Capsulorhexis - Trypan blue
- d) Nuclear fragmentation – Lissamine green

Q28. A 12 years old girl presents with decreased vision in the left eye along with pain on movement of eye. Color vision is defective, there is noted RAPD in the left eye and her fundus examination is as shown. Which of the following is the diagnosis in this case?




- a) Papilledema
- b) Optic neuritis
- c) Glaucomatous optic neuropathy
- d) Retrobulbar neuritis

Q29. Identify the given instrument:



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Lid retractor
- b) Eye speculum
- c) Corneoscleral forceps
- d) Chalazion clamp

Q30. A young patient presents with intermittent diplopia and ptosis in both eyes which becomes worse in the evening. Ptosis also improves on applying the ice pack. Which of the following is the likely diagnosis in this case?

- a) Third nerve palsy
- b) Myasthenia gravis
- c) Complicated ptosis
- d) Thyroid ophthalmopathy


Q31. What are the yoke muscles for levelevation?

- a) Left superior oblique and Left superior rectus
- b) Left superior rectus and Right inferior oblique
- c) Left superior rectus and Left inferior oblique
- d) Right superior rectus and Left inferior oblique

Q32. Which of the following is not true about the nebular corneal opacity?

- a) Affects less than third of corneal thickness.
- b) Iris details can be seen through the opacity.
- c) Does not affect the vision significantly.
- d) Pupil margin can be seen through the opacity.

Q33. An enucleation was done for a child presenting with intraocular mass with calcification. Histopathological examination revealed the following findings. What is the diagnosis in this case?



- a) Rhabdomyosarcoma
- b) Dermoid
- c) Retinoblastoma
- d) Melanoma

Q34. A hypertensive patient develops sudden painless loss of vision in right eye. His BP has been uncontrolled due to non-compliance to medication. Anterior segment examination is normal. Fundus examination shows the following findings. What is the diagnosis in this case?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026




- a) Branch retinal vein occlusion
- b) Central retinal vein occlusion
- c) Vitreous hemorrhage
- d) Tractional retinal detachment

Q35. A man was working with hammer and chisel and suffered an injury to his eye. Which of the following should not be used to locate a probable foreign body in this case?

- a) MRI scan
- b) CT scan
- c) Xray orbit
- d) USG B scan

Q36. A patient who had cataract surgery done 1 year back has developed painless progressive decrease in vision in the same eye. His anterior segment examination shows the following findings. What is the likely diagnosis in this case?



- a) Chronic endophthalmitis
- b) Posterior capsular opacification
- c) Dislocated IOL
- d) Bullous keratopathy

Q37. Which of the following muscles is responsible for ptosis in a case of Third nerve palsy?

- a) Levator palpebral superioris
- b) Muller muscle
- c) Lateral rectus
- d) Orbicularis oculi

Q38. A lady develops severe headache, painful red eye and decreased vision in right eye after watching movie in a theatre. On examination, there is stony hard eye with fixed vertically oval pupil and shallow anterior chamber. Which of the following is the most appropriate treatment in this case ?


- a) I/V Mannitol + Atropine
- b) I/V Mannitol + Prednisolone
- c) I/V Mannitol + Brimonidine
- d) I/V Mannitol + Pilocarpine

Q39. Identify the lesion shown in the given image:




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026




- a) Horner Tranta spots
- b) Phlycten
- c) Herbert pits
- d) Pannus

Q40. A young man complains of painful red eye and decreased vision for last 3 days. He also gives history of low backache with morning stiffness. On examination, following findings are seen. Which is the mainstay of treatment in this case?



- a) Topical steroids
- b) Pilocarpine
- c) Topical antibiotics
- d) Prostaglandin analogues

Q41. What is the diagnosis in a patient with findings shown in the given image?



- a) Left third nerve palsy
- b) Right sixth nerve palsy
- c) Horner's syndrome
- d) Left sixth nerve palsy

Q42. Which of the following is not true about the condition shown in the given image?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Seen in Vitamin A deficiency.
- b) Nyctalopia is the first symptom.
- c) Peripheral visual field loss
- d) Corneal xerosis

Q43. A patient with advanced keratoconus received the corneal transplant as shown. Which is the storage medium and suture material used in this case?



- a) McCarey Kaufman medium and 10-0 nylon sutures
- b) McCarey Kaufman medium and 10-0 silk sutures
- c) Moist globe medium and 10-0 vicryl sutures
- d) Moist globe medium and 10-0 nylon sutures

Q44. A boy got hit with a cricket ball in the eye following which he developed swelling around the eye and diplopia. On examination, there is seen periorbital ecchymosis with restricted eye movements. Radiological examination showed the given findings. Which of the following could be seen in this case?



- a) Enophthalmos
- b) Exophthalmos
- c) Intermittent proptosis
- d) Intermittent squint

Q45. A patient has lost right half of field in his right eye and left half of field in left eye. Which of the following could be the possible cause of this?

- a) Aneurysm of middle cerebral artery
- b) Occipital lobe stroke
- c) Pituitary adenoma
- d) Acoustic neuroma



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q46. Which of the following has no role in cataract surgery?

- a) Sodium hyaluronate viscoelastic
- b) 10-0 nylon suture
- c) 5% Povidone-Iodine solution
- d) Excimer laser

Q47. Identify the muscle acting in the right eye in the gaze shown in the given image.




- a) Medial rectus
- b) Superior rectus
- c) Superior oblique
- d) Inferior oblique

Q48. Sodium fluorescein dye can be used to diagnose all of the following except:

- a) Corneal abrasion
- b) Disciform keratitis
- c) Dendritic ulcer
- d) Punctate keratopathy

Q49. A 5 years old girl with squint underwent retinoscopy under atropine done at 1 m working distance as shown. What is the glass prescription in this case?



- a) +4.00Dsph/+2.00 DCyl x 90 deg
- b) +2.00Dsph/+2.00 Dcyl x 180 deg
- c) +2.00Dsph/+2.00 Dcyl x 90 deg
- d) +4.00Dsph/+2.00 Dcyl x 180 deg

Q50. A young man was hit by a cricket ball in the right eye and has now developed decreased vision. What is the likely cause of his decreased vision?

- a) Rosette cataract
- b) Sympathetic ophthalmitis
- c) Siderosis bulbi
- d) Anterior subcapsular cataract

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q51. A diabetic patient presents with decrease in vision in right eye and his fundus examination shows the following findings. What is the next step in management of this patient?




- a) Perimetry
- b) Optical Coherence Tomography
- c) USG Bscan
- d) ERG

Q52. A patient undergoing cataract surgery is being prepped by 5% povidone-iodine solution. This step is prophylactic against which of the following?

- a) Postop endophthalmitis
- b) Postop secondary glaucoma
- c) Cystoid macular edema
- d) Posterior capsular opacification

Q53. An obese female is suffering from headaches and transient episodes of decreased vision for 5 months. Fundus examination shows disc edema in both eyes. Her neuroimaging is normal and perimetry shows the following result. What is the likely diagnosis in this case?




- a) Optic neuritis
- b) Idiopathic intracranial hypertension
- c) Toxic optic neuropathy
- d) Anterior ischemic optic neuropathy

Q54. Identify the sign shown in the given image:





OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Keratic precipitates
- b) Posterior synechiae
- c) Lisch nodules
- d) Horner Tranta spots

Q55. A middle-aged lady presents with vitiligo, deafness, headache and decreased vision. Which of the following can be seen on her fundus examination?

- a) Candle wax drippings
- b) Cotton wool spots
- c) Sunset glow fundus
- d) Punched out macular scar

Q56. A diabetic patient was found to have the given fundus findings on his routine diabetic retinopathy screening. Which of the following is the recommended treatment in this case?



- a) Panretinal photocoagulation
- b) Observation
- c) Pars plana vitrectomy
- d) Glycemic control

Q57. A patient complaining of epiphora underwent syringing and a soft block is noted at 8 mm and irrigated fluid comes from opposite punctum, it indicates an obstruction in

- a) Lower end of nasolacrimal duct
- b) Upper end of nasolacrimal duct
- c) Common canaliculus
- d) Patent lacrimal passage

Q58. Which of the following is true of Argyll Robertson pupil?

- a) Light reflex is present, accommodation reflex is absent
- b) Light reflex is absent, accommodation reflex is present
- c) Pupils are large and irregular
- d) Both light and accommodation reflex are absent


OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q59. A young man suffering from AIDS recently developed decreased vision. On examination, anterior segment is normal and fundus examination shows the following findings. What is the drug of choice in this case?




- a) Intravitreal Anti-VEGF
- b) Intravitreal Dexamethasone
- c) Oral Acyclovir
- d) Intravitreal Ganciclovir

Q60. A young boy gives history of having red eyes with itching and ropy discharge every summer. Identify the given findings seen on his slit lamp examination.



- a) Horner Tranta Spots
- b) Phlyctens
- c) Herbert follicles
- d) Herbert pits

Q61. A lady has been having recurrent episodes of painful decrease in vision in left eye with following findings on examination. All of the following complications can occur in this case except?



- a) Posterior subcapsular cataract
- b) Cystoid macular edema
- c) Pigmentary glaucoma
- d) Uveitic glaucoma


Q62. Which of the following investigation shows all the layers of retina in vivo?

- a) Optical coherence tomography
- b) Electroretinography
- c) Fundus fluorescein angiography
- d) USG B scan



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q63. What will be the field defect seen in a patient with history of amaurosis fugax and following fundus examination.



- a) Centrocaecal scotoma
- b) Altitudinal field defect
- c) Central scotoma
- d) Enlarged blind spot

Q64. A 76 years old patient presents with painful red eye. There is history of progressive decrease in vision for last one year. On examination, there is shallow anterior chamber and white mature cataract. IOP is 52 mm Hg. What is the likely diagnosis?

- a) Phacolytic glaucoma
- b) Phacomorphic glaucoma
- c) Malignant glaucoma
- d) Pseudoexfoliation glaucoma

Q65. A labourer working at construction site comes to the emergency with painful red eye. There is history of chuna falling in the eye. What is the immediate treatment for this condition?

- a) Immediate slit lamp examination
- b) Patch the eye after putting topical antibiotics
- c) Thorough irrigation of the eye with normal saline
- d) Patch the eye after putting lubricants

Q66. Which of the following is the likely diagnosis in a patient who presents with proptosis in left eye which increases when patient bends his head down or coughs?

- a) Thyroid ophthalmopathy
- b) Orbital cellulitis
- c) Orbital dermoid
- d) Orbital varices

Q67. All of the following are the actions of superior oblique except?

- a) Depression
- b) Abduction
- c) Intorsion
- d) Elevation

Q68. The procedure shown below is done to diagnose which of the following conditions?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026




- a) Proptosis
- b) Ptosis
- c) Axial length of eyeball
- d) Corneal curvature

Q69. Which of the following is not seen in grade 4 hypertensive retinopathy?

- a) Cotton wool spots
- b) Disc edema
- c) Disc neovascularization
- d) Salu's sign

Q70. The following test is done for:



- a) Refining spherical correction in glass prescription
- b) Refining cylindrical power
- c) Refining axis of the cylinder
- d) Stereopsis

Q71. Which of the following is not a use of viscoelastics in cataract surgery?

- a) To protect corneal endothelium.
- b) To maintain anterior chamber during capsulotomy.
- c) To assist nuclear fragmentation.
- d) To assist in IOL placement.

Q72. Which of the following pupil defect is caused by a disease of parasympathetic ciliary ganglion?

- a) Marcus Gunn Pupil
- b) Argyll Robertson pupil
- c) Horner's pupil
- d) Adie's pupil

Q73. A 7 years old boy has been a glass prescription of -2.0 Dsph in right eye and -4.50 Dsph in left eye. With glasses his vision improves to 6/6 in right eye and 6/18 in left eye. There is no abnormality in the anterior and posterior segment examination. What should be the next step in the management of this case?

- a) Refractive surgery



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- b) Occlusion therapy
- c) Contact lenses
- d) Observation

Q74. A patient is a known case of rheumatoid arthritis for last 12 years. Recently she has developed the following lesion in the eye. What is the likely diagnosis?



- a) Corneal perforation
- b) Scleral perforation
- c) Scleromalacia perforans
- d) Episcleritis

Q75. A 55 years old lady was found to have an intraocular pressure of 26 mm Hg in right eye and following disc changes. What should be the next step in management of this case?



- a) Humphrey's visual field
- b) Pachymetry
- c) Observation
- d) Laser Trabeculoplasty

Q76. What is the diagnosis in a diabetic patient presenting with IOP of 52 mmHg in the right eye and iris neovascularisation?

- a) Neovascular glaucoma
- b) Phacolytic glaucoma
- c) Malignant glaucoma
- d) Pigmentary glaucoma

Q77. Which of the following is not a cause of white pupillary reflex on distant direct ophthalmoscopy?

- a) Retinoblastoma
- b) Old Vitreous hemorrhage
- c) Congenital glaucoma
- d) Congenital cataract



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- Q78. A child is brought by his parents with the given presentation in the eye OPD. USG B-scan done by ophthalmologist shows an intraocular mass with calcification. Which of the following will be the next investigation of choice in management of the case?



- a) Fundus fluorescein angiography
- b) MRI scan of orbit and brain
- c) ERG
- d) VER

- Q79. A patient has Schirmer test reading of 8mm in both eyes. Which of the following is the most appropriate management in this case?

- a) Retinoscopy under cycloplegia
- b) Observation
- c) Lubricant eye drops
- d) Antiallergic eye drops

- Q80. A patient has history of icterus, rigidity and tremors and on slit lamp examination Keyser-Fleischer ring is seen. Which of the following is the cause of Keyser Fleischer ring?

- a) Sorbitol deposition
- b) Copper deposition
- c) Iron deposition
- d) Galactitol deposition

- Q81. A patient presents with following findings. This patient is at risk of developing which of the following complications?




- a) Neurotrophic ulcer
- b) Neuroparalytic ulcer
- c) Peripheral ulcerative keratitis
- d) Acanthameoba keratitis

- Q82. A patient who recently had a stroke presents with the following field defect. What is the likely site of lesion in this case?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Right occipital cortex
- b) Left occipital cortex
- c) Left Optic tract
- d) Right Optic tract

Q83. What is the recommended management in a case of retinoblastoma filling nearly 60% of the globe on MRI?

- a) Enucleation
- b) Thermotherapy
- c) Radiotherapy followed by chemotherapy
- d) Chemotherapy followed by local therapy

Q84. Which of the following is not a contraindication for Timolol use?

- a) COPD
- b) Asthma
- c) Heart Block
- d) Kidney Failure

Q85. A 44-years-old lady presents with loss of vision in right eye with painful ocular movements. There is relative afferent pupillary defect, but fundus examination is normal. The most likely diagnosis is?

- a) Papilledema
- b) Papillitis
- c) Retrobulbar neuritis
- d) Intermediate uveitis

Q86. Which of the following is not a cause of defective color vision?

- a) Ethambutol toxicity
- b) Retrobulbar neuritis
- c) Steroid toxicity
- d) Papillitis

Q87. A field worker has noted progressively increasing mass on inner side of his eye which is now covering his cornea also. On examination, the following image is seen. Patient wishes to have this mass removed. What is the best surgical option available in this case?



- a) Phototherapeutic keratectomy



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- b) Excision
- c) Excision with conjunctival autograft
- d) Excision with keratoplasty

Q88. A patient presents with maceration of skin of the lids and conjunctiva redness at the inner and outer canthi. Conjunctival swab will show which of the following on microscopy:

- a) Staphylococcus aureus
- b) Streptococcus viridans
- c) Streptococcus pneumoniae
- d) Moraxella- Axenfeld

Q89. Which of the following is not true about the cataract surgery for congenital cataract in one year old child?

- a) Posterior capsulotomy should be done during the surgery.
- b) Cataract surgery should be done as early as possible.
- c) IOL power should be overcorrected.
- d) IOL power should be undercorrected.


Q90. Nutritional amblyopia occurs due the deficiency of which of the following vitamins?

- a) Vit A
- b) Vit B 12
- c) Vit C
- d) Vit E

Q91. Marcus Gunn pupil will be seen in all of the following except?

- a) CRAO
- b) Papillitis
- c) Berlin's edema
- d) Toxic optic neuropathy

Q92. The second set of slides in the figure shown below is used to test which of the following component of binocular vision?



- a) Fusion
- b) Simultaneous macular perception
- c) Diplopia
- d) Stereopsis

Q93. Which of the following is not a cause of loss of vision in diabetic retinopathy?

- a) Vitreous hemorrhage
- b) Severe NPDR
- c) Diabetic macular edema
- d) Tractional retinal detachment

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q94. A young man presents with decreased vision and defective color vision. On examination, centrocaecal scotoma is noted. He was diagnosed with pulmonary tuberculosis and started on ATT for a month. Which of the following could be the likely cause of decreased vision in this case?

- a) Posterior subcapsular cataract
- b) Bull's eye maculopathy
- c) Toxic optic neuropathy
- d) Stellate cataract

Q95. A young man presents with decreased vision since early childhood. He has tall stature, has hyperextensible joints and is also diagnosed with mitral valve prolapse. Which of the following could be seen on his ocular examination?

- a) Microspherophakia
- b) Ectopia lentis
- c) Keratoglobus
- d) Best Disease

Q96. A middle-aged lady presented in eye OPD with following findings. What is the likely diagnosis in this case?



- a) Diabetes mellitus
- b) Wilson's disease
- c) Thyroid disease
- d) Myasthenia gravis

Q97. A girl presents with itching, grittiness and redness in both eyes. On examination, the following image is seen. There is history of soft contact lens use. Which of the following is the diagnosis in this case?



- a) Acanthamoeba keratitis
- b) Giant papillary conjunctivitis
- c) Vernal keratoconjunctivitis
- d) Phlyctenular conjunctivitis

Q98. A mother brings her son with the given findings. Which of the following is true as shown in the image below ?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Esotropia 30 degree
- b) Exotropia 30 degree
- c) Esotropia 90 PD
- d) Esotropia 30 PD

Q99. What is the type of the refractive error with glass prescription of -2.0 Dsph/ -1.0 Dcyl x 90*?

- a) Simple myopia
- b) Compound myopic astigmatism
- c) Simple myopic astigmatism
- d) Compound myopia

Q100. Which of the following is true about the condition shown in the given image?



- a) Exaggerated corneal reflex
- b) Decreased corneal sensations
- c) Keratoneuritis
- d) Prominent corneal nerves

Q101. A diabetic patient wakes up in the morning with inability to open his left eye fully and double vision. His eye findings are as shown in the image. Which is the likely diagnosis in this case?



- a) Third nerve palsy
- b) Seventh nerve palsy
- c) Myasthenia gravis
- d) Sixth nerve palsy

Q102. A patient shows Lisch nodules on iris on slit lamp examination of the eye and he also has café au lait spots on the skin. Which of the following can be seen in this patient?

- a) Cherry red spot
- b) Retinal hemangioma
- c) Optic nerve glioma
- d) Choroidal hemangioma



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q103. 52 years old lady presents with the condition shown in the given image. Syringing done reveals a hard block with regurgitation of mucoid fluid from the puncta. What is the most appropriate management of this case?




- a) Sac massage
- b) Incision & curettage
- c) Dacryocystorhinostomy
- d) Conjunctival DCR

Q104. Which of the following drugs will be preferred for cycloplegic refraction in a 15 years old school going child?

- a) Phenyl ephrine
- b) Homatropine
- c) Cyclopentolate
- d) Atropine

Q105. A farmer had an eye injury while working in the fields and developed a painful red eye with decreased vision. On examination, the following findings are seen. Which is the appropriate treatment in this case?



- a) Topical Antiviral
- b) Topical Antifungal
- c) Antiglaucoma drugs
- d) Pilocarpine

Q106. A diabetic patient presents with decreased vision and the following findings on slit lamp examination. Which of the following is deposited in the lens in this case?



- a) Sorbitol
- b) Copper



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- c) Glucose
- d) Galactose


Q107. What is the synergist muscle of right eye superior rectus in elevation?

- a) Superior rectus right eye
- b) Superior oblique right eye
- c) Inferior oblique right eye
- d) Inferior rectus left eye

Q108. A patient comes to eye OPD with painful decrease in vision and red eye. On slit lamp examination, there are seen aqueous flare, cells & keratic precipitates. Intraocular pressure is 32 mmHg. All of the following drugs can be used in this case except:


- a) Acetazolamide
- b) Brimonidine
- c) Steroids
- d) Travoprost

Q109. A 25 years old healthy male presents with painless blurring of vision with distortion of letters on reading in his right eye. He admits to be under stress and feels anxious. His OCT shows the given findings. What is the most likely diagnosis in this case?



- a) Age related macular degeneration
- b) Central serous retinopathy
- c) Cystoid macular edema
- d) Best Disease

Q110. Name the test shown in the given image:



- a) Titmus Fly test
- b) FM 100 hue test
- c) Pelli Robson chart
- d) Ishihara color vision test

Q111. What is the type of astigmatism in the given glass prescription of -2.0 Dsph/-1.0 Dcyl x 180?

- a) Compound myopic astigmatism, with the rule



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- b) Compound myopic astigmatism, against the rule
- c) Simple myopic astigmatism, with the rule
- d) Simple myopic astigmatism, against the rule

Q112. The given instrument is used for:




- a) Holding IOL.
- b) To bridle superior rectus muscle
- c) To hold corneoscleral flap
- d) Injecting viscoelastic

Q113. A 22 years old man wants to get rid of his myopic glasses and undergo refractive surgery. Which of the following if present will be an absolute contraindication to the surgery in this case?

- a) Thin cornea
- b) Keratoconus
- c) Stable refraction for last 1 year
- d) Corneal thickness above 550 microns

Q114. Identify the grade of diabetic retinopathy according to the findings seen on fundus fluorescein angiogram shown below.



- a) Mild NPDR
- b) Moderate NPDR
- c) PDR
- d) Severe NPDR

Q115. A 78 years old patient comes to eye OPD with recurrent nodular swelling at upper lid of right eye. He underwent procedure of incision & curettage elsewhere twice in last 6 months. Which of the following should be ruled out in this case?

- a) Recurrent chalazion
- b) Sebaceous cell carcinoma
- c) Hordeolum externum
- d) Basal cell carcinoma

Q116. Anisokenia refers to which of the following?

- a) Difference in visual acuity of the two eyes
- b) Difference in size of image formed by two eyes
- c) Difference in refractive error of two eyes



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

d) Difference in axial length of two eyes

Q117. Laser Trabeculoplasty is useful in all of the following conditions except?

- a) Acute congestive glaucoma
- b) Pigmentary glaucoma
- c) Primary open angle glaucoma
- d) Pseudoexfoliation glaucoma

Q118. A patient presents with the following findings after getting hit by tennis ball. What is the diagnosis?



- a) Posterior synechiae
- b) Iridodialysis
- c) Dislocated lens
- d) Anisocoria

Q119. A hypertensive man presents sudden painless loss of vision in his left eye. On examination, vision is 6/36 in left eye. Anterior segment is normal, but fundus examination shows retinal hemorrhages as shown in the image. What is the most probable diagnosis?




- a) CRVO
- b) CRAO
- c) BRVO
- d) Vitreous hemorrhage

Q120. Which of the following is the correctly matched?

- a) Color vision: Pelli Robson chart
- b) Contrast sensitivity: ETDRS chart
- c) Visual fields: Humphrey's perimeter
- d) Visual acuity: Ishihara chart

Q121. The following optical diagram represents which of the following?

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Keratoconus
- b) Irregular astigmatism
- c) Regular astigmatism
- d) High Myopia


Q122. Snow balls are a feature of which of the following ?

- a) Toxoplasmosis
- b) Intermediate uveitis
- c) Anterior uveitis
- d) Sympathetic ophthalmitis

Q123. Frontalis Sling surgery is the procedure done for which of the following conditions:

- a) Ptosis
- b) Trichiasis
- c) Entropion
- d) Ectropion

Q124. Identify the given instrument:



- a) iCare tonometer
- b) Goldmann Tonometer
- c) Indirect ophthalmoscope
- d) Pulse air tonometer


Q125. All of the following are cause of hemorrhagic conjunctivitis except:

- a) Enterovirus
- b) Coxsackie A virus
- c) Gonococcus
- d) Adenovirus

Q126. The findings shown in the given image of OCT macula can be caused by all of the following conditions except:



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Irwin Gass syndrome
- b) Intermediate uveitis
- c) Prostaglandin analogues
- d) Steroid use

Q127. A diabetic patient developed severe vision loss in right eye. On fundus examination, a retinal detachment is noted. What is the type of retinal detachment expected in this case?

- a) Rhegmatogenous retinal detachment
- b) Exudative retinal detachment
- c) Tractional retinal detachment
- d) Serous retinal detachment

Q128. A 46 years old otherwise healthy man is recently diagnosed with primary open angle glaucoma. Which of the following is the preferred drug of choice to control the intraocular pressure in this case?

- a) Timolol
- b) Netrasudil
- c) Bimatoprost
- d) Acetazolamide

Q129. A patient presents with watering and foreign body sensation in the left eye. All of the following can be the cause of these symptoms except?

- a) Entropion
- b) Trichiasis
- c) Distichiasis
- d) Ptosis

Q130. A 67 years old lady presents with distorted vision and the following fundus image. Which of the following investigations is most appropriate to confirm the diagnosis in this case?




- a) Optical coherence tomography
- b) ERG
- c) EOG
- d) Specular microscopy



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q131. What is the site of lesion in case of the following visual field defect?



- a) Left Optic tract
- b) Right Optic tract
- c) Optic chiasma
- d) Optic nerve

Q132. A one year old child is brought by her mother on noticing inward deviation of left eye. What will be the first step in management of this case?

- a) Observation
- b) Refraction under atropine
- c) Squint surgery
- d) Occlusion therapy

Q133. A young man presents with intermittent ptosis. All of the following tests can be used to test for myasthenia gravis except:

- a) Ice pack test
- b) Lid lag test
- c) Tensilon test
- d) Neostigmine test

Q134. A young girl presents with marked watering and foreign body sensation from the eye. She accidentally injured her eye with finger nail. Which of the following test can rule out epithelial abrasion in this case?

- a) Tonometry
- b) Fluorescein staining
- c) Trypan blue staining
- d) Keratometry

Q135. Which of the following condition can result in complication of trichiasis and corneal opacity?

- a) VKC
- b) Trachoma
- c) Fungal corneal ulcer
- d) Phlyctenular keratoconjunctivitis

Q136. A patient suffers from jaundice and tremors. He is referred to eye OPD for examination. His slit lamp examination shows the findings seen in the given image. Which of the following gets deposited in the cornea in this case?



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026



- a) Iron
- b) Copper
- c) Silver
- d) Calcium

Q137. Which light filter should be used to examine the cornea after staining with rose bengal dye?

- a) Cobalt blue filter
- b) White light
- c) Green light filter
- d) Red free filter


Q138. A high myope reports seeing flashes of light and increased floaters for last 3 days. Which of the following will be the next step in this case?

- a) Observation
- b) Indirect ophthalmoscopy
- c) Direct ophthalmoscopy
- d) Corneal Tomography

Q139. Which of the following will present as a large pigmented choroidal mass with exudative retinal detachment in an elderly patient?

- a) Malignant melanoma
- b) Retinoblastoma
- c) CRVO
- d) VKH syndrome

Q140. A mechanic working in metal works gets an eye injury as shown. Which of the following investigation should not be done in this case?



- a) MRI scan
- b) CT scan
- c) Xray
- d) All of these



OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

Q141. A 3 year old girl is brought by her mother for convergent squint in left eye. After glass prescription, the eyes are orthoptic as shown. What is the likely diagnosis in this case?



- a) Congenital esotropia
- b) Paralytic esotropia
- c) Accommodative esotropia
- d) Anisometropic esotropia

Q142. The pupils of a patient do not constrict on shining a torchlight, but constrict on looking at a pencil held near his face. What could be the likely reason for this condition?

- a) Horner Syndrome
- b) Neurosyphilis
- c) CRAO
- d) Papilledema


Q143. A 47-years old hypermetropic patient presents in eye OPD with history of colored halos and intermittent attacks of eye pain. Most of these episodes occurred in dim light conditions. What is the next step in making diagnosis in this case?

- a) Visual field examination
- b) FFA
- c) Gonioscopy
- d) Fluorescein staining

Q144. Which is the type of cataract can be seen in patients with long term oral corticosteroids therapy?

- a) Stellate cataract
- b) Anterior subcapsular cataract
- c) Complicated cataract
- d) Posterior subcapsular cataract

Q145. The procedure shown in the given image is done for which of the following conditions?



- a) Nuclear sclerosis
- b) Posterior capsular opacification
- c) Angle closure glaucoma
- d) Congenital cataract

Q146. Topical atropine will be contraindicated in which of the following conditions?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

- a) Acute Anterior uveitis
- b) Corneal ulcer
- c) Angle closure glaucoma
- d) Retinoscopy in children

Q147. A 55 year old man has undergone LASIK for myopia. What is the best method to check for IOL power in this case?

- a) SRK-T formula
- b) SRK-II formula
- c) Haigis L formula
- d) Hoffer Q formula

Q148. Knudson's two hit hypothesis is used for :

- a) Retinoblastoma
- b) Malignant melanoma
- c) Basal cell carcinoma
- d) Capillary hemangioma

Q149. Which of the following drugs does not decrease the intraocular pressure by reducing aqueous production?

- a) Timolol
- b) Acetazolamide
- c) Brimonidine
- d) Netrasudil

Q150. Identify the procedure shown in the given image:



- a) Direct ophthalmoscopy
- b) Indirect ophthalmoscopy
- c) Retinoscopy
- d) Distant direct ophthalmoscopy

ANSWERS

1	b
2	c
3	a
4	d
5	c

6	b
7	a
8	b
9	a
10	c

11	a
12	c
13	a
14	c
15	a

16	a
17	c
18	c
19	d
20	c

21	d
22	c
23	b
24	c
25	c



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

OPHTHALMOLOGY SUBJECT WISE TEST DATED ON 18 APRIL 2026

26	c
27	c
28	b
29	b
30	b
31	b
32	c
33	c
34	b
35	a
36	b
37	a
38	d
39	c
40	a
41	d
42	c
43	a
44	a
45	c
46	d
47	b
48	b
49	b
50	a

51	b
52	a
53	b
54	b
55	c
56	a
57	c
58	b
59	d
60	a
61	c
62	a
63	d
64	b
65	c
66	d
67	d
68	a
69	c
70	a
71	c
72	d
73	b
74	c
75	a

76	a
77	c
78	b
79	c
80	b
81	b
82	a
83	a
84	d
85	c
86	c
87	c
88	d
89	c
90	b
91	c
92	a
93	b
94	c
95	b
96	c
97	b
98	c
99	b
100	b

101	a
102	c
103	c
104	c
105	b
106	a
107	c
108	d
109	b
110	d
111	a
112	a
113	b
114	c
115	b
116	b
117	a
118	b
119	c
120	c
121	c
122	b
123	a
124	b
125	c

126	d
127	c
128	c
129	d
130	a
131	c
132	b
133	b
134	b
135	b
136	b
137	b
138	b
139	a
140	a
141	c
142	b
143	c
144	d
145	c
146	c
147	c
148	a
149	d
150	a