

T&D mcq by Dr Shubham Mittal



1. Given condition is ? :
 - a. Collaural fistula
 - b. Preauricular sinus
 - c. Bat ear
 - d. Darwin tubercle

2. Korner septum is ?
 - a. Petrosquamous suture line
 - b. Temporosquamous suture line
 - c. Petromastoid suture line
 - d. Frontozygomatic suture line

3. Cartilagenous part of external auditory canal is ;
 - a) Medial $\frac{1}{3}$
 - b) Lateral $\frac{1}{3}$
 - c) Medial $\frac{2}{3}$
 - d) Lateral $\frac{2}{3}$

4. Which nerve is responsible for referred otalgia ?
 - a) IX
 - b) X
 - c) III
 - d) XII

5. Macewen's triangle is the landmark for :
 - a) Maxillary sinus
 - b) Ethmoid sinus
 - c) Mastoid antrum
 - d) None

6. In right middle ear pathology , Weber's test will be :
- a) Normal
 - b) Centralized
 - c) Lateralised to right side
 - d) Lateralised to left side
7. Gelles test is don in :
- a) Senile deafness
 - b) Traumatic deafness
 - c) Otosclerosis
 - d) Serous otitis media
8. Negative rinne test indicates:
- a) Menieres disease
 - b) CSOM
 - c) BPPV
 - d) Sensorineural hearing loss
9. B type of tympanogram is seen in:
- a) Serous otitis media
 - b) Otosclerosis
 - c) Ossicular discontinuity
 - d) All of the above
10. Recruitment phenomenon is seen in :
- a) Menieres disease
 - b) Otosclerosis
 - c) Acoustic neuroma
 - d) Unsafe CSOM
11. Which among the following tests is for the diagnosis of BPPV?
- a) Epleys manoeuvre
 - b) Brandt Daroff manoeuvre
 - c) Dix hallpike manoeuvre
 - d) Semonts manoeuvre
12. False positive fistula test is seen in :
- a) Otosclerosis
 - b) Glomus tumour
 - c) Menieres disease
 - d) Dead ear
13. Fungus causing otomycosis is most commonly
- a) Mucor
 - b) Aspergillus niger
 - c) Candida
 - d) Blastomycosis

14. 60 year old diabetic patient comes to opd with extremely painful lesion in the external ear and otorrhoea . There was evidence of granulation tissue in the ear with facial nerve involvement . most likely diagnosis is :

- a) Chronic suppurative otitis media
- b) Acute suppurative otitis media
- c) Exostosis of the external ear
- d) Malignant otitis externa

15. Swimmers ear is the other name of :

- a) Perichondritis of pinna
- b) Diffuse otitis externa
- c) Osteoma of ear
- d) Malignant otitis externa

16. Lighthouse sign is seen in :

- a) ASOM
- b) CSOM
- c) Glomus tumour
- d) Otosclerosis

17. Myringotomy is done in which quadrant :

- a) Anterosuperior
- b) Anteroinferior
- c) Posterosuperior
- d) Posteroinferior

18. Blue Tympanic membrane is a feature of :

- a) Serous otitis media
- b) CSOM
- c) Trauma to the ear
- d) None

19. Autophony is a feature of :

- a) Blocked eustachian tube
- b) Eustachian tube dysgenesis
- c) Eustachian tube retraction
- d) Patulous eustachian tube

20. Wullstein type III tympanoplasty is :

- a) Myringoplasty
- b) Myringostapediopexy
- c) Myringoincudopexy
- d) Fenestration surgery

21. Tubercular otitis media features are all except :
- a) Multiple perforations
 - b) Pale granulations
 - c) Pain in ear
 - d) Profuse discharge
22. Treatment of choice for atticoantral CSOM is :
- a) Mastoidectomy
 - b) Medical management
 - c) Myringoplasty
 - d) Ventilation tube insertion
23. All are the extracranial complications of CSOM except :
- a) Mastoiditis
 - b) Labyrinthitis
 - c) Meningitis
 - d) Petrositis
24. No change in the CSF pressure even after pressing the jugular vein is called as :
- a) Crowe beck sign
 - b) Gresinger sign
 - c) Tobey ayer sign
 - d) Halo sign
25. Picket fence fever is a feature of :
- a) Acute mastoiditis
 - b) Lateral sinus thrombophlebitis
 - c) Temporal lobe abscess
 - d) ASOM
26. Schwartz sign is seen in :
- a) Glomus jugulare
 - b) Otosclerosis
 - c) Menieres disease
 - d) Acoustic neuroma
27. Most common cause of facial palsy is :
- a) Trauma
 - b) Post operative
 - c) Ramsay hunt syndrome
 - d) Bell's palsy
28. All are the features of Menieres disease except :
- a) Tinnitus
 - b) fluctuating deafness
 - c) Vertigo
 - d) Diplopia

29. Vertigo in loud sound is called as :
- a) Tulio phenomenon
 - b) Recruitment phenomenon
 - c) Tumarkin crisis
 - d) Paracusis willisi
30. All are ototoxic drugs except
- a) Gentamycin
 - b) Kanamycin
 - c) Streptomycin
 - d) Amoxicillin
31. Hitzelberger sign is seen in :
- a) Menieres disease
 - b) Otosclerosis
 - c) Acoustic neuroma
 - d) Noise induced hearing loss
32. Brown sign is seen in :
- a) Acoustic neuroma
 - b) Glomus tumour
 - c) Menieres disease
 - d) Otosclerosis
33. Commonest presentation of a child presenting with bilateral choanal atresia is :
- a) Difficulty in breathing
 - b) Dysphagia
 - c) Post nasal drip
 - d) Excessive sneezing
34. All the sinus open into the middle meatus except :
- a) Maxillary
 - b) Ant ethmoid
 - c) Post ethmoid
 - d) Frontal
35. Anteriormost ethmoidal air cell is called as :
- a) Agger nasi cell
 - b) Onodi cell
 - c) Haller cell
 - d) Bulla ethmoidalis
36. Sinuses that will be present in a child of 5 years age is/are :
- a) Maxillary & frontal
 - b) Sphenoid , frontal & maxillary
 - c) Maxillary and ethmoid
 - d) Maxillary , ethmoid and sphenoid

37. Most common site of nasopharyngeal carcinoma is :
- a) Eustachian tube
 - b) Nasal septum
 - c) Fossa of rosenmueler
 - d) Nasal vestibule
38. Most common presentation of nasopharyngeal carcinoma is :
- a) Swelling in the neck
 - b) Sneezing
 - c) Decreased hearing
 - d) Palatal palsy
39. Which among the following is the treatment method for atrophic rhinitis :
- a) Mastoidectomy
 - b) FESS
 - c) Youngs operation
 - d) None
40. Vidian neurectomy is the treatment methodology for :
- a) Nasopharyngeal carcinoma
 - b) Adenoids
 - c) Vasomotor rhinitis
 - d) Sinusitis
41. 18 year old Ramesh fell down and had a nasal bone trauma leading to nasal fracture 1 day back . What shall be the best line of treatment for ramesh?
- a) Open reduction
 - b) Septoplasty
 - c) Wait and watch
 - d) Antiinflammatory drugs followed by closed reduction
42. Floating palate is a feature of :
- a) Leforte type I fracture
 - b) Leforte type II fracture
 - c) Leforte type III fracture
 - d) None
43. Best test for investigating CSF rhinorrhea is :
- a) Beta 2 transferrin test
 - b) Handkerchief test
 - c) Halo test
 - d) Xray nose and PNS

44. Drug of choice for rhinoscleroma is :
- a) Amoxicillin + clavulanic acid
 - b) Streptomycin + tetracycline
 - c) Piperacillin + tazobactam
 - d) None
45. Which among the following arteries is not a part of little's area ?
- a) Ant ethmoidal artery
 - b) Post ethmoidal artery
 - c) Sphenopalatine artery
 - d) Greater palatine artery
46. Rhinolalia clausa is seen in all except :
- a) Palatal insufficiency
 - b) Adenoid hypertrophy
 - c) Bilateral inferior turbinate hypertrophy
 - d) Bilateral nasal obstruction
47. Which Xray PNS view is best for maxillary sinus :
- a) Waters view
 - b) Caldwell view
 - c) Piers view
 - d) None
48. All are unpaired cartilages of larynx except :
- a) Thyroid
 - b) Cricoid
 - c) Epiglottis
 - d) Arytenoid
49. A teacher with history of voice abuse and episodes of acid reflux presents with change in voice . what shall be the most probable diagnosis ?
- a) Vocal nodule
 - b) Vocal polyp
 - c) Reinkes edema
 - d) Quinsy
50. Safety muscle of larynx is :
- a) Cricothyroid
 - b) Interarytenoid
 - c) Thyroarytenoid
 - d) Post Cricoarytenoid

51. All are true statements for laryngomalacia except :

- a) Most common congenital anomaly of larynx
- b) Presents with flaccid larynx
- c) Stridor decreases with prone position
- d) Turban shaped epiglottis is seen

52. Cotton meyer grading is the classification for :

- a) Tympanoplasty
- b) Supraglottic malignancy
- c) Subglottic stenosis
- d) Hypopharynx malignancy

53. A 60 year old male smoker presents with change in voice . Endoscopic examination reveals involvement of arytenoids only . It was also noticed that vocal cords were immobile . What shall be the T staging of the patient ?

- a) T1
- b) T2
- c) T3
- d) T4

54. A 60 year old patient smoker presents with change in voice . Endoscopy reveals involvement of arytenoids , AE folds , True vocal cords and false vocal cords . What shall be the preferred treatment of the patient ?

- a) Chemotherapy
- b) Radiotherapy
- c) Total laryngectomy
- d) Vertical partial laryngectomy

55.



The following gives a diagnosis of :

- a) Croup
- b) Acute Epiglottitis
- c) Pharyngitis
- d) Tonsillitis

56. Management of bilateral recurrent laryngeal nerve palsy includes :

- a) Wait and watch
- b) Tracheostomy followed by Type 2 Thyroplasty
- c) Tracheostomy followed by Type 1 Thyroplasty
- d) None

57. Bryce sign is seen in :

- a) Post cricoid laryngeal carcinoma
- b) Laryngocoele
- c) Carotid body tumour
- d) All of the above


58.



Following sign seen post trauma is ?

- a) Battle sign
- b) Lyre sign
- c) Rising sun sign
- d) Phelps sign


59.



Following gives the diagnosis of :

- a) Normal tympanic membrane
- b) Glomus tumour
- c) Otosclerosis
- d) Cholesteatoma

60.



The following investigation is the investigation of choice for :

- a) Menieres disease
- b) Otosclerosis
- c) Glomus tumour
- d) Acoustic neuroma


61.



The image gives diagnosis of :

- a) Bat ear
- b) Wildermuth ear
- c) Mozart ear
- d) None


62.



The name of the incision in the image is :

- a) Kochers incision
- b) Wildes incision
- c) Lempert incision
- d) Rosen incision

63.




True about the given image is all except :

- a) Cone of light is in anteroinferior quadrant
- b) It is pearly white in colour
- c) It is a Right side TM
- d) It is a Left side TM

64. Most common long term complication of Functional endoscopic sinus surgery is :

- a) Adhesions / synechiae
- b) Bleeding
- c) Infection
- d) None

65.



A 14 year old boy came with profuse epistaxis. Radiological image is shown . Identify the disease ?

- a) JNA
- b) Nasal polyps
- c) Nasopharyngeal carcinoma
- d) Rhinosporodiosis


66.



Test in the image shown is :

- a) Cottle test
- b) Stenger test
- c) Cotton wool test
- d) None


67.



Diagnosis of this Pure tone audiogram is :

- a) Left conductive hearing loss
- b) Right conductive hearing loss
- c) Left mixed hearing loss
- d) Right mixed hearing loss


68.



Above picture depicts the line known as :

- a) Oghrens line
- b) Donaldsons line
- c) Moores line
- d) None

69.



The audiogram gives a most probable diagnosis of :

- a) Otosclerosis
- b) Eustachian tube dysfunction
- c) Ossicular discontinuity
- d) None

70. Gradiengo triad includes all except:

- a) Diplopia
- b) Neuralgia
- c) Ear discharge
- d) Neck swelling

71. All of the following statements are correct except :

- a) Inferior turbinate is the largest turbinate
- b) Maxillary sinus is the largest sinus
- c) Onodi cell is the largest most consistent ethmoid cell
- d) None

72. Nasolacrimal duct opens into :

- a) Inferior meatus
- b) Middle meatus
- c) Superior meatus
- d) Sphenoethmoidal recess

73. Zenkers diverticulum is formed between which two muscles ?

- a) Superior and middle constrictor
- b) Thyropharyngeus and cricopharyngeus
- c) Middle and inferior constrictor
- d) None

74. Griesel syndrome is associated with which procedure ?

- a) Adenoidectomy
- b) Thyroidectomy
- c) Laryngectomy
- d) Tracheostomy

75. High tracheostomy is indicated in:

- a) Foreign body aspiration
- b) Myasthenia gravis
- c) Patient planned for total laryngectomy
- d) Carcinoma of the oropharynx