



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

QUESTIONS

- Q1. A swelling appears in the groin and descends into the scrotum through the deep inguinal ring. What type of hernia is this?
- a) Direct inguinal hernia
 - b) Indirect inguinal hernia
 - c) Femoral hernia
 - d) Umbilical hernia
- Q2. A newborn presents with Cyanosis, Difficulty in feeding and Failure of separation of trachea and esophagus. Which embryological structure failed to develop ?
- a) Pharyngeal arch
 - b) Tracheoesophageal septum
 - c) Neural crest cells
 - d) Vitelline duct
- Q3. A patient cannot Turn head to the opposite side and cannot Shrug the shoulder. Which structure is damaged?
- a) Jugular foramen contents
 - b) Hypoglossal canal contents
 - c) Superior orbital fissure contents
 - d) Foramen rotundum contents
- Q4. A patient presents with Ipsilateral tongue deviation and Contralateral hemiplegia. Lesion is in?
- a) Lateral medulla
 - b) Medial medulla
 - c) Lateral pons
 - d) Midbrain
- Q5. Which nerve carries parasympathetic fibres to the lacrimal gland?
- a) Facial nerve
 - b) Trigeminal nerve
 - c) Oculomotor nerve
 - d) Glossopharyngeal nerve
- Q6. Most important stabilizer of shoulder joint is ?
- a) Deltoid
 - b) Rotator cuff
 - c) Glenoid labrum
 - d) Coracoacromial ligament
- Q7. Neural crest cells form which structure ?
- a) Adrenal cortex
 - b) Adrenal medulla
 - c) Kidney
 - d) Liver
- Q8. Which structure passes through diaphragm at T8?
- a) Aorta
 - b) Esophagus
 - c) IVC
 - d) Thoracic duct
- Q9. A 42-year-old man presents with difficulty walking after sustaining a deep laceration behind his medial ankle 2 weeks ago. He reports burning pain and numbness over the sole of his foot. On examination, there is Loss of plantar flexion strength, Inability to stand on tiptoes, Weak inversion of the foot, Loss of sensation over the

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

sole and plantar aspect of toes, Ankle reflex (Achilles tendon reflex) is diminished, Dorsiflexion and eversion are intact. Which of the following nerves is most likely injured?

- a) Common peroneal nerve
- b) Deep peroneal nerve
- c) Superficial peroneal nerve
- d) Tibial nerve


Q10. A 42-year-old male presents with severe lancinating pain over the lower jaw. He is diagnosed with trigeminal neuralgia involving the mandibular division of the trigeminal nerve. A percutaneous nerve block is planned through a skull base foramen. Through which foramen should the needle be introduced?

- a) Foramen rotundum
- b) Foramen ovale
- c) Foramen spinosum
- d) Superior orbital fissure

Q11. A 35-year-old male presents with trauma to the left upper abdomen after a road traffic accident. Imaging shows a splenic laceration with a subcapsular hematoma. The surgeon notes that the spleen is held in place posteriorly by a peritoneal fold connecting it to the left kidney. During a splenectomy, why must the splenorenal ligament be carefully dissected?


- a) To prevent injury to the colon
- b) To prevent injury to splenic vessels and pancreas
- c) To prevent liver injury
- d) It has no major clinical significance

Q12. A lesion In The Arrow Marked Red Area is most likely to produce which of the following clinical findings?



- a) Weakness of contralateral face
- b) Weakness of contralateral upper limb
- c) Weakness of contralateral lower limb with bladder dysfunction
- d) Loss of vision in one eye

Q13. Injury At Which Of The Following Site Will Impair Dorsiflexion Of The Foot ?




- a) A
- b) B

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


- c) C
- d) D

Q14. The the arrow marked angle of the uterus is formed between which of the following structures?




- a) Cervix and vagina
- b) Body of uterus and cervix
- c) Uterus and urinary bladder
- d) Cervix and uterine tubes

Q15. Which of the following movements is primarily impaired in paralysis of the arrow marked muscle ?



- a) Flexion of forearm
- b) Initiation of shoulder abduction
- c) Abduction of arm above 90°
- d) Extension of wrist


Q16. A 45-year-old man sustains a stab injury in the axillary region. After recovery, he is unable to adduct and medially rotate his arm effectively. Injury to which of the following nerves is most likely responsible for paralysis of the Arrow marked muscle?



- a) Axillary nerve
- b) Thoracodorsal nerve
- c) Long thoracic nerve
- d) Medial and lateral pectoral nerves


ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

Q17. Identify the following :




- a) A is Gluteus maximus and B is Inferior gluteal nerve
- b) A is Gluteus medius and B is Inferior gluteal nerve
- c) A is Gluteus medius and B is Sciatic nerve
- d) A is Gluteus minimus and B is Pudendal nerve

Q18. Boundaries of the yellow marked triangle are all except ?



- a) Common hepatic duct
- b) Cystic duct
- c) Cystic artery
- d) Liver inferior surface


Q19. The arrow marked structure extends between which of the following anatomical landmarks?



- a) Anterior superior iliac spine to pubic symphysis
- b) Anterior superior iliac spine to pubic tubercle
- c) Iliac crest to pubic tubercle
- d) Anterior inferior iliac spine to pubic crest


Q20. A loop of intestine herniates through the arrow marked area. Which of the following structures is most likely to be found immediately anterior to the herniated loop?

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026



- a) Inferior vena cava
- b) Free edge of Lesser omentum containing the Portal triad
- c) Abdominal aorta
- d) Pancreas

Q21. Which of the following sites is lined by the epithelium shown in the image ?



- a) Esophagus
- b) Vagina
- c) Oral cavity (inner cheek)
- d) Epidermis of skin

Q22. A 19-year-old boy presents to the emergency department with high-grade fever, severe headache, and swelling around his left eye for the past 3 days. He reports a history of a painful pimple on his upper lip that he tried to squeeze a few days ago. On examination, The left eye shows proptosis, chemosis, and periorbital edema. There is ptosis and inability to move the eye in multiple directions. The pupil is dilated and non-reactive to light. Sensory loss is noted over the forehead and upper eyelid. Which of the following is the most likely diagnosis?

- a) Orbital cellulitis
- b) Cavernous sinus thrombosis
- c) Acute angle-closure glaucoma
- d) Central retinal artery occlusion

Q23. A 24-year-old man is brought to the emergency department after a motorcycle accident. He complains of weakness in his right upper limb. On examination, his arm hangs by his side, is adducted and internally rotated, the elbow is extended, the forearm is pronated, and the wrist is slightly flexed. He is unable to abduct the shoulder or flex the elbow. Sensory loss is noted over the lateral aspect of the arm. Which of the following is the most likely diagnosis?


- a) Injury to lower trunk of brachial plexus
- b) Injury to upper trunk of brachial plexus
- c) Radial nerve palsy
- d) Ulnar nerve injury



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

Q24. Identify the muscle responsible for the opening of the mouth in the image given below :



- a) A
- b) B
- c) C
- d) D

Q25. Identify the image :




- a) Hyaline cartilage
- b) Elastic cartilage
- c) Fibrocartilage
- d) Articular cartilage

Q26. A 55-year-old man is brought to the emergency department after a road traffic accident. He has severe bleeding from a deep laceration in the upper thigh, just below the inguinal ligament. On examination, there is a rapidly expanding hematoma in the femoral triangle region. During surgical exploration, the surgeon identifies a fascial tube enclosing the femoral vessels. While attempting to control the bleeding, the surgeon notes that the artery and vein are enclosed within a compartmentalized sheath, and medial to these vessels lies a potential space. The surgeon is careful while placing a catheter into the femoral vein to avoid injury to adjacent structures. Which of the following best describes the arrangement of structures within the femoral sheath from lateral to medial?

- a) Vein – Artery – Canal
- b) Artery – Vein – Canal
- c) Nerve – Artery – Vein
- d) Artery – Canal – Vein

Q27. Which structure develops from the arrow marked structure ?





MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- a) Arch of aorta
- b) Ductus Arteriosus
- c) Common carotid artery
- d) Maxillary artery

Q28. A 52-year-old woman presents to the surgical outpatient department with complaints of prominent, tortuous veins along the medial side of her right leg. Dull aching pain after prolonged standing. Swelling around the ankle by evening, Skin pigmentation near the medial malleolus. On examination, dilated superficial veins are seen extending from the foot to the groin along the medial aspect of the limb. Which vein is involved in this situation?

- a) Popliteal vein
- b) Femoral vein
- c) Small saphenous vein
- d) Great saphenous vein

Q29. A 30-year-old male presents with low back pain aggravated on lifting weight. MRI shows degeneration of the intervertebral disc between L4-L5. The intervertebral disc joint is classified as:

- a) Primary cartilaginous joint
- b) Secondary cartilaginous joint
- c) Fibrous joint
- d) Saddle joint

Q30. A 50-year-old woman presents with an unusual complaint of sweating and warmth over the left preauricular region whenever she eats. She underwent surgery 6 months ago for a benign tumor of the parotid gland. She denies facial weakness or difficulty chewing. On examination, there is localized flushing and sweating over the parotid region that becomes prominent when she is given lemon juice to stimulate salivation. Which of the following nerves is primarily involved in the pathogenesis of this condition?

- a) Vagus nerve
- b) Auriculotemporal nerve
- c) Facial nerve
- d) Glossopharyngeal nerve

Q31. A 30-year-old man presents with difficulty performing fine motor tasks with his right hand. He reports that he is unable to pick up small objects and has trouble making an "OK" sign with his thumb and index finger. On examination, When asked to make an "OK" sign, he forms a pinch using the pads of his fingers instead of the tips. Weakness of thumb flexion and index finger flexion is noted. No sensory loss is detected in the hand or forearm. Which of the following muscles is most likely affected in this condition?


- a) Flexor carpi ulnaris
- b) Flexor digitorum profundus (medial half)
- c) Flexor pollicis longus
- d) Palmar interossei

Q32. What is formed by the arrow marked structure shown in the image ?




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- a) Vertebra
- b) Spinal cord
- c) Nucleus pulposus of Intervertebral disc
- d) Annulus Fibrosis of Intervertebral disc

Q33. Which of the following is NOT a branch of the arrow marked artery ?




- a) Superior labial
- b) Inferior labial
- c) Lateral nasal
- d) Superficial temporal artery

Q34. Identify the arrow marked artery :



- a) Right gastroepiploic artery, a branch of gastroduodenal artery
- b) Right gastroepiploic artery, a branch of splenic artery
- c) Left gastroepiploic artery, a branch of gastroduodenal artery
- d) Left gastroepiploic artery, a branch of splenic artery

Q35. Which nerve root combination supplies the arrow marked muscle?



- a) C3–C5
- b) C5–C6




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


- c) C5–C7
- d) C6–C8

Q36. Identify the structures labeled A, B, and C in the provided image of the human heart:



- a) A: Left coronary artery; B: Posterior interventricular artery; C: Aortic arch
- b) A: Right coronary artery; B: Anterior interventricular artery; C: Ligamentum arteriosum
- c) A: Pulmonary artery; B: Coronary sinus; C: Superior vena cava
- d) A: Right atrium; B: Left ventricle; C: Brachiocephalic trunk

Q37. Identify the structures labeled A and B in the provided diagram:



- a) A: Posterior Cruciate Ligament; B: Lateral Collateral Ligament
- b) A: Anterior Cruciate Ligament; B: Medial Collateral Ligament
- c) A: Medial Meniscus; B: Patellar Ligament
- d) A: Lateral Meniscus; B: Fibular Collateral Ligament


Q38. Which of the following best describes the combination of movements produced by the red colored muscle?



- a) Extension of the hip, adduction of the thigh, and extension of the knee.
- b) Flexion of the hip, abduction of the thigh, external rotation of the thigh, and flexion of the knee.
- c) Flexion of the hip, internal rotation of the thigh, and extension of the knee.
- d) Extension of the hip, abduction of the thigh, and internal rotation of the knee.

Q39. Identify the anatomical structures labeled A, B, and C in the posterior view of the leg shown above:

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- a) A: Soleus; B: Gastrocnemius; C: Calcaneal tendon
- b) A: Gastrocnemius; B: Soleus; C: Calcaneal (Achilles) tendon
- c) A: Tibialis anterior; B: Gastrocnemius; C: Patellar tendon
- d) A: Biceps femoris; B: Plantaris; C: Tibial nerve

Q40. A 45-year-old woman who works as a teacher complains of heaviness and aching in her legs after standing all day. On examination, dilated, tortuous veins are seen on her legs. What is the most likely cause of her condition?



- a) Arterial obstruction
- b) Venous valve incompetence
- c) Nerve damage
- d) Lymphatic blockage


Q41. Based on the provided anatomical diagram, identify the highlighted muscles and their primary action:



- a) Palmar interossei – Adduction
- b) Dorsal interossei – Abduction
- c) Lumbricals – Flexion of MCP joints
- d) Thenar muscles – Opposition of the thumb

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

Q42. In the provided anatomical diagram, identify the structures labeled A and B:




- a) A: Medial pterygoid; B: Lateral pterygoid
- b) A: Lateral pterygoid; B: Medial pterygoid
- c) A: Masseter; B: Temporalis
- d) A: Superior head of lateral pterygoid; B: Inferior head of lateral pterygoid

Q43. The muscles highlighted in green in the image originate from which of the following structures?



- a) Metacarpal bones
- b) Tendons of the flexor digitorum profundus
- c) Tendons of the flexor digitorum superficialis
- d) Carpal bones

Q44. In the provided posterior view of the pelvis, what is the primary function of the muscle highlighted in green?



- a) Adduction of the thigh at the hip joint
- b) Abduction and internal rotation of the thigh at the hip joint
- c) Flexion and lateral rotation of the thigh at the hip joint
- d) Extension of the thigh at the hip joint


Q45. The muscle highlighted in the image has two distinct heads of origin. If this muscle contracts unilaterally (on only one side), what is the resulting primary action?

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- Extension of the neck at the atlanto-occipital joints.
- Rotation of the head to the same (ipsilateral) side.
- Rotation of the head to the opposite (contralateral) side and lateral flexion to the same side.
- Elevation of the manubrium to assist in forced inspiration.

Q46. Identify the structures labeled A, B, and C in the palmar view of the hand:



- A: Flexor digitorum tendon; B: Flexor retinaculum; C: Hypothenar eminence
- A: 2nd Lumbrical muscle; B: Flexor digitorum tendon; C: Thenar eminence
- A: 1st Lumbrical muscle; B: Flexor digitorum tendon; C: Thenar eminence
- A: Interosseous muscle; B: Transverse carpal ligament; C: First dorsal interosseous

Q47. The arrow marked cell sends information to which of the following structure?



- Anterior horn of spinal
- Deep nuclei of Cerebellum
- Basal ganglia
- Vestibular nuclei

Q48. The celiac trunk arises at the level of:

- T10
- T12



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- c) L1
- d) L2

Q49. The superior mesenteric artery supplies:

- a) Foregut
- b) Midgut
- c) Hindgut
- d) Liver

Q50. A patient has injury to spleen → splenectomy performed. Which ligament must be cut?

- a) Falciform ligament
- b) Hepatoduodenal ligament
- c) Splenorenal ligament
- d) Coronary ligament

Q51. A patient with portal hypertension develops dilated veins around the umbilicus (caput medusae). Which anastomosis is involved?

- a) Porto-caval
- b) Cavo-caval
- c) Arterio-venous
- d) Lymphatic

Q52. Total rotation of midgut is:

- a) 90°
- b) 180°
- c) 270°
- d) 360°

Q53. Which structure is derived from dorsal mesentery?

- a) Lesser omentum
- b) Greater omentum
- c) Falciform ligament
- d) Hepatoduodenal ligament

Q54. The liver develops from:

- a) Foregut endoderm
- b) Midgut endoderm
- c) Hindgut endoderm
- d) Mesoderm

Q55. Which of the following is a sensory manifestation of musculocutaneous nerve injury?

- a) Numbness over the deltoid
- b) Numbness over the lateral forearm
- c) Numbness over the palm
- d) Numbness over the medial arm

Q56. Which artery's pulsation can be felt behind the medial malleolus?

- a) Posterior tibial artery
- b) Dorsalis pedis artery



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- c) Peroneal artery
- d) Anterior tibial artery

Q57. Which of the following is a pressure epiphysis?

- a) Greater trochanter
- b) Head of femur
- c) Tibial tuberosity
- d) Medial epicondyle of humerus

Q58. A 34-year-old man presents with sudden onset weakness of the right side of his face since morning. He noticed difficulty while brushing his teeth, inability to close his right eye, and drooping of the angle of the mouth. He also reports excessive tearing and a mild change in taste. There is no history of trauma, ear discharge, or limb weakness. On examination, Loss of forehead wrinkling on the right side, Inability to close the right eye, Deviation of mouth to the left. What is the most likely diagnosis?

- a) Upper motor neuron facial palsy
- b) Bell's palsy
- c) Frey's syndrome
- d) Acoustic neuroma

Q59. Weber syndrome is caused by a lesion in which part of the brain?

- a) Medulla oblongata
- b) Pons
- c) Midbrain (ventral)
- d) Cerebellum

Q60. Tumors of the uncinate process most commonly compress:

- a) Hepatic artery
- b) Portal vein
- c) Superior mesenteric artery
- d) Splenic artery

Q61. The saphenous nerve supplies sensory innervation to:

- a) Lateral leg
- b) Dorsum of foot
- c) Medial leg and medial foot
- d) Sole of foot

Q62. A femoral hernia passes through which part of the femoral sheath?

- a) Lateral compartment
- b) Intermediate compartment
- c) Medial compartment
- d) Through all compartments

Q63. A 38-year-old man presents with neck pain radiating to his right upper limb for 3 weeks. The pain worsens on neck extension, and when he turns his head to the right. He also complains of tingling and numbness along the lateral aspect of his forearm and thumb. On examination, reduced sensation over the lateral forearm and thumb and also diminished biceps reflex is seen. MRI of the cervical spine reveals a posterolateral disc prolapse compressing the exiting nerve root. Which dermatome is most likely affected in this patient?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- a) C5
- b) C6
- c) C7
- d) C8

Q64. A 27-year-old woman presents to the dental clinic with numbness of the right side of her tongue after undergoing surgical extraction of an impacted lower third molar tooth one week ago. She complains of loss of general sensation on the anterior of two-thirds of the right side of the tongue. On examination, loss of touch and pain sensation on anterior 2/3 of tongue (right), Dryness of floor of mouth on right side. Posterior one-third of tongue sensation is intact. Which of the following best explains the situation seen in this patient?

- a) Injury to glossopharyngeal nerve
- b) Injury to hypoglossal nerve
- c) Injury to lingual nerve
- d) Injury to mandibular nerve

Q65. A patient has numbness over the lateral thigh without motor deficit. Which nerve is involved?

- a) Femoral nerve
- b) Obturator nerve
- c) Lateral femoral cutaneous nerve
- d) Genitofemoral nerve

Q66. A stab injury to the gluteal region damages a nerve emerging below piriformis, leading to weakness of knee flexion and all movements below knee. Which nerve is injured?

- a) Inferior gluteal nerve
- b) Sciatic nerve
- c) Posterior femoral cutaneous nerve
- d) Pudendal nerve

Q67. Which muscle is unaffected in common peroneal nerve injury?

- a) Tibialis anterior
- b) Extensor digitorum longus
- c) Peroneus longus
- d) Gastrocnemius

Q68. Injury to which nerve leads to loss of sensation over first dorsal web space of foot?

- a) Superficial peroneal nerve
- b) Deep peroneal nerve
- c) Tibial nerve
- d) Sural nerve

Q69. A patient cannot initiate abduction of shoulder but can continue after assistance. Nerve involved is?

- a) Axillary nerve
- b) Suprascapular nerve
- c) Long thoracic nerve
- d) Musculocutaneous nerve

Q70. A full-term newborn is noted at birth to have a midline abdominal wall defect at the base of the umbilical cord. A sac-like structure is seen protruding from the abdomen, containing bowel loops and part of the liver. The sac is covered by a thin, translucent membrane. The baby also has associated congenital



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

anomalies, including a ventricular septal defect. What is the most likely embryological defect responsible for this condition?

- a) Failure of lateral body folds to close
- b) Persistence of vitellointestinal duct
- c) Failure of midgut to return to abdominal cavity
- d) Defective neural crest cell migration

Q71. A 48-year-old man presents to the emergency department after accidentally ingesting a corrosive substance. He complains of severe retrosternal pain and difficulty swallowing. Endoscopic evaluation is planned. During endoscopy, the physician notes that the scope passes with difficulty at multiple levels. At one particular level, there is a marked narrowing where the esophagus passes through the diaphragm. This area is also prone to reflux-related injury. At which vertebral level is this constriction most likely located?

- a) C6
- b) T4
- c) T6
- d) T10

Q72. A 35-year-old man presents after a fall directly onto his shoulder. He complains of severe shoulder pain and inability to rotate his arm outward. On examination, There is tenderness over the lateral aspect of the proximal humerus. The patient is unable to perform external rotation of the arm. Abduction is weak, especially in the initial phase. There is no sensory loss over the shoulder region. X-ray reveals a fracture involving the lateral projection of the proximal humerus. Which of the following muscles is primarily responsible for the loss of external rotation in this patient?

- a) Supraspinatus
- b) Pectoralis major
- c) Teres major
- d) Infraspinatus

Q73. A 40-year-old man undergoes middle ear surgery for chronic otitis media. A few days later, he complains of altered taste sensation and dryness in his mouth. On examination, There is loss of taste over the anterior two-thirds of the tongue on the right side. Salivary secretion from the submandibular and sublingual glands is reduced. Which of the following best explains the nerve injured during the procedure?

- a) Lingual nerve
- b) Glossopharyngeal nerve
- c) Chorda tympani nerve
- d) Hypoglossal nerve

Q74. A 32-year-old male presents to the emergency department after a road traffic accident. He was riding a motorcycle and collided with a car. He complains of severe pain in his right hip and inability to bear weight. On examination, the right lower limb is shortened, adducted, and internally rotated. There is tenderness around the hip joint. Sensory loss is noted over the dorsum of the foot and lateral aspect of the leg. The patient is unable to dorsiflex the ankle. An X-ray confirms posterior dislocation of the hip joint. Which of the following nerves is most likely injured in this patient?

- a) Femoral nerve
- b) Obturator nerve
- c) Tibial nerve
- d) Common peroneal (fibular) nerve



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

Q75. The clinician touches the eye of the patient with a piece of cotton and the blinking of eyes occurred in response. Which structure is responsible for carrying the sensation?

- a) Facial nerve
- b) Trigeminal nerve
- c) Oculomotor nerve
- d) Optic nerve

Q76. Surgical procedure is being on the great saphenous vein which runs 2.5 cm anterior to the medial malleolus. Which structure should be prevented from damage during the ligature around the vein?

- a) Sural Nerve
- b) Saphenous Nerve
- c) Plantar nerve
- d) Peroneal nerve

Q77. A patient with a right oculomotor nerve palsy is most likely to have which pupillary abnormality?

- a) Small, reactive pupil
- b) Dilated, non-reactive pupil on the right
- c) Bilateral pinpoint pupils
- d) Normal pupils


Q78. In Weber syndrome, the hemiplegia is:

- a) Ipsilateral to the lesion
- b) Contralateral to the lesion
- c) Bilateral
- d) Absent

Q79. Which dental procedure most commonly injures the lingual nerve?

- a) Extraction of upper incisors
- b) Extraction of mandibular third molar (wisdom tooth)
- c) Root canal of maxillary molar
- d) Removal of palatine tonsil

Q80. All are correct about this epithelium Except?



- a) It is found in Esophagus
- b) The uppermost layer has squamous flat cells
- c) Keratin layer absent
- d) Found in stomach

Q81. A 45-year-old woman presents to the orthopedic clinic with difficulty walking after receiving an intramuscular injection in the gluteal region two weeks ago. She now complains of weakness while climbing



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

stairs and instability when standing on her right leg. On examination, when she stands on her right leg, the pelvis drops on the left side. She has difficulty abducting the right thigh. There is no sensory loss in the lower limb. Hip flexion and extension are normal. Which of the following nerves is most likely injured?

- a) Inferior gluteal nerve
- b) Femoral nerve
- c) Obturator nerve
- d) Superior gluteal nerve

Q82. A patient with rheumatoid arthritis shows involvement of multiple freely movable joints. Which classification do these joints belong to?

- a) Synarthrosis
- b) Amphiarthrosis
- c) Diarthrosis
- d) Syndesmosis

Q83. A child presents with growth retardation due to early closure of epiphyseal plates. Which type of joint is affected?

- a) Synovial joint
- b) Syndesmosis
- c) Primary cartilaginous joint
- d) Secondary cartilaginous joint

Q84. A patient has a dental issue where the tooth is loose in its socket. Which type of joint is affected?

- a) Syndesmosis
- b) Gomphosis
- c) Synchondrosis
- d) Symphysis

Q85. A patient complains of pain at the pubic region, especially during walking. Imaging shows inflammation of the joint between pubic bones. Which type of joint is involved?

- a) Fibrous joint
- b) Primary cartilaginous joint
- c) Secondary cartilaginous joint
- d) Synovial joint

Q86. An epiphysis that represents a phylogenetically separate bone is called:

- a) Pressure epiphysis
- b) Traction epiphysis
- c) Atavistic epiphysis
- d) Growing epiphysis

Q87. Which of the following is correctly matched?

- a) Head of femur – traction epiphysis
- b) Greater trochanter – pressure epiphysis
- c) Greater tubercle – traction epiphysis
- d) Coracoid process – pressure epiphysis

Q88. A 45-year-old man presents with a history of progressive pain, numbness, and fatigue in his right upper limb during overhead activities. He also reports decreased pulse volume in the right upper limb. Blood



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

pressure in the right arm is lower than in the left. CT angiography shows significant stenosis of the second part of the axillary artery. Which of the following arterial anastomotic pathways is most responsible for maintaining perfusion of the limb distal to the obstruction?

- a) Suprascapular artery anastomosing with circumflex scapular artery
- b) Thoracoacromial artery anastomosing with lateral thoracic artery
- c) Deep brachial artery anastomosing with radial recurrent artery
- d) Transverse cervical artery anastomosing with profunda brachii artery

Q89. The sensory supply of the median nerve includes all EXCEPT:

- a) Lateral 3½ fingers on palmar side
- b) Lateral 3½ fingertips dorsally
- c) Medial 1½ fingers
- d) Skin over thenar eminence

Q90. Lesion of the Precentral gyrus can lead to difficulty in performing motor movements. What is the Brodmann's Area Number involved in this situation?

- a) 3, 1, 2
- b) 4
- c) 17
- d) 22

Q91. A surgeon is performing a surgical procedure on neck and has accidentally injured the spinal Accessory Nerve. Surgery is being performed in which of the following triangles of the Neck?

- a) Carotid triangle
- b) Digastric triangle
- c) Anterior triangle
- d) Posterior triangle

Q92. For the conjoint tendon, all are true Except?

- a) Formed by the internal oblique aponeurosis & Transversus abdominis aponeurosis
- b) Contributes in the posterior wall of Inguinal canal
- c) Protects the superficial inguinal ring to maintain integrity of inguinal canal
- d) Runs parallel to the inguinal ligament

Q93. A 2-day-old neonate is admitted with severe respiratory distress since birth. The baby has tachypnea, cyanosis, and poor feeding. On physical examination, the abdomen appears scaphoid, and breath sounds are decreased on the left side. The cardiac apex is displaced to the right. A chest X-ray shows bowel loops occupying the left thoracic cavity with compression of the left lung. Further evaluation suggests a congenital defect due to failure of fusion of one of the embryological components of the diaphragm. Which of the following embryological structures failed to develop or fuse properly, leading to this condition?

- a) Septum transversum
- b) Pleuroperitoneal membranes
- c) Dorsal mesentery of esophagus
- d) Muscular ingrowth from lateral body wall

Q94. The main extensor of hip during walking is:

- a) Gluteus medius
- b) Gluteus maximus



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- c) Hamstrings
- d) Tensor fascia lata

Q95. Which muscle forms the floor of the femoral triangle?

- a) Sartorius
- b) Adductor longus
- c) Iliopsoas
- d) Rectus femoris

Q96. Which structure passes through the adductor hiatus?

- a) Obturator nerve
- b) Profunda femoris artery
- c) Femoral artery
- d) Great saphenous vein

Q97. A patient presents with inability to extend knee and loss of patellar reflex. The nerve most likely injured is:

- a) Obturator nerve
- b) Femoral nerve
- c) Sciatic nerve
- d) Common peroneal nerve

Q98. Which of the following muscles is NOT a hybrid muscle?

- a) Adductor magnus
- b) Pectineus
- c) Flexor digitorum profundus
- d) Gastrocnemius

Q99. A patient has difficulty rotating his head side-to-side (like saying “no”). Which joint is primarily affected?

- a) Atlanto-occipital joint
- b) Atlantoaxial joint
- c) Intervertebral joint
- d) Temporomandibular joint

Q100. A fracture of head of femur epiphysis leads to joint deformity and impaired weight bearing. This epiphysis is best classified as:

- a) Traction epiphysis
- b) Pressure epiphysis
- c) Atavistic epiphysis
- d) Aberrant epiphysis

Q101. A bullet injury damages the thoracic duct. What is the most likely consequence?

- a) Loss of venous return
- b) Accumulation of lymph in thorax
- c) Loss of arterial supply
- d) Pulmonary edema

Q102. A patient has enlarged left atrium compressing a nearby structure. Which symptom is most likely?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- a) Hoarseness
- b) Dysphagia
- c) Dyspnea only
- d) Hiccups

Q103. A patient has Horner's syndrome (ptosis, miosis, anhidrosis) due to tumor in apex of lung. Which structure is involved?

- a) Vagus nerve
- b) Phrenic nerve
- c) Sympathetic trunk
- d) Intercostal nerve

Q104. A patient has difficulty breathing due to paralysis of diaphragm on one side. Which nerve is most likely damaged?

- a) Intercostal nerve
- b) Vagus nerve
- c) Phrenic nerve
- d) Recurrent laryngeal nerve

Q105. A 60-year-old smoker presents with hoarseness of voice. Imaging shows a tumor in the left lung hilum compressing a nerve looping under the arch of aorta. Which nerve is affected?

- a) Phrenic nerve
- b) Left recurrent laryngeal nerve
- c) Vagus nerve
- d) Sympathetic trunk

Q106. Which structure is a derivative of midgut?

- a) Stomach
- b) Duodenum (proximal)
- c) Jejunum
- d) Liver

Q107. The umbilicus corresponds to dermatome:

- a) T8
- b) T10
- c) T12
- d) L1

Q108. The inferior vena cava is formed at:

- a) L2
- b) L3
- c) L4
- d) L5

Q109. Annular pancreas results from abnormal migration of:

- a) Dorsal pancreatic bud
- b) Ventral pancreatic bud
- c) Hepatic bud
- d) Splenic bud



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


- Q110. A neonate has bowel loops protruding through abdominal wall without covering membrane, usually right of umbilicus. What can be the Diagnosis?
- Omphalocele
 - Gastroschisis
 - Umbilical hernia
 - Meckel's diverticulum
- Q111. Meckel's diverticulum is due to persistence of:
- Vitelline duct
 - Urachus
 - Allantois
 - Yolk sac
- Q112. A neonate presents with non-rotation of midgut. Which vessel is the axis of normal rotation?
- Celiac trunk
 - Aorta
 - Superior mesenteric artery
 - Inferior mesenteric artery
- Q113. Which structure is derived from intermediate mesoderm?
- Vertebra
 - Kidney
 - Dermis
 - Heart
- Q114. Failure of fusion of dorsal pancreatic bud with ventral bud leads to:
- Annular pancreas
 - Pancreas divisum
 - Pancreatitis
 - Duodenal atresia
- Q115. A branchial cyst is most commonly due to persistence of:
- First cleft
 - Second cleft
 - Third pouch
 - Fourth arch
- Q116. The third pharyngeal pouch gives rise to:
- Thymus + inferior parathyroid
 - Superior parathyroid only
 - Thyroid gland
 - Tonsil
- Q117. Which cartilage is derived from first pharyngeal arch?
- Thyroid cartilage
 - Cricoid cartilage
 - Meckel's cartilage
 - Arytenoid cartilage



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- Q118. Which arch is called the “aortic arch” contributor ?
- First
 - Second
 - Third
 - Fourth
- Q119. Which sequence is correct for the Papez circuit?
- Hippocampus → thalamus → mammillary bodies → cortex
 - Hippocampus → fornix → mammillary bodies → thalamus → cingulate gyrus
 - Thalamus → hippocampus → cortex → hypothalamus
 - Cortex → hippocampus → cerebellum
- Q120. The fornix connects:
- Thalamus to cortex
 - Hippocampus to mammillary bodies
 - Cortex to spinal cord
 - Cerebellum to brainstem
- Q121. A patient presents with loss of pain and temperature on right side of body, starting a few segments below a spinal lesion on the left side. Which tract is affected?
- Dorsal column
 - Spinothalamic tract
 - Corticospinal tract
 - Vestibulospinal tract
- Q122. A lesion above pyramidal decussation leads to:
- Ipsilateral paralysis
 - Contralateral paralysis
 - Bilateral paralysis
 - No effect
- Q123. A patient has loss of vibration sense in lower limbs first, progressing upward. Most likely tract degeneration:
- Spinothalamic
 - Corticospinal
 - Fasciculus gracilis
 - Fasciculus cuneatus
- Q124. The deepest structure in the arrow marked structure is:



- Facial nerve
- Retromandibular vein
- External carotid artery



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


d) Parotid duct

Q125. Which structure passing through the foramen marked in the image?




- a) Optic nerve
- b) Spinal accessory nerve
- c) Mandibular nerve
- d) Abducens nerve

Q126. Which of the following structure is connected by the yellow arrow marked component in the image?



- a) Optic chiasma
- b) Cerebral cortex
- c) Mamillary body
- d) Hippocampus

Q127. Which of the following correctly identifies the muscles indicated by labels A, B, and C?




- a) A: Psoas major; B: Iliacus; C: Quadratus lumborum
- b) A: Iliacus; B: Psoas major; C: Quadratus lumborum
- c) A: Quadratus lumborum; B: Iliacus; C: Psoas major
- d) A: Psoas major; B: Quadratus lumborum; C: Iliacus

Q128. The anatomical structure indicated by the arrow in the image is a major conduit for several vital structures. Which of the following sets of cranial nerves passes through this foramen?




MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- a) CN VII (Facial) and CN VIII (Vestibulocochlear)
- b) CN IX (Glossopharyngeal), CN X (Vagus), and CN XI (Accessory)
- c) CN II (Optic) and CN III (Oculomotor)
- d) CN XII (Hypoglossal)

Q129. Which of the following correctly identifies the anatomical structures labeled A, B, C, and D?



- a) A: Corpus Callosum, B: Nasopharynx, C: Trachea, D: Uvula
- b) A: Fornix, B: Axis, C: Thyroid cartilage, D: Hyoid
- c) A: Hypothalamus, B: Atlas, C: Larynx, D: Tongue
- d) A: Midbrain, B: Esophagus, C: Spinal Cord, D: Thyroid Cartilage


Q130. The black arrow in the diagram is pointing to which of the following muscles?



- a) Mylohyoid
- b) Anterior belly of the digastric
- c) Sternohyoid
- d) Geniohyoid

Q131. The region indicated by the black arrow in the image is bounded posteriorly by the sternocleidomastoid muscle, superiorly by the posterior belly of the digastric muscle, and anteroinferiorly by the superior belly of the omohyoid muscle. Which anatomical triangle is this?

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026



- Submental triangle
- Muscular triangle
- Carotid triangle
- Submandibular (Digastic) triangle

Q132. Identify the structures labeled A, B, and C in the provided image:




- A: Medulla oblongata; B: Atlas (C1); C: Thyroid cartilage
- A: Pons; B: Dens of the Axis (C2); C: Epiglottis
- A: Sphenoid sinus; B: Soft palate ; C: Epiglottis
- A: Sphenoid sinus; B: Dens of the Axis (C2); C: Hyoid bone

Q133. Look at the provided sagittal MRI scan of the human brain. Identify the anatomical structures labeled A and B:



- A: Corpus Callosum; B: Pons
- A: Fornix; B: Fourth Ventricle
- A: Corpus Callosum; B: Cerebellum
- A: Lateral ventricle; B: Fourth Ventricle

Q134. All are true about the given image Except:



- Compression of A leads to carpal tunnel syndrome

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


- b) B is Flexor Digitorum Superficialis
- c) C is Radius bone
- d) D is Flexor Digitorum profundus

Q135. Which of the following structures given below is related to the structure designated (green) in the image?




- a) Obturator nerve
- b) Sciatic nerve
- c) Pudendal nerve
- d) Femoral nerve

Q136. What is True regarding the arrow marked structure ?



- a) It is 'H' shaped suture between frontal, parietal, temporal & occipital bones
- b) Accessory meningeal artery is present deep to it
- c) Central sulcus of cerebrum is present deep to it
- d) Lateral sulcus of cerebrum is present deep to it

Q137. Lesion of the structure marked '1' causes:



- a) Hypothenar muscles wasting
- b) Loss of sensation of the nail of little finger
- c) Loss of sensation at the nail of index finger
- d) Loss of sensation of the 4th interdigital cleft


Q138. Which of the following muscle is supplied by the structure marked ?

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- a) Superior rectus
- b) Lateral rectus
- c) Superior oblique
- d) Orbicularis oculi

Q139. What is the name & vertebral level for the red coloured plane in the image ?




- a) Supracristal plane, Lower border of L3
- b) Supracristal plane, upper border of L3
- c) Supracristal plane, Lower border of L4
- d) Supracristal plane, Upper border of L4

Q140. The arrow marked tract end in which nucleus of the thalamus?



- a) Anterior nucleus
- b) Posterior nucleus
- c) Ventral Posteromedial nucleus
- d) Ventral Posterolateral nucleus

Q141. Identify the arrow marked structure?




- a) Right Atrium
- b) Left Atrium
- c) Right ventricle

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026


d) Left ventricle

Q142. Which one of the following is correct ?



- a) Arrow marked structure A is 12th cranial nerve
- b) Arrow marked structure B is 6th cranial nerve
- c) Arrow marked structure C is 4th cranial nerve
- d) Arrow marked structure D is 2nd cranial nerve

Q143. Identify the arrow marked structure?



- a) Superior sagittal sinus
- b) Inferior sagittal sinus
- c) Straight sinus
- d) Occipital sinus

Q144. A newborn is having a congenital defect shown in the picture. What is THE developmental defect ?






MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

- a) FAILURE in closure of ROSTRAL neuropore OF NEURAL TUBE at 4 wks IUL
- b) FAILURE in closure of POSTERIOR neuropore OF NEURAL TUBE at 4 wks IUL
- c) FAILURE in closure of complete NEURAL TUBE at 6th wk IUL
- d) FAILURE in closure of ANTERIOR neuropore OF NEURAL TUBE at 2 wks IUL

Q145. Identify the epithelium :



- a) Transitional epithelium
- b) Keratinized stratified squamous epithelium
- c) Non keratinized stratified squamous epithelium
- d) Ciliated pseudostratified columnar epithelium

Q146. Identify the arrow marked structure :




- a) Sphenoid sinus
- b) Mastoid process
- c) Cribriform plate
- d) Sella Turcica

Q147. A 25 year old female complained of inability to close eyes on right side and loss of transverse wrinkles on forehead on right side along with deviation of angle of mouth towards left side. what is the most likely reason ?

- a) UMN lesion of Right Facial Nerve
- b) LMN lesion of Right Facial Nerve
- c) UMN lesion of Left Facial Nerve
- d) LMN lesion of Left Facial Nerve

Q148. Which nucleus lies under the arrow marked structure?

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026




- a) Fifth
b) Sixth

- c) Seventh
d) Eighth

- Q149. A couple is trying to conceive a child. Which of the following step is responsible for the prevention of polyspermy?
- a) Resumption of the second meiotic division
b) Capacitation
c) The zona reaction
d) The release of enzymes from the sperm acrosome

- Q150. Identify the arrow marked structure :



- a) Descending aorta
b) Superior vena cava
c) Inferior vena cava
d) Esophagus

ANSWERS

1	b
2	b
3	a
4	b
5	a
6	b
7	b
8	c
9	d
10	b
11	b
12	c
13	b

14	b
15	c
16	d
17	c
18	d
19	b
20	b
21	d
22	b
23	b
24	b
25	b
26	b

27	b
28	d
29	b
30	b
31	c
32	c
33	d
34	d
35	c
36	b
37	b
38	b
39	b

40	b
41	b
42	b
43	b
44	b
45	c
46	b
47	b
48	b
49	b
50	c
51	a
52	c

53	b
54	a
55	b
56	a
57	b
58	b
59	c
60	c
61	c
62	c
63	b
64	c
65	c



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

ANATOMY SUBJECT WISE TEST DATED ON 21st APRIL 2026

66	b
67	d
68	b
69	b
70	c
71	d
72	d
73	c
74	d
75	b
76	b
77	b
78	b
79	b
80	d
81	d
82	c

83	c
84	b
85	c
86	c
87	c
88	a
89	c
90	b
91	d
92	d
93	b
94	b
95	c
96	c
97	b
98	d
99	b

100	b
101	b
102	b
103	c
104	c
105	b
106	c
107	b
108	d
109	b
110	b
111	a
112	c
113	b
114	b
115	b
116	a

117	c
118	d
119	b
120	b
121	b
122	b
123	c
124	c
125	d
126	b
127	a
128	b
129	b
130	b
131	c
132	c
133	d

134	c
135	c
136	d
137	c
138	a
139	c
140	d
141	b
142	b
143	c
144	b
145	a
146	d
147	b
148	b
149	c
150	a