



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

QUESTIONS

- Q1. A 45-year-old man with a history of chronic alcoholism had been abstinent for the last 3 months while on de-addiction therapy. He consumed 60 mL of alcohol at a social gathering. Within 15 - 20 minutes, he developed nausea, vomiting, red rashes, throbbing headache, palpitations and hypotension. Which of the following drug was he most likely taking for alcohol dependence?
- a) Naltrexone
 - b) Topiramate
 - c) **Disulfiram**
 - d) Acamprosate
- Q2. 5mg I/V morphine was given to a 45 year old patient, for post- operative pain management. You are monitoring him for opioid toxicity. Which of the following findings can suggest you to make a diagnosis of morphine overdose?
- a) Tachycardia
 - b) Dilatation of pupil
 - c) Tachypnea
 - d) **Bradypnea**
- Q3. A person is getting sexual gratification after wearing the dress of opposite sex. This paraphilia is called as;
- a) Exhibitionism
 - b) Fetichism
 - c) **Eonism**
 - d) Voyeurism
- Q4. A 27 year old female has had low mood, she doesn't like doing any routine activity, she sleeps almost 15 hours a day & she feels that she is being rejected by her friends for past 2 months. She feels happiness for few moments when she hears her mother is going to visit. She feels heaviness of lower limbs and keeps on eating a lot. What is the most likely diagnosis?
- a) Adjustment disorder
 - b) Anxiety disorder
 - c) Mania
 - d) **Atypical depression**
- Q5. A 4 year boy having normal birth history develops normally for 2 years then started developing regression of previously acquired developmental milestones, lost his bladder bowel control, there is decrease in IQ levels. Most probable diagnosis?
- a) Rett's Sundrome
 - b) **Heller's Syndrome**
 - c) Intellectual disability



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

d) Refsum's disease

Q6. A 75 year old man is brought to OPD by his son with complains of progressive forgetfulness. For the past one year, he has been seeing humans and animals entering in his house which is not actually there. He is also having cog wheel rigidity, hypomimia on examination. What is the most likely type of dementia?

- a) Alzheimer's
- b) **Lewy body dementia**
- c) Parkinson's
- d) Fronto Temporal dementia

Q7. A 35 year old female believes that Donald Trump is her close friend, she is the richest person of society. She is having?

- a) Delusion of Love
- b) Erotomania
- c) **Delusion of Grandiosity**
- d) Delusional Parasitosis

Q8. Most Common pattern of LSD use is ?

- a) Street
- b) Trips
- c) **TRIP**
- d) Formications

Q9. Which drug among the following can precipitate mania?

- a) Olanzapine
- b) **Amitriptyline**
- c) Risperidone
- d) Quetiapine

Q10. What is the rationale behind combining Naloxone with Buprenorphine in tablets used in Opioid dependence?

- a) To enhance the efficacy of buprenorphine
- b) **To prevent IV abuse**
- c) To prevent sudden opioid withdrawal symptoms
- d) To prevent adverse effects associated with buprenorphine

Q11. According to the Mental Health Care Act 2017, hospitalization/ treatment under emergency conditions is valid up to how many hours?

- a) 24
- b) **72**
- c) 48



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

d) 12

Q12. Laden paralysis is a feature of :

- a) Dissociative disorder
- b) Atypical depression
- c) Organic brain damage
- d) Catatonia

Q13. A patient diagnosed with schizophrenia was started on an antipsychotic drug. The hallucinations have decreased significantly. This effect of drug is due to its action on which dopaminergic pathway?

- a) Mesocortical
- b) Tubuloinfundibular
- c) Nigrostriatal
- d) Mesolimbic

Q14. Double book keeping' phenomenon is associated with :

- a) Delusion
- b) Hallucination
- c) Mood
- d) Psychomotor activity

Q15. Beck's Cognitive Triad involves negative feelings about all except?

- a) Self
- b) World
- c) Mood
- d) Future

Q16. Sunita's friends noticed that her behavior changed in the past one week. She began to stay up late into the night, rarely sleeping. She impulsively decided to paint every room in her house and to buy all new furniture for her house. She also started drinking more and engaging in risky behavior, such as unprotected sex. Her friends noticed that when she speaks, she speaks very rapidly and quickly jumps from subject to subject. What may Shelia be experiencing?

- a) Schizophrenia
- b) Histrionic personality Disorder
- c) Depressive episode
- d) Manic episode

Q17. Not a correct match:

- a) Auditory hallucination-Alcoholism
- b) Delusion of infidelity– OCD
- c) Thought broadcasting – Schizophrenia



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

d) Delusion of grandiosity– Mania

Q18. Following are positive symptoms of schizophrenia except?

- a) Thought disorder
- b) **Anhedonia**
- c) Hallucination
- d) Delusion of reference

Q19. A doctor asks a patient about her age. The patient responds: "You know, doctor, I'm a house wife and I got married at a very young age—at 12—with my husband, who is just 5 years older than me. I am living in Delhi NCR in A row house and I have two kids.I'm just 32, doctor. "What is the most likely thought disorder displayed by the patient?

- a) **Circumstantiality**
- b) Tangentiality
- c) Derailment
- d) Flight of idea

Q20. Those patients suffering from which of the following illness are also called “Sundowners”?

- a) Mania
- b) Schizophrenia
- c) Alcoholism
- d) **Delirium**

Q21. A first-grade teacher is concerned about a 6-year-old girl in her class who has not spoken a single word since school started. The little girl participates appropriately in the class activities and uses gestures and drawings and nods and shakes her head to communicate. The parents report that the little girl talks only in the home and only in the presence of her closest relatives. Which of the following is the most likely diagnosis?

- a) Autism
- b) Rett's syndrome
- c) School phobia
- d) **Selective mutism**

Q22. 53-year-old man is admitted to psychiatry after a serious suicide attempt. He remains nearly catatonic on the unit, refusing to either eat or drink. He also remains quite suicidal, and requires one-to-one observation at all times. Which of the following is the most appropriate treatment?

- a) Tricyclic + SSRI in combination
- b) SSRI + Lorazepam
- c) SSRI + antipsychotic
- d) **ECT**

Q23. Identify this projective personality test ?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026



- a) CAT
- b) TAT
- c) Ink Blot Test
- d) None

Q24. Identify symptom seen in a one of the psychiatric disorder ?



- a) Catalepsy
- b) Cataplexy
- c) Psychological pillow
- d) Automatic Obedience

Q25. A 43-year-old man is admitted to the neurology service after he went blind suddenly on the morning of admission. The patient does not seem overly concerned with his sudden lack of vision. The only time he gets upset during the interview is when he is discussing his mother's recent death in Mexico—he was supposed to bring his mother to the United States, but did not because he had been using drugs and did not save the necessary money. Physical examination is completely negative. Which of the following is the most likely diagnosis?

- a) Dissociative amnesia
- b) Factitious disorder
- c) Dissociative neurological symptoms disorder
- d) Somatic symptom disorder

Q26. A 20 year old girl came agitated to the emergency department with features of tachycardia, tachypnea, sweating, mydriasis and raised BP; after stopping some drug. She has previous history of suicidal tendencies. The parents do not know the mode and route of drug administration. What will be the causative drug?



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

- a) Psilocybin
- b) Cannabis
- c) Cocaine
- d) **Heroin**

Q27. Mr. X is suffering from an illness since 3 years and has been admitted against his will. He has delusion of persecution against his family and after he was hospitalised he reports that hospital staff have joined his parents. He says that his father is not his actual father and it is his neighbour who is coming in his father's form. He identifies one of the doctor similarly to be his neighbour, who has come to kill him. The patient has :

- a) Persecutory beliefs
- b) **Capgras syndrome**
- c) Delregoli syndrome
- d) Delusion of misinterpretation


Q28. All are First rank symptoms of Schizophrenia except ?

- a) Audible Thoughts
- b) Voice arguing or discussing or both
- c) Thought Broadcasting
- d) **Perplexity**

Q29. A 20 year male presented to Psychiatrist. He has had charming personality, well mannered in front of interviewer. His mother complains of him getting in to fights and bunking classes, he takes alcohol and getting involved in to fights when he is with friends and involved in to police cases. What kind of personality does he have?

- a) Paranoid
- b) **Anti social**
- c) Schizoid
- d) Narcissistic

Q30. Identify the therapy ?





MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

- a) ECT
- b) rTMS
- c) eTNS
- d) **tDCS**

Q31. A 46-year-old man is being monitored in a sleep study laboratory. After he has been asleep for 90 minutes, his EEG shows low-voltage, random fast activity with sawtooth waves. When awakened during this period, the patient reports that he was dreaming. Which of the following sleep stages was this patient in when awakened?

- a) Alpha waves
- b) Theta waves
- c) Sleep spindles
- d) **Rapid eye movement (REM)**

Q32. What differentiates an obsession from a compulsion in OCD?

- a) **Obsessions are involuntary and often cause distress, whereas compulsions are voluntary behaviors aimed at reducing that distress**
- b) Obsessions are psychotic symptoms, whereas compulsions are neurotic symptoms
- c) Obsessions involve physical actions, whereas compulsions are mental acts
- d) Obsessions and compulsions are essentially the same in OCD and the terms can be used interchangeably

Q33. Image shown below represents which test ?



- a) TAT
- b) **CAT**
- c) Ink Blot test
- d) MMSE

Q34. In the context of the Mental Status Examination, which of the following BEST describes abnormalities of perception?

- a) Difficulties in understanding abstract concepts
- b) **Experiencing sensations without external stimuli**



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

- c) Impairment in performing complex motor tasks
- d) Challenges in recognizing familiar faces

Q35. The assessment of "mood" and "affect" in the Mental Status Examination distinguishes between:

- a) Short-term and long-term memory capabilities
- b) **The patient's subjective experience and its objective expression**
- c) The speed and content of the patient's speech
- d) The patient's insight and their judgment

Q36. Bleuler's 4A's include all of the following EXCEPT:

- a) Affect
- b) Ambivalence
- c) Autism
- d) **Anxiety**

Q37. During a psychiatric evaluation, a patient with schizophrenia expresses both love and hatred towards their sibling within a short conversation. This presentation is most indicative of:

- a) Splitting.
- b) **Ambivalence.**
- c) Emotional blunting.
- d) Thought insertion.

Q38. What is the primary mechanism by which ECT exerts its therapeutic effect in patients with severe depression?

- a) **Induction of a generalized seizure activity**
- b) Stimulation of neurogenesis in the hippocampus
- c) Suppression of the hypothalamic-pituitary-adrenal axis
- d) Increase in neurotransmitter release such as serotonin and norepinephrine

Q39. Which of the following is NOT a common symptom of Lewy Body Dementia?

- a) Rapid eye movement sleep behavior disorder
- b) Significant muscle rigidity
- c) **Progressive loss of language skills**
- d) Visual hallucinations

Q40. Which condition is commonly associated with mental retardation?

- a) Attention Deficit Hyperactivity Disorder (ADHD)
- b) Obsessive-Compulsive Disorder (OCD)
- c) Bipolar Disorder
- d) **Autism Spectrum Disorder (ASD)**



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

Q41. Synaesthesia is:

- a) Simultaneously experiencing sensation on symmetrical areas of the body on stimulation of one side
- b) Fusing of two sensations to cause anaesthesia
- c) A stage of altered consciousness caused by drugs of abuse
- d) Perception in one sensory modality caused by stimulus in another sensory modality

Q42. The world is coming to an end', 'my brain is completely dead', 'my organs are destroyed'- all these are examples of:

- a) Delusion of hopelessness
- b) Delusion of prediction
- c) Delusion of nihilism
- d) Delusion of poverty

Q43. A 36-year-Old man who is being treated for depression complaint that he has been experiencing sleep difficulties he reports that his wife complains that he appears frightened and shouts in his sleep at night. He has no recollection of the events on awaking. What type of sleep disturbance is this man describing ?

- a) Narcolepsy
- b) Pavor Nocturnus
- c) Nightmares
- d) Somnambulism

Q44. A middle age person complains of fear of leaving home fear of travelling alone and fear of being in crowd. He develops marked anxiety with palpitations and sweating if he is in these situations. he often avoids public transport to go his work place. the most likely diagnosis is:

- a) Generalized anxiety disorder
- b) Personality disorder
- c) Schizophrenia
- d) Agoraphobia

Q45. A female patient admitted to psychiatric ward complaints that a man sitting in the next room has pierced her body using invisible cannula and draining her blood against her wish over which she is not able to exercise any control, probable diagnosis is:

- a) personality disorder
- b) Delusion of persecution
- c) Somatic passivity
- d) Organic brain syndrome

Q46. Milder variety of depression present for 2 or more years of duration is called as:

- a) Cyclothymia
- b) Dysthymia
- c) Masked depression



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

d) Double Depression

Q47. Subjective feeling of lower limb restlessness and an inability to sit or stand still in one place following antipsychotic administration is called:

- a) Akathisia
- b) Dyskinesia
- c) Dystonia
- d) Akinesia

Q48. Approximate answers is a feature of:

- a) Capgras syndrome
- b) Ganser syndrome
- c) Geschwind syndrome
- d) Schizophrenia

Q49. Which of the following best represents an example of an obsessive thought in OCD?

- a) Constantly washing hands to prevent contamination
- b) Repeatedly checking that the door is locked to avoid theft
- c) Fear of shouting obscenities in public without control
- d) Arranging items symmetrically to achieve perfect order

Q50. Which of the following clinical manifestations is LEAST likely to be found in a patient with Anorexia Nervosa?

- a) Bradycardia
- b) Hypothermia
- c) Lanugo
- d) Hypernatremia

ANSWERS

1	c
2	d
3	c
4	d
5	b
6	b
7	c
8	c
9	b
10	b

11	b
12	b
13	d
14	a
15	c
16	d
17	b
18	b
19	a
20	d



MIST- MEDICAL INSTITUTE FOR SCREENING TEST

PSYCHIATRY SUBJECT WISE TEST DATED ON 29th MAY 2026

21	d
22	d
23	c
24	c
25	c
26	d
27	b
28	d
29	b
30	d
31	d
32	a
33	b
34	b
35	b

36	d
37	b
38	a
39	c
40	d
41	d
42	c
43	b
44	d
45	c
46	b
47	a
48	b
49	c
50	d