

# Audit Report **Axondao**

October 2023

SHA256

31b4b3e34e00c05d70984de5fb3842222ea9ee1232d2dceedb9acbf2092902af

Audited by © cyberscope



# **Analysis**

CriticalMediumMinor / InformativePass

Severity	Code	Description	Status
•	ST	Stops Transactions	Passed
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
•	MT	Mints Tokens	Passed
•	ВТ	Burns Tokens	Passed
•	ВС	Blacklists Addresses	Passed



# **Diagnostics**

CriticalMediumMinor / Informative

Severity	Code	Description	Status
•	L07	Missing Events Arithmetic	Unresolved
•	L18	Multiple Pragma Directives	Unresolved
•	L19	Stable Compiler Version	Unresolved



## **Table of Contents**

Analysis	1
Diagnostics	2
Table of Contents	3
Review	4
Audit Updates	4
Source Files	5
Findings Breakdown	6
L07 - Missing Events Arithmetic	7
Description	7
Recommendation	7
L18 - Multiple Pragma Directives	8
Description	8
Recommendation	8
L19 - Stable Compiler Version	9
Description	9
Recommendation	9
Functions Analysis	10
Inheritance Graph	16
Flow Graph	17
Summary	18
Disclaimer	19
About Cyberscope	20



## **Review**

Contract Name	AXGT
Testing Deploy	https://testnet.bscscan.com/address/0x0ecb8c0d3fe76f19be08 5d88297fe32bae53aafa
Symbol	AXGT
Decimals	18
Total Supply	1,000,000,000

## **Audit Updates**

Initial Audit	20 Sep 2023  https://github.com/cyberscope-io/audits/blob/main/axgt/v1/audit.pdf
Corrected Phase 2	26 Sep 2023 <a href="https://github.com/cyberscope-io/audits/blob/main/axgt/v2/audit.pdf">https://github.com/cyberscope-io/audits/blob/main/axgt/v2/audit.pdf</a> t.pdf
Corrected Phase 3	10 Oct 2023 <a href="https://github.com/cyberscope-io/audits/blob/main/axgt/v3/audit.pdf">https://github.com/cyberscope-io/audits/blob/main/axgt/v3/audit.pdf</a> t.pdf
Corrected Phase 4	12 Oct 2023



## **Source Files**

Filename	SHA256
contracts/AXGT.sol	31b4b3e34e00c05d70984de5fb3842222ea9ee1232d2dceedb9acbf209 2902af



# **Findings Breakdown**



Severity		Unresolved	Acknowledged	Resolved	Other
•	Critical	0	0	0	0
	Medium	0	0	0	0
	Minor / Informative	3	0	0	0

#### **L07 - Missing Events Arithmetic**

Criticality	Minor / Informative
Location	contracts/AXGT.sol#L868,906
Status	Unresolved

#### Description

Events are a way to record and log information about changes or actions that occur within a contract. They are often used to notify external parties or clients about events that have occurred within the contract, such as the transfer of tokens or the completion of a task.

It's important to carefully design and implement the events in a contract, and to ensure that all required events are included. It's also a good idea to test the contract to ensure that all events are being properly triggered and logged.

```
swapTokensAtAmount = amount;
balanceLimit = _limit;
```

#### Recommendation

By including all required events in the contract and thoroughly testing the contract's functionality, the contract ensures that it performs as intended and does not have any missing events that could cause issues with its arithmetic.

### **L18 - Multiple Pragma Directives**

Criticality	Minor / Informative
Location	contracts/AXGT.sol#L18,49,129,158
Status	Unresolved

#### Description

If the contract includes multiple conflicting pragma directives, it may produce unexpected errors. To avoid this, it's important to include the correct pragma directive at the top of the contract and to ensure that it is the only pragma directive included in the contract.

```
pragma solidity 0.8.7;
pragma solidity ^0.8.0;
```

#### Recommendation

It is important to include only one pragma directive at the top of the contract and to ensure that it accurately reflects the version of Solidity that the contract is written in.

By including all required compiler options and flags in a single pragma directive, the potential conflicts could be avoided and ensure that the contract can be compiled correctly.



#### L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	contracts/AXGT.sol#L49,129,158
Status	Unresolved

#### Description

The \_\_\_\_\_\_\_ symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
pragma solidity 0.8.7;
pragma solidity ^0.8.0;
```

#### Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.



# **Functions Analysis**

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
ReentrancyGua rd	Implementation			
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Metadat	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-



ERC20	Implementation	Context, IERC20, IERC20Meta data		
		Public	<b>✓</b>	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
Ownable	Implementation	Context		
		Public	<b>✓</b>	-



	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-



	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Fac tory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	<b>✓</b>	-
	setFeeToSetter	External	<b>✓</b>	-
IUniswapV2Rou ter01	Interface			
	factory	External		-
	WETH	External		-




	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Rou ter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOnTr ansferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	<b>√</b>	-
	swapExactTokensForTokensSupporting FeeOnTransferTokens	External	1	-



	swapExactETHForTokensSupportingFee OnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFee OnTransferTokens	External	1	-
AXGT	Implementation	ERC20, Ownable, ReentrancyG uard		
		Public	✓	ERC20
		External	Payable	-
	setUniswapV2Router	External	✓	onlyOwner
	_burnToken	External	✓	onlyOwner
	_transfer	Internal	1	
	swapAndLiquify	Private	1	
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	
	sendDividends	Private	✓	nonReentrant
	setSwapAtAmount	External	1	onlyOwner
	setAdminWallet	External	✓	onlyOwner
	setFundWAllet	External	✓	onlyOwner
	changeOwner	External	✓	onlyOwner
	setExcludeWallet	External	✓	onlyOwner
	setExcludeLimitWallet	External	✓	onlyOwner
	setLimit	External	✓	onlyOwner
	setFee	External	✓	onlyOwner




## **Inheritance Graph**





# Flow Graph





## **Summary**

Axondao contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Axondao is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.



#### **Disclaimer**

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

## **About Cyberscope**

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io