

Audit Report

Flux

December 2024

Networks: ETH, BSC, POLYGON, AVAX, BASE, TRON

Audited by © cyberscope



Analysis

CriticalMediumMinor / InformativePass

Severity	Code	Description	Status
•	ST	Stops Transactions	Passed
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
•	MT	Mints Tokens	Passed
•	ВТ	Burns Tokens	Passed
•	ВС	Blacklists Addresses	Passed



Diagnostics

CriticalMediumMinor / Informative

Severity	Code	Description	Status
•	L09	Dead Code Elimination	Unresolved
•	L19	Stable Compiler Version	Unresolved




Table of Contents

FLUX Token Audit

Analysis	1
Diagnostics	2
Table of Contents	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	6
Findings Breakdown	7
L09 - Dead Code Elimination	8
Description	8
Recommendation	9
L19 - Stable Compiler Version	10
Description	10
Recommendation	10
Functions Analysis	11
Inheritance Graph	12
Flow Graph	13
Summary	14
Disclaimer	15
About Cyberscope	16



Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

- 1. **Likelihood of Exploitation**: This considers how easily an attack can be executed, including the economic feasibility for an attacker.
- 2. **Impact of Exploitation**: This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

- Critical: Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
- Medium: Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
- Minor: Involves vulnerabilities that are unlikely to be exploited and would have a
 minor impact. These findings should still be considered for resolution to maintain
 best practices in security.
- 4. **Informative**: Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
 Critical 	Highly Likely / High Impact
Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
Minor / Informative	Unlikely / Low to no Impact



Review

Contract Name	Flux
Compiler Version	v0.8.4+commit.c7e474f2
Optimization	200 runs
Networks	ETH, BSC, POLYGON, AVAX, BASE, TRON
Explorers	https://etherscan.io/address/0x720cd16b011b987da3518fbf38c 3071d4f0d1495 https://bscscan.com/address/0xaff9084f2374585879e8b434c39
	9e29e80cce635 https://polygonscan.com/address/0xA2bb7A68c46b53f6BbF6c C91C865Ae247A82E99B
	https://snowscan.xyz/address/0xc4B06F17ECcB2215a5DBf042 C672101Fc20daF55
	https://basescan.org/address/0xb008BDCF9CdFf9da684a1909 41dC3dCa8C2Cdd44
	https://tronscan.org/#/token20/TWr6yzukRwZ53HDe3bzcC8RC TbiKa4Zzb6
Symbol	FLUX
Decimals	8
Total Supply	440,000,000

Audit Updates

Initial Audit	13 Dec 2024
---------------	-------------



Source Files

Filename	SHA256
Flux.sol	38b397eb006763c173f1eb3cee3eb9e9d09fe4ef83d90e1b8a39aca0cfd 3cdae



Findings Breakdown



Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	2	0	0	0



L09 - Dead Code Elimination

Criticality	Minor / Informative
Location	Flux.sol#L374
Status	Unresolved

Description

In Solidity, dead code is code that is written in the contract, but is never executed or reached during normal contract execution. Dead code can occur for a variety of reasons, such as:

- Conditional statements that are always false.
- Functions that are never called.
- Unreachable code (e.g., code that follows a return statement).

Dead code can make a contract more difficult to understand and maintain, and can also increase the size of the contract and the cost of deploying and interacting with it.

```
function _burn(address account, uint256 amount) internal virtual {
    require(account != address(0), "ERC20: burn from the zero
address");

    _beforeTokenTransfer(account, address(0), amount);

    uint256 accountBalance = _balances[account];
    require(accountBalance >= amount, "ERC20: burn amount
exceeds balance");
    _balances[account] = accountBalance - amount;
    _totalSupply -= amount;

    emit Transfer(account, address(0), amount);
}
```



Recommendation

To avoid creating dead code, it's important to carefully consider the logic and flow of the contract and to remove any code that is not needed or that is never executed. This can help improve the clarity and efficiency of the contract.



L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	Flux.sol#L9
Status	Unresolved

Description

The ^ symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
pragma solidity ^0.8.0;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.




Functions Analysis

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Flux	Implementation	ERC20		
		Public	✓	ERC20
	decimals	Public		-




Inheritance Graph





Flow Graph





Summary

Flux contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Flux is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues.



Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

cyberscope.io