



Cyberscope

# Audit Report

## **AAMTOKEN**

April 2025

Network    BSC\_TESTNET

Address    0xa8419c1e2411e30736f1c34ab146bce6814077d7

Audited by    © cyberscope

# Analysis

● Critical   ● Medium   ● Minor / Informative   ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

# Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	TSD	Total Supply Diversion	Unresolved
●	ROF	Redundant Ownership Functionality	Unresolved
●	MEM	Misleading Error Messages	Unresolved
●	MRF	Missing Renounce Functionality	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved

# Table of Contents

<b>Analysis</b>	<b>1</b>
<b>Diagnostics</b>	<b>2</b>
<b>Table of Contents</b>	<b>3</b>
<b>Risk Classification</b>	<b>4</b>
<b>Review</b>	<b>5</b>
Audit Updates	5
Source Files	5
<b>Findings Breakdown</b>	<b>6</b>
TSD - Total Supply Diversion	7
Description	7
Recommendation	8
ROF - Redundant Ownership Functionality	9
Description	9
Recommendation	9
MEM - Misleading Error Messages	10
Description	10
Recommendation	10
MRF - Missing Renounce Functionality	11
Description	11
Recommendation	11
L04 - Conformance to Solidity Naming Conventions	12
Description	12
Recommendation	12
<b>Functions Analysis</b>	<b>13</b>
<b>Inheritance Graph</b>	<b>14</b>
<b>Flow Graph</b>	<b>15</b>
<b>Summary</b>	<b>16</b>
<b>Disclaimer</b>	<b>17</b>
<b>About Cyberscope</b>	<b>18</b>

# Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

## Review

Contract Name	AAMTOKEN
Compiler Version	v0.8.28+commit.7893614a
Optimization	200 runs
Explorer	<a href="https://testnet.bscscan.com/address/0xa8419c1e2411e30736f1c34ab146bce6814077d7">https://testnet.bscscan.com/address/0xa8419c1e2411e30736f1c34ab146bce6814077d7</a>
Address	0xa8419c1e2411e30736f1c34ab146bce6814077d7
Network	BSC_TESTNET
Symbol	AMTN
Decimals	18
Total Supply	3.000.000.000
Badge Eligibility	Must Fix Criticals


## Audit Updates

Initial Audit	14 Apr 2025 <a href="https://github.com/cyberscope-io/audits/blob/main/amtn/v1/audit.pdf">https://github.com/cyberscope-io/audits/blob/main/amtn/v1/audit.pdf</a>
Corrected Phase 2	28 Apr 2025

## Source Files

Filename	SHA256
contracts/AAMToken.sol	d0ad67da8c39bc959227b05e08ba3eace2d265f00a99b3b8f41704ddecff7c20

## Findings Breakdown



Critical	1
Medium	0
Minor / Informative	4

Severity	Unresolved	Acknowledged	Resolved	Other
Critical	1	0	0	0
Medium	0	0	0	0
Minor / Informative	4	0	0	0

## TSD - Total Supply Diversion

Criticality	Critical
Location	contracts/AAMToken.sol#L145,156,164,170
Status	Unresolved

### Description

The total supply of a token is the total number of tokens that have been created, while the balances of individual accounts represent the number of tokens that an account owns. The total supply and the balances of individual accounts are two separate concepts that are managed by different variables in a smart contract. These two entities should be equal to each other.

In the contract, the amount that is added to the total supply does not equal the amount that is added to the balances. As a result, the sum of balances is diverse from the total supply.

Specifically, in the `batchTransfer` method, users are able to add as parameter an array of amounts they want to transfer. If the `totalAmount` which is the combined value of the `amounts` array exceeds the max unsigned integer value, it will be wrapped to a lower value. This will result in users bypassing the requirement of `totalAmount <= senderBalance` as long as the final wrapped value is less than or equal to the `senderBalance`. This will allow users to increase account balances with amounts of tokens that are not reflected in the `totalSupply`.



```
unchecked {
    for (uint256 i = 0; i < len; ++i) {
        address recipient = recipients[i];
        uint256 amount = amounts[i];

        require(recipient != address(0), "Zero address
recipient");
        require(recipient != sender, "Cannot transfer to
self");

        totalAmount += amount;

        _balances[recipient] += amount;
        emit Transfer(sender, recipient, amount);
    }

    require(totalAmount <= senderBalance, "Insufficient
balance");
    _balances[sender] = senderBalance - totalAmount;
}
```

## Recommendation

The total supply and the balance variables are separate and independent from each other. The total supply represents the total number of tokens that have been created, while the balance mapping stores the number of tokens that each account owns. The sum of balances should always equal the total supply.

## ROF - Redundant Ownership Functionality

Criticality	Minor / Informative
Location	contracts/AAMToken.sol#L35,43,217
Status	Unresolved

### Description

The contract implements functionality to define an owner. This functionality is normally implemented in contracts that need some form of authority and access control. However, excluding the `transferOwnership` there is no function in the contract that needs to be called only by the owner. Therefore the ownable functionality is redundant.

```
address public owner;
modifier onlyOwner() {
    require(msg.sender == owner, "Only owner");
    _;
}
function transferOwnership(address newOwner) external onlyOwner
{
    require(newOwner != address(0), "ERC20: transfer ownership
to the zero address");

    address oldOwner = owner;
    owner = newOwner;

    emit OwnershipTransferred(oldOwner, newOwner);
}
```

### Recommendation

It is recommended to remove the ownable functionality to increase code optimization and readability.

## MEM - Misleading Error Messages

Criticality	Minor / Informative
Location	contracts/AAMToken.sol#L218
Status	Unresolved

### Description

The contract is using misleading error messages. These error messages do not accurately reflect the actual implementation, making it difficult to understand the source code.

Specifically, in `transferOwnership` the requirement has an error message that mentions `ERC20:...`. `transferOwnership` is not a standard `ERC20` function. Defining error messages with `ERC20` at the start of the message is considered a best practice for token contracts in order to notify external parties that the error comes from an `ERC20` function.

```
require(newOwner != address(0), "ERC20: transfer ownership to  
the zero address");
```

### Recommendation

The team is advised to carefully review the error messages in order to reflect the actual implementation.

## MRF - Missing Renounce Functionality

Criticality	Minor / Informative
Location	contracts/AAMToken.sol
Status	Unresolved

### Description

When initialized the contract sets the `msg.sender` as the contracts `owner`. However the contract does not implement any functionality to renounce the ownership of the contract.

```
address public owner;

modifier onlyOwner() {
    require(msg.sender == owner, "Only owner");
    _;
}
```

### Recommendation

While it is technically possible to transfer ownership to a contract wallet address that has zero functionality, simulating renouncing the ownership, it is recommended to add the necessary functionality for transferring it to address zero.

## L04 - Conformance to Solidity Naming Conventions

<b>Criticality</b>	Minor / Informative
<b>Location</b>	contracts/AAMToken.sol#L31,32,33
<b>Status</b>	Unresolved

### Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX\_VALUE, ERROR\_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

```
string private constant _name = "AAMTOKEN"  
string private constant _symbol = "AMTN"  
uint8 private constant _decimals = 18
```

### Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.


Find more information on the Solidity documentation

<https://docs.soliditylang.org/en/stable/style-guide.html#naming-conventions>.


## Functions Analysis

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>AAMTOKEN</b>	Implementation	IBEP20		
		Public	✓	-
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	Public	✓	-
	_approve	Internal	✓	
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	transferFrom	External	✓	-
	batchTransfer	External	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	burn	External	✓	-
	transferOwnership	External	✓	onlyOwner
	name	External		-
	symbol	External		-
	decimals	External		-

## Inheritance Graph



# Flow Graph





## Summary

AAMToken contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements.

## Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

# About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



**The Cyberscope team**

[cyberscope.io](https://cyberscope.io)