

Audit Report Amart Charity Token

June 2024

Network BSC

Address 0x7053fe3a966a89bc41b13a7c96f21e8135e1d191

Audited by © cyberscope



Analysis

CriticalMediumMinor / InformativePass

Severity	Code	Description	Status
•	ST	Stops Transactions	Passed
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
•	MT	Mints Tokens	Passed
•	ВТ	Burns Tokens	Passed
•	ВС	Blacklists Addresses	Passed



Diagnostics

CriticalMediumMinor / Informative

Severity	Code	Description	Status
•	CR	Code Repetition	Unresolved
•	IDI	Immutable Declaration Improvement	Unresolved
•	L04	Conformance to Solidity Naming Conventions	Unresolved
•	L16	Validate Variable Setters	Unresolved



Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Review	4
Audit Updates	4
Source Files	4
Findings Breakdown	6
CR - Code Repetition	7
Description	7
Recommendation	9
IDI - Immutable Declaration Improvement	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L16 - Validate Variable Setters	12
Description	12
Recommendation	12
Functions Analysis	13
Inheritance Graph	15
Flow Graph	16
Summary	17
Disclaimer	18
About Cyberscope	19



Review

Contract Name	AmartCharityToken
Compiler Version	v0.8.17+commit.8df45f5f
Optimization	200 runs
Explorer	https://bscscan.com/address/0x7053fe3a966a89bc41b13a7c96 f21e8135e1d191
Address	0x7053fe3a966a89bc41b13a7c96f21e8135e1d191
Network	BSC
Symbol	ACT
Decimals	18
Total Supply	1,000,000,000
Badge Eligibility	Yes

Audit Updates

Initial Audit	10 Jun 2024
---------------	-------------

Source Files

Filename	SHA256
contracts/ReflectiveERC20.sol	8e9820a2678789110e1fbad978c1c86ae6 42cc129f2b9bcea6766792ccdd02fd
contracts/AmartCharityToken.sol	55bb6a8a00b0ffaa4d00569e1714361b0d 1e7cd900add0a58dda6d24c4cc017d



contracts/lib/LibCommon.sol	ad40e79524942f0927be19739e7c96b7a5 2147f5cf54fdd7eb676720db70b66a
@openzeppelin/contracts/utils/Context.sol	b2cfee351bcafd0f8f27c72d76c054df9b57 1b62cfac4781ed12c86354e2a56c
@openzeppelin/contracts/token/ERC20/IERC20.sol	7ebde70853ccafcf1876900dad458f46eb9 444d591d39bfc58e952e2582f5587
@openzeppelin/contracts/token/ERC20/ERC20.sol	d20d52b4be98738b8aa52b5bb0f88943f6 2128969b33d654fbca731539a7fe0a
@openzeppelin/contracts/token/ERC20/extensions /IERC20Metadata.sol	af5c8a77965cc82c33b7ff844deb9826166 689e55dc037a7f2f790d057811990
@openzeppelin/contracts/access/Ownable.sol	a8e4e1ae19d9bd3e8b0a6d46577eec098c 01fbaffd3ec1252fd20d799e73393b



Findings Breakdown



Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	4	0	0	0



CR - Code Repetition

Criticality	Minor / Informative
Location	contracts/AmartCharityToken.sol#L317
Status	Unresolved

Description

The contract contains repetitive code segments. There are potential issues that can arise when using code segments in Solidity. Some of them can lead to issues like gas efficiency, complexity, readability, security, and maintainability of the source code. It is generally a good idea to try to minimize code repetition where possible. Specifically the transfer and transferFrom functions share similar code segments.



```
function transfer(
  address to,
   uint256 amount
 ) public virtual override returns (bool) {
   uint256 taxAmount = taxAmount(msg.sender, amount);
   uint256 deflationAmount = deflationAmount(amount);
   uint256 amountToTransfer = amount - taxAmount -
deflationAmount;
    if (isMaxAmountOfTokensSet()) {
     if (balanceOf(to) + amountToTransfer >
maxTokenAmountPerAddress) {
       revert DestBalanceExceedsMaxAllowed(to);
   if (taxAmount != 0) {
     transferNonReflectedTax (msg.sender, taxAddress,
taxAmount);
   if (deflationAmount != 0) {
      burn (msg.sender, deflationAmount);
    return super.transfer(to, amountToTransfer);
function transferFrom(
  address from,
   address to,
   uint256 amount
  ) public virtual override returns (bool) {
   uint256 taxAmount = taxAmount(from, amount);
   uint256 deflationAmount = deflationAmount(amount);
   uint256 amountToTransfer = amount - taxAmount -
deflationAmount;
   if (isMaxAmountOfTokensSet()) {
     if (balanceOf(to) + amountToTransfer >
maxTokenAmountPerAddress) {
       revert DestBalanceExceedsMaxAllowed(to);
    if (taxAmount != 0) {
      _transferNonReflectedTax(from, taxAddress, taxAmount);
    if (deflationAmount != 0) {
      burn(from, deflationAmount);
```



```
return super.transferFrom(from, to, amountToTransfer);
}
```

Recommendation

The team is advised to avoid repeating the same code in multiple places, which can make the contract easier to read and maintain. The authors could try to reuse code wherever possible, as this can help reduce the complexity and size of the contract. For instance, the contract could reuse the common code segments in an internal function in order to avoid repeating the same code in multiple places.



IDI - Immutable Declaration Improvement

Criticality	Minor / Informative
Location	contracts/AmartCharityToken.sol#L150
Status	Unresolved

Description

The contract declares state variables that their value is initialized once in the constructor and are not modified afterwards. The <u>immutable</u> is a special declaration for this kind of state variables that saves gas when it is defined.

maxTotalSupply

Recommendation

By declaring a variable as immutable, the Solidity compiler is able to make certain optimizations. This can reduce the amount of storage and computation required by the contract, and make it more gas-efficient.



L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	contracts/AmartCharityToken.sol#L160,266,280,281,300
Status	Unresolved

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

- 1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
- 2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
- 3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
- 4. Use indentation to improve readability and structure.
- 5. Use spaces between operators and after commas.
- 6. Use comments to explain the purpose and behavior of the code.
- 7. Keep lines short (around 120 characters) to improve readability.

```
address _taxAddress
uint256 _feeBPS
uint256 _taxBPS
uint256 _deflationBPS
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation

https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention.



L16 - Validate Variable Setters

Criticality	Minor / Informative
Location	contracts/AmartCharityToken.sol#L138,145,292
Status	Unresolved

Description

The contract performs operations on variables that have been configured on user-supplied input. These variables are missing of proper check for the case where a value is zero. This can lead to problems when the contract is executed, as certain actions may not be properly handled when the value is zero.

```
taxAddress = _taxAddress
initialTokenOwner = tokenOwner
```

Recommendation

By adding the proper check, the contract will not allow the variables to be configured with zero value. This will ensure that the contract can handle all possible input values and avoid unexpected behavior or errors. Hence, it can help to prevent the contract from being exploited or operating unexpectedly.



Functions Analysis


Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
AmartCharityTo ken	Implementation	ReflectiveER C20, Ownable		
		Public	✓	ReflectiveERC2
	bpsInitChecks	Private		
	isMintable	Public		-
	isBurnable	Public		-
	isMaxAmountOfTokensSet	Public		-
	isMaxSupplySet	Public		-
	isDocumentUriAllowed	Public		-
	decimals	Public		-
	isTaxable	Public		-
	isDeflationary	Public		-
	isReflective	Public		-
	setDocumentUri	External	✓	onlyOwner
	setMaxTokenAmountPerAddress	External	✓	onlyOwner
	setReflectionConfig	External	✓	onlyOwner
	setTaxConfig	External	✓	onlyOwner
	setDeflationConfig	External	✓	onlyOwner
	transfer	Public	1	-



transferFrom	Public	1	-
mint	External	1	onlyOwner
burn	External	1	onlyOwner
renounceOwnership	Public	1	onlyOwner
transferOwnership	Public	1	onlyOwner
_taxAmount	Internal		
_deflationAmount	Internal		




Inheritance Graph





Flow Graph





Summary

Amart Charity Token contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Amart Charity Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions.



Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io