Cyberscope
A TAC Security Company

Audit Report
Vikings Valley

October 2026

Network	BSC
Address	0xe686d6874922579E8Ca8048435E5F6b8d8E113e3
Audited by	© cyberscope

Analysis

Critical Medium Minor / Informative Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Table of Contents

Analysis 2
Table of Contents 3
Risk Classification 4
Review 5
Audit Updates 5
Source Files 5
Findings Breakdown 6
Contract Functions 7
Inheritance Graph 8
Flow Graph 9
Summary 10
Disclaimer 11
About Cyberscope 12

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
Critical	Highly Likely / High Impact
Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	TridiumForge
Compiler Version	v0.8.24+commit.e11b9ed9
Optimization	200
Explorer	https://bscscan.com/address/0xe686d6874922579E8Ca8048435E5F6b8d8E113e3
Address	0xe686d6874922579E8Ca8048435E5F6b8d8E113e3
Network	BSC
Symbol	TRDF
Decimals	18
Total Supply	10,000,000

Audit Updates

Initial Audit	29 Oct 2026

Source Files

Filename	SHA256
contracts/assets/TridiumForge.sol	c72db3fab10cac4c8429dce1a5c86029d8922c0e02e764767430f537eec73656
@openzeppelin/contracts/utils/Context.sol	847fda5460fee70f56f4200f59b82ae622bb03c79c77e67af010e31b7e2cc5b6
@openzeppelin/contracts/utils/Nonces.sol	9b4cbb85d1f5053c744e83302538eb643a713ffd14bc37665b224f1c66529339

@openzeppelin/contracts/utils/ShortStrings.sol	ddd52921d2996abf2e3d9c1c4f6d00194a3e3b278a164948f995862371444a55
@openzeppelin/contracts/utils/StorageSlot.sol	b4a5fb7ab93bfeda06509eafbd5f71fde0e0de84b6d9129553bd535a42166c15
@openzeppelin/contracts/utils/Strings.sol	0519199dbc635f98ce2e4537986604ee618bca665c65e9a1738702dfacf72010
@openzeppelin/contracts/utils/math/Math.sol	a6ee779fc42e6bf01b5e6a963065706e882b016affbedfd8be19a71ea48e6e15
@openzeppelin/contracts/utils/math/SignedMath.sol	768c28e3a33c3312e57ae8a1caaec2893bc89ac6e386621de018f85e9a2d6e99
@openzeppelin/contracts/utils/cryptography/ECDSA.sol	37828cb50b47bcc51c7b770bde15d5885d871ef1e67028057a0b788c3568726e
@openzeppelin/contracts/utils/cryptography/EIP712.sol	27dac0732a0154f432c0a7a1d1f067ab51116105e157d0e5d68d040fd83954d5
@openzeppelin/contracts/utils/cryptography/MessageHashUtils.sol	2fd5c641cf452efd15f784827cb2835664970d7fbc166bf80824ed27011cc374
@openzeppelin/contracts/token/ERC20/ERC20.sol	2d874da1c1478ed22a2d30dcf1a6ec0d09a13f897ca680d55fb49fbcc0e0c5b1
@openzeppelin/contracts/token/ERC20/IERC20.sol	6f2faae462e286e24e091d7718575179644dc60e79936ef0c92e2d1ab3ca3cee
@openzeppelin/contracts/token/ERC20/extensions/ERC20Burnable.sol	2e6108a11184dd0caab3f3ef31bd15fed1bc7e4c781a55bc867ccedd8474565c

@openzeppelin/contracts/token/ERC20/extensions/ERC20Permit.sol	677cb995a34f0cc937f3d77d4626c46fbf47cdef4c9cc0314c27672c0459cf80
@openzeppelin/contracts/token/ERC20/extensions/IERC20Metadata.sol	1d079c20a192a135308e99fa5515c27acfbb071e6cdb0913b13634e630865939
@openzeppelin/contracts/token/ERC20/extensions/IERC20Permit.sol	912509e0e9bf74e0f8a8c92d031b5b26d2d35c6d4abf3f56251be1ea9ca946bf
@openzeppelin/contracts/interfaces/IERC5267.sol	efd1ebd1e04b6ef9c3b8781a097588f83da954323f438d54a71dc06508e6c7b8
@openzeppelin/contracts/interfaces/draft-IERC6093.sol	4aea87243e6de38804bf8737bf86f750443d3b5e63dd0fd0b7ad92f77cdbd3e3

Findings Breakdown

0 Issues Found

Critical		0
Medium		0
Minor / Informative		0

Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	0	0	0	0

Contract Functions

Contract	Type	Bases		
	Function Name	**Visibility**	**Mutability**	**Modifiers**
TridiumForge	Implementation	ERC20, ERC20Burnable, ERC20Permit		
	<Constructor>	Public	✓	ERC20 ERC20Permit
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
	_contextSuffixLength	Internal		
Nonces	Implementation			
	nonces	Public		-
	_useNonce	Internal	✓	
	_useCheckedNonce	Internal	✓	

ShortStrings	Library		
	toShortString	Internal	
	toString	Internal	
	byteLength	Internal	
	toShortStringWithFallback	Internal	✓
	toStringWithFallback	Internal	
	byteLengthWithFallback	Internal	
StorageSlot	Library		
	getAddressSlot	Internal	
	getBooleanSlot	Internal	
	getBytes32Slot	Internal	
	getUint256Slot	Internal	
	getStringSlot	Internal	
	getStringSlot	Internal	
	getBytesSlot	Internal	
	getBytesSlot	Internal	

Strings	Library	
	toString	Internal
	toStringSigned	Internal
	toHexString	Internal
	toHexString	Internal
	toHexString	Internal
	equal	Internal
Math	Library	
	tryAdd	Internal
	trySub	Internal
	tryMul	Internal
	tryDiv	Internal
	tryMod	Internal
	max	Internal
	min	Internal
	average	Internal
	ceilDiv	Internal
	mulDiv	Internal
	mulDiv	Internal

	sqrt	Internal
	sqrt	Internal
	log2	Internal
	log2	Internal
	log10	Internal
	log10	Internal
	log256	Internal
	log256	Internal
	unsignedRoundsUp	Internal
SignedMath	Library	
	max	Internal
	min	Internal
	average	Internal
	abs	Internal
ECDSA	Library	
	tryRecover	Internal
	recover	Internal

	tryRecover	Internal		
	recover	Internal		
	tryRecover	Internal		
	recover	Internal		
	_throwError	Private		
EIP712	Implementation	IERC5267		
	<Constructor>	Public	✓	-
	_domainSeparatorV4	Internal		
	_buildDomainSeparator	Private		
	_hashTypedDataV4	Internal		
	eip712Domain	Public		-
	_EIP712Name	Internal		
	_EIP712Version	Internal		
MessageHashUtils	Library			
	toEthSignedMessageHash	Internal		
	toEthSignedMessageHash	Internal		


	toDataWithIntendedValidatorHash	Internal		
	toTypedDataHash	Internal		
ERC20	Implementation	Context, IERC20, IERC20Metadata, IERC20Errors		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	_transfer	Internal	✓	
	_update	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	

	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Burnable	Implementation	Context, ERC20		
	burn	Public	✓	-
	burnFrom	Public	✓	-
ERC20Permit	Implementation	ERC20, IERC20Permit, EIP712, Nonces		
	<Constructor>	Public	✓	EIP712
	permit	Public	✓	-
	nonces	Public		-

	DOMAIN_SEPARATOR	External		-
IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
IERC20Permit	Interface			
	permit	External	✓	-
	nonces	External		-
	DOMAIN_SEPARATOR	External		-
IERC5267	Interface			
	eip712Domain	External		-
IERC20Errors	Interface			
IERC721Errors	Interface			


IERC1155Errors	Interface

Inheritance Graph



Inheritance Graph

Flow Graph



Flow Graph

Summary

Vikings Valley contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Tridium is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an “endorsement” or “disapproval” of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a TAC blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

cyberscope.io