



Cyberscope

A *TAC Security* Company

Audit Report

Ecophant Token

May 2026

Network BSC

SHA256 0xc011E884E73914Ab2d69f5E2f765E2dED6e08088

Audited by © cyberscope

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	PSF	Pair Swap Freeze.	Unresolved
●	IPP	Irreversible Pair Protection	Unresolved
●	CCR	Contract Centralization Risk	Unresolved

Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
PSF - Pair Swap Freeze	7
Description	7
Recommendation	7
IPP - Irreversible Pair Protection	8
Description	8
Recommendation	8
CCR - Contract Centralization Risk	9
Description	9
Recommendation	9
Functions Analysis	10
Inheritance Graph	11
Flow Graph	12
Summary	13
Disclaimer	14
About Cyberscope	15

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	ECOPHANT
Explorer	https://bscscan.com/address/0xc011e884e73914ab2d69f5e2f765e2ded6e08088
Symbol	ECPT
Decimals	18


Audit Updates

Initial Audit	13 May 2026 https://github.com/cyberscope-io/audits/blob/main/ecpti/v1/audit.pdf
Corrected Phase 2	19 May 2026 https://github.com/cyberscope-io/audits/blob/main/ecpti/v2/audit.pdf
Corrected Phase 3	20 May 2026

Source Files

Filename	SHA256
ECPHANTToken_v3_0.sol	621a2179f9e589f8b5eaf6029686fd06f3da0ef682a22767e44e8c0c83d09b7c

Findings Breakdown



● Critical	0
● Medium	0
● Minor / Informative	3

Severity	Unresolved	Acknowledged	Resolved	Other
● Critical	0	0	0	0
● Medium	0	0	0	0
● Minor / Informative	3	0	0	0

PSF - Pair Swap Freeze

Criticality	Minor / Informative
Location	ECPHANTToken_v3_0.sol#L117,225
Status	Unresolved

Description

The `setProtectedPair` registration is opt-in and is not enforced before `addVesting` is permitted against an address. If a vesting schedule is assigned to a live AMM pair before `setProtectedPair(pair)` is called, the `_update` function enforces the pair's locked balance on every outbound transfer, which can break swaps by making part or all of the pool reserves non-spendable until the vesting schedule unlocks.

```
require(!protectedPair[beneficiary], "Cannot vest to protected pair");
...
function _update(address from, address to, uint256 amount) internal
override(ERC20) {
    if (from != address(0)) {
        uint256 available = availableBalanceOf(from);
        require(amount <= available, "Amount exceeds unlocked balance");
    }
    super._update(from, to, amount);
}
```

Recommendation

The team is advised to ensure that liquidity pair addresses are registered through `setProtectedPair` before any vesting operations can target them, for example by enforcing the registration ordering at the contract level rather than relying on operational discipline.

IPP - Irreversible Pair Protection

Criticality	Minor / Informative
Location	ECPHANTToken_v3_0.sol#L266,271
Status	Unresolved

Description

The `setProtectedPair` function registers an address in the `protectedPair` mapping, and the contract provides no function to remove an address from this mapping once registered. The mapping is queried in `addVesting`, which reverts when the target address is protected. As a result, once an address is registered as a protected pair, the contract permanently loses the ability to apply `addVesting` to that address, and operator errors such as a typo or an incorrect address cannot be corrected on-chain.

```
function setProtectedPair(address pair) external onlyOwner {
    require(pair != address(0), "Invalid pair");
    require(!protectedPair[pair], "Already protected");
    protectedPair[pair] = true;
    emit ProtectedPairSet(pair);
}
```

Recommendation

The team is advised to ensure that operator errors in the registration of protected addresses can be detected before they become permanent, for example through a two-step registration pattern where a proposed pair is recorded first and only becomes effective after a confirmation transaction or a timelock-enforced delay.

CCR - Contract Centralization Risk

Criticality	Minor / Informative
Location	ECPHANTToken_v3_0.sol#L117,234,266
Status	Unresolved

Description

The contract's functionality and behavior are heavily dependent on external parameters or configurations. While external configuration can offer flexibility, it also poses several centralization risks that warrant attention. Centralization risks arising from the dependence on external configuration include Single Point of Control, Vulnerability to Attacks, Operational Delays, Trust Dependencies, and Decentralization Erosion.

```
function addVesting(address beneficiary, uint256 amount, uint8
vestingType) external onlyOwner { ... }
function batchTransfer(address[] calldata recipients, uint256[] calldata
amounts) external onlyOwner returns (bool) { ... }
function setProtectedPair(address pair) external onlyOwner { ... }
```


Recommendation

To address this finding and mitigate centralization risks, it is recommended to evaluate the feasibility of migrating critical configurations and functionality into the contract's codebase itself. This approach would reduce external dependencies and enhance the contract's self-sufficiency. It is essential to carefully weigh the trade-offs between external configuration flexibility and the risks associated with centralization.


Functions Analysis

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
ECPHANTToken	Implementation	ERC20, ERC20Burnable, Ownable2Step		
		Public	✓	ERC20 Ownable
	addVesting	External	✓	onlyOwner
	unlockedVestingAmount	Public		-
	lockedBalanceOf	Public		-
	availableBalanceOf	Public		-
	_update	Internal	✓	
	batchTransfer	External	✓	onlyOwner
	setProtectedPair	External	✓	onlyOwner
	getVestingBalance	External		-
	getVestingSchedule	External		-

Inheritance Graph



Flow Graph



Summary

ECOPHANT contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. ECOPHANT is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a TAC blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



A **TAC Security** Company

The Cyberscope team

cyberscope.io