



Cyberscope

A *TAC Security* Company

Audit Report

1SEN

April 2026

Network BSC

Address 0x5bDb9F87351CC1d5D0E211400C4038bE87bA22F

Audited by © cyberscope

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	IZAV	Inconsistent Zero Address Validation	Unresolved
●	NWES	Nonconformity with ERC-20 Standard	Unresolved
●	L19	Stable Compiler Version	Unresolved

Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
IZAV - Inconsistent Zero Address Validation	7
Description	7
Recommendation	8
NWES - Nonconformity with ERC-20 Standard	9
Description	9
Recommendation	9
L19 - Stable Compiler Version	11
Description	11
Recommendation	11
Functions Analysis	12
Inheritance Graph	13
Flow Graph	14
Summary	15
Disclaimer	16
About Cyberscope	17

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	OneSEN
Compiler Version	v0.8.20+commit.a1b79de6
Optimization	200 runs
Explorer	https://bscscan.com/address/0x5bdb9f87351cc11d5d0e211400c4038be87ba22f
Address	0x5bdb9f87351cc11d5d0e211400c4038be87ba22f
Network	BSC
Symbol	1SEN
Decimals	18
Total Supply	21.000.000


Audit Updates

Initial Audit	20 Apr 2026
----------------------	-------------

Source Files

Filename	SHA256
OneSEN.sol	5e71c9687cf2f10537436f9648c5e77a2be6128188337a8470d2bb96e8169c39

Findings Breakdown



● Critical	0
● Medium	0
● Minor / Informative	3

Severity	Unresolved	Acknowledged	Resolved	Other
● Critical	0	0	0	0
● Medium	0	0	0	0
● Minor / Informative	3	0	0	0

IZAV - Inconsistent Zero Address Validation

Criticality	Minor / Informative
Location	OneSEN.sol#L39,54
Status	Unresolved

Description

The transfer validation logic is implemented inconsistently across the contract. Specifically, the `_transfer` function validates only that the recipient address is not the zero address, while it does not explicitly validate that the sender address is non-zero. In contrast, the `transferFrom` function performs an upfront zero-address validation for both the sender and recipient, and then the recipient address is validated again when `_transfer` is called. As a result, the contract contains redundant checks for the recipient address in some execution paths while omitting an equivalent explicit validation for the sender within the shared internal transfer logic.

Shell

```
function transferFrom(address from, address to, uint256
value) external returns (bool) {
    if (from == address(0) || to == address(0)) revert
ZeroAddress();
    ...
}
...
function _transfer(address from, address to, uint256 value)
internal {
    if (to == address(0)) revert ZeroAddress();
    ...
}
```


Recommendation

The team is advised to centralize zero-address validation within the `_transfer` function and apply the same validation rules consistently to both sender and recipient addresses. This will help eliminate redundant checks, improve maintainability, and ensure uniform behavior across all transfer pathways.

NWES - Nonconformity with ERC-20 Standard

Criticality	Minor / Informative
Location	OneSEN.sol#L12
Status	Unresolved

Description

The contract does not fully conform to the ERC-20 standard. Specifically, the ERC-20 specification defines `totalSupply()`, `balanceOf` and `allowance` as standard token metadata/accessor functions expected by wallets, explorers, and third-party integrations. However, the contract exposes these functions as a public state variables and mappings rather than explicit functions. While Solidity automatically generates getter functions for public variables with matching signatures, this implementation deviates from the conventional explicit function-based ERC-20 structure and may create ambiguity when assessing interface compliance or integrating with systems that expect a canonical ERC-20 implementation.

Shell

```
uint256 public constant totalSupply = 21_000_000 *  
10**18;  
mapping(address => uint256) public balanceOf;  
  
mapping(address => mapping(address => uint256))  
public allowance;
```

Recommendation

The incorrect implementation of the ERC20 standard could potentially lead to problems when interacting with the contract, as other contracts or applications that expect the ERC20 interface may not behave as expected. The team is advised to align the implementation

more closely with the ERC-20 standard by explicitly implementing the `totalSupply()` , `balanceOf()` and `allowance()` functions through a formal ERC-20 interface to ensure full compliance with the ERC20 standard. <https://eips.ethereum.org/EIPS/eip-20>.

L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	OneSEN.sol#L6
Status	Unresolved

Description

The `^` symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

Shell

```
pragma solidity ^0.8.20;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.


Functions Analysis

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
OneSEN	Implementation			
		Public	✓	-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
	_transfer	Internal	✓	

Inheritance Graph



Flow Graph



Summary

1SEN contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. 1SEN is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a TAC blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



A **TAC Security** Company

The Cyberscope team

cyberscope.io