



Cyberscope

Audit Report

Wadoozie

May 2026

Network ETH

Address 0x8A730dA6D4f483917A53072d9a8E5Eef4B105d72

Audited by © cyberscope

Table of Contents

Table of Contents	1
Analysis	2
Diagnostics	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
DSIQ - Dead Supply Inflates Quorum	7
Description	7
Recommendation	7
MVN - Misleading Variables Naming	8
Description	8
Recommendation	8
MC - Missing Check	9
Description	9
Recommendation	9
USD - Unauthorized Self Delegation	10
Description	10
Recommendation	11
Functions Analysis	12
Inheritance Graph	14
Flow Graph	15
Summary	16
Disclaimer	17
About Cyberscope	18

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	DSIQ	Dead Supply Inflates Quorum	Unresolved
●	MVN	Misleading Variables Naming	Unresolved
●	MC	Missing Check	Unresolved
●	USD	Unauthorized Self Delegation	Unresolved

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	Wadoozie
Explorer	https://etherscan.io/address/0x8a730da6d4f483917a53072d9a8e5eef4b105d72
Symbol	WADZ
Decimals	18
Total Supply	2,000,000,000

Audit Updates

Initial Audit	04 May 2026
---------------	-------------

Source Files

Filename	SHA256
Wadoozie-SC/contracts-flat/Wadoozie.sol	520d0b8399d659b2cacf53ab7cb58535bfd96ea4b3c99f03a777695a341730d6

Findings Breakdown



Critical	0
Medium	0
Minor / Informative	4

Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	4	0	0	0

DSIQ - Dead Supply Inflates Quorum

Criticality	Minor / Informative
Location	Wadoozie-SC/contracts-flat/Wadoozie.sol#L6132
Status	Unresolved

Description

The contract burns 50% of the token supply by transferring it to the dead address instead of reducing the token's total supply. As a result, those tokens remain part of `totalSupply()` even though they are effectively inaccessible and cannot participate in governance.

Governors commonly calculate quorum as a percentage of the token's past total supply. Since the dead-address balance remains included in total supply, quorum is calculated over the full supply rather than the circulating/votable supply. If 50% of the supply is held by the dead address, governance participants effectively need twice the intended percentage of circulating votes to reach quorum, making proposals significantly harder to pass.

```
uint256 public constant TOTAL_SUPPLY          = 2_000_000_000 ether;
uint256 public constant BURN_AT_LAUNCH        = 999_999_999 ether;
...
_mint(deployer_, TOTAL_SUPPLY);

_transfer(deployer_, BURN_ADDRESS,            BURN_AT_LAUNCH);
```

Recommendation

The team should avoid representing burned supply as tokens held by a dead address when the token is intended to be used for governance. Instead, the burned portion should be removed from total supply through the token's burn mechanism, or the governance quorum calculation should explicitly exclude permanently inaccessible balances from the quorum denominator. The chosen approach should ensure quorum is based on the actual votable or circulating supply rather than supply that can never participate in governance.

MVN - Misleading Variables Naming

Criticality	Minor / Informative
Location	Wadoozie-SC/contracts-flat/Wadoozie.sol#L6078,6121
Status	Unresolved

Description

Variables can have misleading names if their names do not accurately reflect the value they contain or the purpose they serve. The contract uses some variable names that are too generic or do not clearly convey the information stored in the variable. The constants `BURN_AT_LAUNCH` and `EFFECTIVE_SUPPLY` imply that a portion of the supply is burned at launch, but the constructor uses `_transfer` to the dead address rather than `_burn`. As a result, `totalSupply()` permanently returns the pre-burn amount and the `EFFECTIVE_SUPPLY` constant is never enforced or referenced in contract logic.

```
uint256 public constant BURN_AT_LAUNCH    = 999_999_999 ether;
uint256 public constant EFFECTIVE_SUPPLY  = 1_000_000_001 ether;
(...)
_transfer(deployer_, BURN_ADDRESS, BURN_AT_LAUNCH);
```

Recommendation

The team is advised to use variable names that are specific and descriptive and to keep in mind the readability of the code.

MC - Missing Check

Criticality	Minor / Informative
Location	Wadoozie-SC/contracts-flat/Wadoozie.sol#L6107
Status	Unresolved

Description

The contract is processing variables that have not been properly sanitized and checked that they form the proper shape. These variables may produce vulnerability issues. The constructor checks that allocation parameters are non-zero but does not verify that the five wallets are pairwise distinct, nor that they differ from `BURN_ADDRESS`.

```
require(lpWallet_ != address(0), "Wadoozie: lp wallet is zero");
require(treasury_ != address(0), "Wadoozie: treasury is zero");
(...)
```

Recommendation

The team is advised to properly check the variables according to the required specifications.

USD - Unauthorized Self Delegation

Criticality	Minor / Informative
Location	Wadoozie-SC/contracts-flat/Wadoozie.sol#L6132
Status	Unresolved

Description

The contract automatically self-delegates any recipient with no prior delegation on every non-mint, non-burn transfer. This deviates from the standard `ERC20Votes` opt-in delegation model, where holders explicitly choose whether and to whom they delegate their voting power. As a result, recipients are automatically opted into governance accounting without taking any action.

This behavior also increases transfer costs for first-time undelegated recipients, because `_delegate(to, to)` performs additional storage writes and checkpoint updates. Since ERC-20 zero-value transfers are valid, any third party can trigger this extra delegation path by calling `transfer(target, 0)`, causing unnecessary governance-state mutation and checkpoint creation for the target. The same behavior applies to zero-balance addresses, pre-setting their delegate so future receipts automatically activate voting power. The mechanism also fires during constructor allocation transfers, leaving the dead address and all five allocation wallets self-delegated at deployment.

```
function _update(address from, address to, uint256 value)
    internal
    override(ERC20, ERC20Votes)
{
    super._update(from, to, value);

    if (from != address(0) && to != address(0) && delegates(to) ==
address(0)) {
        _delegate(to, to);
    }
}
```

Recommendation


The team is advised to remove the global auto-delegation block and rely on the standard opt-in delegation model where holders explicitly call `delegate`. If automatic delegation is required for specific allocation wallets, it should be performed only for those addresses during initialization and excluded from the global transfer path. This would preserve standard ERC20Votes behavior and avoid unnecessary transfer-cost increases for undelegated recipients.

Functions Analysis


Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Votes	Implementation	Context, EIP712, Nonces, IERC5805		
	clock	Public		-
	CLOCK_MODE	Public		-
	_validateTimepoint	Internal		
	getVotes	Public		-
	getPastVotes	Public		-
	getPastTotalSupply	Public		-
	_getTotalSupply	Internal		
	delegates	Public		-

	delegate	Public	✓	-
	delegateBySig	Public	✓	-
	_delegate	Internal	✓	
	_transferVotingUnits	Internal	✓	
	_moveDelegateVotes	Internal	✓	
	_numCheckpoints	Internal		
	_checkpoints	Internal		
	_push	Private	✓	
	_add	Private		
	_subtract	Private		
	_getVotingUnits	Internal		
ERC20Votes	Implementation	ERC20, Votes		
	_maxSupply	Internal		
	_update	Internal	✓	
	numCheckpoints	Public		-
	checkpoints	Public		-
Wadoozie	Implementation	ERC20, ERC20Permit, ERC20Votes		
		Public	✓	ERC20 ERC20Permit
	_update	Internal	✓	
	nonces	Public		-

Inheritance Graph



Flow Graph



Summary

The Wadoozie contract implements a fixed-supply governance token mechanism. This audit investigates security issues, business logic concerns and potential improvements.

Wadoozie is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issue.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

cyberscope.io