



Cyberscope

A *TAC Security* Company

Audit Report

Fonq Token

May 2026

Network ETH

Address 0x4cff203005b24aa1083b35063d684a76b1080f22

Audited by © cyberscope

Table of Contents

Table of Contents	1
Analysis	2
Diagnostics	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
CO - Code Optimization	7
Description	7
Recommendation	7
L19 - Stable Compiler Version	8
Description	8
Recommendation	8
L20 - Succeeded Transfer Check	9
Description	9
Recommendation	9
Functions Analysis	10
Inheritance Graph	12
Flow Graph	13
Summary	14
Disclaimer	15
About Cyberscope	16

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	CO	Code Optimization	Unresolved
●	L19	Stable Compiler Version	Unresolved
●	L20	Succeeded Transfer Check	Unresolved

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	FONQ Token
Explorer	https://etherscan.io/address/0x4cff203005b24aa1083b35063d684a76b1080f22
Symbol	FONQ
Decimals	18
Total Supply	700,000,000


Audit Updates

Initial Audit	25 May 2026
----------------------	-------------

Source Files

Filename	SHA256
FONQToken.sol	39ee3748bc820acfa4fb55772331e84f318cc627266843189fb62d809254ddfd

Findings Breakdown



● Critical	0
● Medium	0
● Minor / Informative	3

Severity	Unresolved	Acknowledged	Resolved	Other
● Critical	0	0	0	0
● Medium	0	0	0	0
● Minor / Informative	3	0	0	0

CO - Code Optimization

Criticality	Minor / Informative
Location	FONQToken.sol#L552,564
Status	Unresolved

Description

There are code segments that could be optimized. A segment may be optimized so that it becomes a smaller size, consumes less memory, executes more rapidly, or performs fewer operations. The constructor contains `require` statements that duplicate checks already enforced by the inherited logic. The `masterWallet` zero-address validation duplicates the `OwnableInvalidOwner` check performed by the inherited `Ownable` constructor, which executes before the child constructor body. The `totalSupply` equality check is evaluated immediately after the `_mint` call, at which point `totalSupply` is always equal to `TOTAL_SUPPLY` since the contract has no prior mint operation.

```
require(  
    masterWallet != address(0),  
    "Invalid wallet"  
);  
  
require(  
    totalSupply() == TOTAL_SUPPLY,  
    "Invalid supply"  
);
```

Recommendation

The team is advised to take these segments into consideration and rewrite them so the runtime will be more performant. That way it will improve the efficiency and performance of the source code and reduce the cost of executing it.

L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	FONQToken.sol#L937
Status	Unresolved

Description

The `^` symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
solidity ^0.8.20;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.

L20 - Succeeded Transfer Check

Criticality	Minor / Informative
Location	FONQToken.sol#L1098
Status	Unresolved

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
IERC20(token).transfer(  
    to,  
    amount  
);  
  
emit RescueToken(  
    token,  
    to,  
    amount  
);
```

Recommendation


The contract should check if the result of the transfer methods is successful. The team is advised to check the SafeERC20 library from the [Openzeppelin library](#).

Functions Analysis


Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
ERC20	Implementation	Context, IERC20, IERC20Meta data, IERC20Error s		
		Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	_transfer	Internal	✓	
	_update	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	

	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
FONQToken	Implementation	ERC20, ERC20Pausa ble, Ownable2St ep		
		Public	✓	ERC20 Ownable
	pause	External	✓	onlyOwner
	unpause	External	✓	onlyOwner
	_update	Internal	✓	
	rescueETH	External	✓	onlyOwner
	rescueToken	External	✓	onlyOwner
		External	Payable	-

Inheritance Graph



Flow Graph



Summary

FONQ contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. FONQ is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The ownership has been renounced on the following transaction:

<https://etherscan.io/tx/0xf941082533b2b7e643eaf93ab69f037d96a0f40dc511b6b1980132532877b072>

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a TAC blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



A **TAC Security** Company

The Cyberscope team

cyberscope.io