



Cyberscope

A *TAC Security* Company

Audit Report

Pepe Palm Beach Token

March 2026

Network ETH

Address 0xD5CCc6AcE2822e02Dc1Fb08Dc0575Db14A3856Ee

Audited by © cyberscope

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	R11	Redundant Initializable Inheritance	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved
●	L19	Stable Compiler Version	Unresolved

Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Risk Classification	4
Review	5
Audit Updates	5
Source Files	5
Findings Breakdown	6
R11 - Redundant Initializable Inheritance	7
Description	7
Recommendation	7
L04 - Conformance to Solidity Naming Conventions	8
Description	8
Recommendation	9
L19 - Stable Compiler Version	10
Description	10
Recommendation	10
Functions Analysis	11
Inheritance Graph	13
Flow Graph	14
Summary	15
Disclaimer	16
About Cyberscope	17

Risk Classification

The criticality of findings in Cyberscope's smart contract audits is determined by evaluating multiple variables. The two primary variables are:

1. **Likelihood of Exploitation:** This considers how easily an attack can be executed, including the economic feasibility for an attacker.
2. **Impact of Exploitation:** This assesses the potential consequences of an attack, particularly in terms of the loss of funds or disruption to the contract's functionality.

Based on these variables, findings are categorized into the following severity levels:

1. **Critical:** Indicates a vulnerability that is both highly likely to be exploited and can result in significant fund loss or severe disruption. Immediate action is required to address these issues.
2. **Medium:** Refers to vulnerabilities that are either less likely to be exploited or would have a moderate impact if exploited. These issues should be addressed in due course to ensure overall contract security.
3. **Minor:** Involves vulnerabilities that are unlikely to be exploited and would have a minor impact. These findings should still be considered for resolution to maintain best practices in security.
4. **Informative:** Points out potential improvements or informational notes that do not pose an immediate risk. Addressing these can enhance the overall quality and robustness of the contract.

Severity	Likelihood / Impact of Exploitation
● Critical	Highly Likely / High Impact
● Medium	Less Likely / High Impact or Highly Likely/ Lower Impact
● Minor / Informative	Unlikely / Low to no Impact

Review

Contract Name	StandardToken
Compiler Version	v0.8.19+commit.7dd6d404
Optimization	200 runs
Explorer	https://etherscan.io/address/0xd5ccc6ace2822e02dc1fb08dc0575db14a3856ee
Address	0xd5ccc6ace2822e02dc1fb08dc0575db14a3856ee
Network	ETH
Symbol	PPB
Decimals	18
Total Supply	3,000,000,000

Audit Updates

Initial Audit	14 Mar 2026
----------------------	-------------

Source Files

Filename	SHA256
contracts/StandardToken.sol	aff7f5ac18df1af536ff98f25cd95c63d8177 23c2cce9b7c4bedbbc176f10464
contracts/core/ERC20.sol	6c11180c5ee7f4c34dec33783f8e225cf6d 787e4697cf359b623c429b931619f

Findings Breakdown



● Critical	0
● Medium	0
● Minor / Informative	3

Severity	Unresolved	Acknowledged	Resolved	Other
● Critical	0	0	0	0
● Medium	0	0	0	0
● Minor / Informative	3	0	0	0

RII - Redundant Initializable Inheritance

Criticality	Minor / Informative
Location	contracts/StandardToken.sol#L11 contracts/core/ERC20.sol#L7
Status	Unresolved

Description

The `StandardToken` contract explicitly inherits from both `Initializable` and `ERC20`, while the `ERC20` contract already inherits from `Initializable`. This redundant declaration is unnecessary and slightly increases deployment gas costs due to the additional contract metadata, while also reducing code clarity by obscuring the actual inheritance chain.

```
Shell
contract StandardToken is Initializable, ERC20

contract ERC20 is Initializable, IERC20Metadata
```

Recommendation

The team is advised to remove the double `Initializable` inheritance. This will simplify the inheritance hierarchy and improve the contract's readability.

L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	contracts/StandardToken.sol#L17,18,19,20,21
Status	Unresolved

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

Shell

```
address _owner
string memory _name
string memory _symbol
uint8 _decimals

uint256 _initialSupply
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation

<https://docs.soliditylang.org/en/stable/style-guide.html#naming-conventions>.

L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	contracts/StandardToken.sol#L2
Status	Unresolved

Description

The `^` symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

Shell

```
pragma solidity ^0.8.19;
```

Recommendation


The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.

Functions Analysis


Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
StandardToken	Implementation	Initializable, ERC20		
		Public	✓	-
	initialize	External	✓	initializer
ERC20	Implementation	Initializable, IERC20Meta data		
	init	Internal	✓	onlyInitializing
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	maxSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-

	burn	Public	✓	-
	burnFrom	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_spendAllowance	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	

Inheritance Graph



Flow Graph



Summary

Pepe palm beach contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. Pepe palm beach is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a TAC blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



A **TAC Security** Company

The Cyberscope team

cyberscope.io