

# Css & html pseudocode

Insert 3 different google fonts

-Header div will be a flex row

```
<header class='head'> <img width 15vh>
```

```
.head{
```

```
Text-align: center;
```

```
Display: flex;
```

```
Flex-position: row;
```

```
width: 100%;
```

```
height: 15vh;
```

```
}
```

---

-Logo which will be centered

```
<div class='logo'>
```

```
.logo{
```

```
Width: 50px;
```

```
}
```

```
</div>
```

```
</header>
```

---

-Body div will be a flex row

```
<div class='bod'>
```

```
.bod{
```

```
Display: flex;
```

```
Flex-position: row;
```

```
Width: 100%;
```

```
height: 30vh;
```

}

---

Wizard move declaration

```
<div class='wizardMove'>
<h1> Wizard chose Attack </h1>
</div>
.wizardMove{
color: darkgreen;
[Insert Special google font]
}
```

---

Round display

```
<div class='roundDisplay'>
<h3>ROUND</h3> <br>
<h4>1</h4>
</div>
.roundDisplay{
Border: dotted black 20px
}
```

-Witch move declaration -

```
<div class='witchMove'>
<h1> Witch chose Attack </h1>
</div>
.witchMove{
color: darkpurple;
[Insert Special google font]
}
```

---

---

Health bar and who's turn div is a flex row

```
<div class='battleInfo'>
```

```
.battleinfo{
```

```
Display: flex;
```

```
Flex-position: row;
```

```
width: 100%;
```

```
height: 15vh;
```

```
}
```

---

- Wizard health bar

```
<div class='wizHealthBar'>
```

```
<div class='health'><h3>health</h3></div>
```

```
<br>
```

```
<div class='wizbar'>
```

```
<div class='wizbar1'></div>
```

```
<div class='wizbar2'></div>
```

```
<div class='wizbar3'></div>
```

```
<div class='wizbar4'></div>
```

```
<div class='wizbar5'></div>
```

```
</div>
```

---

Whose turn it is

```
<div class='classDisplay'>
```

```
<h1>Wizards Turn</h1>
```

```
</div>
```

---

Witch health bar

```
<div class='witchHealthBar'>
<div class='health'><h3>health</h3></div>
<br>
<div class='witchbar'>
<div class='witchbar1'></div>
<div class='witchbar2'></div>
<div class='witchbar3'></div>
<div class='witchbar4'></div>
<div class='witchbar5'></div>
</div>
</div>
```

---

---

Footer div will be a flex row

```
<div class='battleStage'>
.battleStage{
Display: flex;
Width: 100%;
height: 40vh;
}
```

---

- Wizard Move select box w/ 3 buttons

```
<div class='wizMoveBox'>
<button class='button'>Attack</button>
<button class='button'>Shield</button>
<button class='button'>Absorb</button>
</div>
```

```
.wizMoveBox{  
Display: flex;  
Flex-direction: column;  
Width: 20vw;  
Height: 30vh;  
}
```

```
Button{  
Background-color: orange;  
-trial & error with margins and size-  
}
```

---

```
Wizard  
<div class='wizard'>  
<img src=wizard gif>  
</div>
```

Will trial&error wizard at implementation

---

- Animation space
- 

Witch

```
<div class='witch'>  
<img src=witch gif>  
</div>
```

Will trial&error witch at implementation

---

Witch Move select box

```
<div class='witchMoveBox'>
<button class='button'>Attack</button>
<button class='button'>Shield</button>
<button class='button'>Absorb</button>
</div>
```

```
.witchMoveBox{
Display: flex;
Flex-direction: column;
Width: 20vw;
Height: 30vh;
}
</div>
```

Last modified: 7:23 PM