




AGENTS SUMMARY

nce has no agents registered.
ts to begin monitoring your endpoints.

[Deploy new agent](#)

LAST 24 HOURS ALERTS

Critical severity

0

Rule level 15 or higher

High severity

0

Rule level 12 to 14

Medium severity

124

Rule level 7 to 11

ENDPOINT SECURITY

Assessment

s as part of a
assessment audit.



Malware Detection

Check indicators of compromise
triggered by malware infections or
cyberattacks.

Monitoring

file changes,
sessions, content,
attributes.

THREAT INTELLIGENCE



Threat Hunting

Browse through your security alerts,
identifying issues and threats in your
environment.



Vulnerability D

Discover what a
environment are
known vulnerab



MITRE ATT&CK

Explore security alerts mapped to
adversary tactics and techniques for
better threat understanding.

SECURITY OPERATIONS

CLOUD SECURITY

[Default A](#)

```
Use logging redirected to /var/log/wazuh-install.log
Verifying that your system meets the recommended minimum hardware requirements.
The web interface port will be 443.
The repository added.
Configuration files ---
Generating configuration files.
Generating the root certificate.
Generating Admin certificates.
Generating Wazuh indexer certificates.
Generating Filebeat certificates.
Generating Wazuh dashboard certificates.
Extracted wazuh-install-files.tar. It contains the Wazuh cluster key, certificates, and passwords necessary for installation.
Wazuh indexer ---
Starting Wazuh indexer installation.
Wazuh indexer installation finished.
Wazuh indexer post-install configuration finished.
Starting service wazuh-indexer.
Wazuh-indexer service started.
Initializing Wazuh indexer cluster security settings.
Wazuh indexer cluster security configuration initialized.
Wazuh indexer cluster initialized.
Wazuh server ---
Starting the Wazuh manager installation.
Wazuh manager installation finished.
Wazuh manager vulnerability detection configuration finished.
Starting service wazuh-manager.
Wazuh-manager service started.
Starting Filebeat installation.
Filebeat installation finished.
Filebeat post-install configuration finished.
Starting service filebeat.
Filebeat service started.
Wazuh dashboard ---
Starting Wazuh dashboard installation.
Wazuh dashboard installation finished.
Wazuh dashboard post-install configuration finished.
Starting service wazuh-dashboard.
Wazuh-dashboard service started.
Starting the internal users.
Backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
Filebeat.yml file has been updated to use the Filebeat Keystore username and password.
Initializing Wazuh dashboard web application.
Wazuh dashboard web application initialized.
Summary ---
You can access the web interface https://<wazuh-dashboard-ip>:443

05+FJ2sc05U1I1De
Installation finished.
```

```
:/packages.wazuh.com/4.14/wazuh-install.sh && sudo bash ./wazuh-install.sh -a  
Starting Wazuh installation assistant. Wazuh version: 4.14.8  
Verbose logging redirected to /var/log/wazuh-install.log
```



Search



n. All rights reserved.

192.168.239.132

/Linux 6.8.0-41-generic x86_64)

untu.com

pe.canonical.com

com/pro

Applications is not enabled.

ely.

ecurity updates.

n: apt list --upgradable

nal future security updates.

sudo pro status

e.

e to it.

26 from 192.168.239.1

ckages.wazuh.com/4.14/wazuh-install.sh && sudo bash ./wazuh-install.sh -a

Install: Open source XDR & SIEM securityWazuh Quickstart · Wazuh documentation

documentation.wazuh.com/current/quickstart.html

1

Wazuh

PlatformCloudCTIServicesPartnersCompanyCommunity

Version 4.14 (current)

Quickstart

Installing Wazuh

- Download and run the Wazuh installation assistant.

```
$ curl -sO https://packages.wazuh.com/4.14/wazuh-install.sh && sudo bash ./wazuh-install.sh -a
```

Once the assistant finishes the installation, the output shows the access credentials and a message that confirms that the installation was successful.

```
INFO: --- Summary ---
INFO: You can access the web interface https://<WAZUH_DASHBOARD_IP_ADDRESS>
      User: admin
      Password: <ADMIN_PASSWORD>
INFO: Installation finished.
```

You now have installed and configured Wazuh.
- Access the Wazuh web interface with `https://<WAZUH_DASHBOARD_IP_ADDRESS>` and your credentials:
 - Username: `admin`

[Platform](#) ▾[Cloud](#)[CTI](#)[Services](#) ▾[Partners](#) ▾[Company](#) ▾[Community](#) ▾[Install](#)

Server

The Wazuh server analyzes data received from the agents and processes it using threat intelligence.

A single server can analyze data from thousands of agents, and scale when set up as a cluster. It is also used to manage the agents, configuring them remotely when necessary.

Dashboard

The Wazuh dashboard is the web user interface for data visualization, analysis, and management.

It includes dashboards for regulatory compliance, vulnerabilities, file integrity, configuration assessment, cloud infrastructure events, among others.

[Quickstart](#)[Installat](#)

Universal agent

2026 2X WINNER · CYBERSECURITY STARS AWARDS / Best Cloud Security Platform / Best Security Information and Event Management (SIEM) Platform

Blog Documentation Contact us

Search

Wazuh.

Platform Cloud CTI Services Partners Company Community


Install Wazuh

Open Source Security Platform

XDR and SIEM protection for endpoints and workloads.

Wazuh

Free Cloud Trial



22: Connection refused
192.168.239.132
(192.168.239.132)' can't be established.
ojVB+DmGrL+SdaeQ5VvDcPHrbvLGUkn1VwXc.

ing (yes/no/[fingerprint])? yes
32' (ED25519) to the list of known hosts.

6.8.0-41-generic x86_64)

m
nical.com

tions is not enabled.

updates.
list --upgradable

ure security updates.
ro status

.

Desktop > SOC.zip > SOC

Shell

poration. All rights reserved.

wazuh@192.168.239.132

8.239.132 port 22: Connection refused

wazuh@192.168.239.132

92.168.239.132 (192.168.239.132)' can't be established.

SHA256:Dh0R3YWoJVb+DmGrL+SdaeQ5VvDcPHrbvLGUkn1VwXc.

y other names.

ntinue connecting (yes/no/[fingerprint])? _



```
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000
link/ether 00:0c:29:d9:14:8c brd ff:ff:ff:ff:ff:ff
altname enp2s1
inet 192.168.239.132/24 metric 100 brd 192.168.239.255 scope global dynamic ens33
valid_lft 1112sec preferred_lft 1112sec
inet6 fe80::20c:29ff:fed9:148c/64 scope link
valid_lft forever preferred_lft forever
wazuh@wazuh:~$ systemctl status ssh
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: inactive (dead)
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
wazuh@wazuh:~$ sudo systemctl status ssh
[sudo] password for wazuh:
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: inactive (dead)
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
wazuh@wazuh:~$ sudo systemctl srart ssh
Unknown command verb 'srart', did you mean 'start'?
wazuh@wazuh:~$ sudo systemctl start ssh
wazuh@wazuh:~$ sudo sysemctl status ssh
sudo: sysemctl: command not found
wazuh@wazuh:~$ sudo systemctl status ssh
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: active (running) since Thu 2026-10-08 14:44:58 UTC; 36s ago
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
Process: 10713 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
Main PID: 10714 (sshd)
Tasks: 1 (limit: 4556)
Memory: 1.3M (peak: 1.4M)
CPU: 185ms
CGroup: /system.slice/ssh.service
└─10714 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Oct 08 14:44:57 wazuh systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Oct 08 14:44:58 wazuh sshd[10714]: Server listening on 0.0.0.0 port 22.
Oct 08 14:44:58 wazuh sshd[10714]: Server listening on :: port 22.
Oct 08 14:44:58 wazuh systemd[1]: Started ssh.service - OpenBSD Secure Shell server.
wazuh@wazuh:~$
```

Click in the virtual screen to
release mouse strokes

VMware Tools enables many features and improves mouse movement, video and performance. Log in to the guest operating system and click "Install Tools".

Install Tools

press Ctrl+G.



Search

