



```
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000
link/ether 00:0c:29:d9:14:8c brd ff:ff:ff:ff:ff:ff
altname enp2s1
inet 192.168.239.132/24 metric 100 brd 192.168.239.255 scope global dynamic ens33
valid_lft 1112sec preferred_lft 1112sec
inet6 fe80::20c:29ff:fed9:148c/64 scope link
valid_lft forever preferred_lft forever
wazuh@wazuh:~$ systemctl status ssh
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: inactive (dead)
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
wazuh@wazuh:~$ sudo systemctl status ssh
[sudo] password for wazuh:
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: inactive (dead)
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
wazuh@wazuh:~$ sudo systemctl srart ssh
Unknown command verb 'srart', did you mean 'start'?
wazuh@wazuh:~$ sudo systemctl start ssh
wazuh@wazuh:~$ sudo sysemctl status ssh
sudo: sysemctl: command not found
wazuh@wazuh:~$ sudo systemctl status ssh
* ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
Active: active (running) since Thu 2026-10-08 14:44:58 UTC; 36s ago
TriggeredBy: * ssh.socket
Docs: man:sshd(8)
man:sshd_config(5)
Process: 10713 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
Main PID: 10714 (sshd)
Tasks: 1 (limit: 4556)
Memory: 1.3M (peak: 1.4M)
CPU: 185ms
CGroup: /system.slice/ssh.service
└─10714 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Oct 08 14:44:57 wazuh systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Oct 08 14:44:58 wazuh sshd[10714]: Server listening on 0.0.0.0 port 22.
Oct 08 14:44:58 wazuh sshd[10714]: Server listening on :: port 22.
Oct 08 14:44:58 wazuh systemd[1]: Started ssh.service - OpenBSD Secure Shell server.
wazuh@wazuh:~$
```

Click in the virtual screen to
release mouse strokes

VMware Tools enables many features and improves mouse movement, video and performance. Log in to the guest operating system and click "Install Tools".

Install Tools

press Ctrl+G.



Search



22: Connection refused
192.168.239.132
(192.168.239.132)' can't be established.
ojVB+DmGrL+SdaeQ5VvDcPHrbvLGUkn1VwXc.

ing (yes/no/[fingerprint])? yes
32' (ED25519) to the list of known hosts.

6.8.0-41-generic x86_64)

m
nical.com

tions is not enabled.

updates.
list --upgradable

ure security updates.
ro status

.

Desktop > SOC.zip > SOC

Shell

poration. All rights reserved.

wazuh@192.168.239.132

8.239.132 port 22: Connection refused

wazuh@192.168.239.132

92.168.239.132 (192.168.239.132)' can't be established.

SHA256:Dh0R3YWoJVb+DmGrL+SdaeQ5VvDcPHrbvLGUkn1VwXc.

y other names.

ntinue connecting (yes/no/[fingerprint])? _