

# CSS ASSIGNMENT

## QUESTION 1

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q1</title>
<style>
h1
{
background-color:#6495ed;
padding-bottom:20px;
margin:0px;
}
div
{
background:#b0c4de;
margin:0px;
padding-bottom:20px;
}

p
{
background-color:#CCFFFF;
padding-bottom:20px;
}
body
{
background-color:#CCFFFF;
```

```
}h1
{
background-color:#6495ed;
padding-bottom:20px;
margin:0px;
}
div
{
background:#b0c4de;
margin:0px;
padding-bottom:20px;
}

p
{
background-color:#CCFFFF;
padding-bottom:20px;
}
</style>

</head>
<body>
<h3>Write the CSS file for the following HTML page ?</h3>
<h1>CSS background-color example!</h1>
<div>This is a text inside a div element.
<p>This paragraph has its own background color.</p>
We are still in the div element.
</div>
</body>
</html>
```

## QUESTION 2

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q2</title>
<style>
body
{
  background-color:#CCFFFF;
}
</style>
</head>
<body>
<h3>Write the CSS file for the following HTML page? </h3>
<h1>This is heading 1</h1>
<del><h2>This is heading 2</h2></del>
<ins><h3>This is heading 3</h3></ins>
<h4>This is heading 4</h4>
</body>
</html>
```

## QUESTION 3

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q3</title>
<style>
  body
  {
    background-color:#CCFFFF;
  }
  p.text
  {
    text-transform:uppercase;
  }
</style>
</head>
<body>
```

<h3>3. Write the CSS file for the following HTML page to display the text ?</h3>

```
<p class="text">This is some text.</p>
<p>This is some text.</p>
<p>This is some text.</p>
</body>
</html>
```

## QUESTION 4

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q4</title>
<style>
a:link { color:green;}
a:visited {color:red;}
</style>
</head>
<body>
<h3>4. Write the CSS file for the following HTML page to Add different colors to
visited/unvisited links.</h3>
<a href="https://en.wikipedia.org/wiki/CSS"><ins>This is a link</ins></a>
</body>
</html>
```

## QUESTION 5

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q5</title>
<style>
table{
  border-collapse:collapse;
  }
</style>
</head>
<body>
<h3>5.Write the CSS file for the following HTML page?</h3>
<table border="1">
  <colgroup span="2"></colgroup>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
  </tr>
  <tr>
    <td>peter</td>
    <td>Griffin</td>
  </tr>
  <tr>
    <td>Lois</td>
    <td>Griffin</td>
  </tr>
</table>
</body>
</html>
```

## QUESTION 6

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q6</title>
<style>
table,tr,td
{
border:1px solid #008000;
}
th
{
background:#008000;
color:#FFFFFF;
}
</style>
</head>
<body>
```

<h3>6. Write the CSS file for the following HTML page?</h3>

```
<table border="1">
  <colgroup span="3"></colgroup>
  <tr>
    <th>Firstname </th>
    <th>Lastname </th>
    <th>Savings </th>
  </tr>
```

```
<tr>
```

```
    <td>peter</td>
```

```
    <td>Griffin</td>
```

```
    <td>$100</td>
```

```
</tr>
```

```
<tr>
```

```
    <td>Lois</td>
```

```
    <td>Griffin</td>
```

```
    <td>$150</td>
```

```
</tr>
```

```
<tr>
```

```
    <td>Joe</td>
```

```
    <td>Swanson</td>
```

```
    <td>$300</td>
```

```
</tr>
```

```
<tr>
```

```
    <td>Cleveland</td>
```

```
    <td>Brown</td>
```

```
    <td>$250</td>
```

```
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```



## QUESTION 7

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Q7</title>
<style>
p{
    border: 2px solid orange;
    outline-style: dotted;
    outline-color: rgb(0,128,0);
    display:inline-block;
}
</style>
</head>
<body>
<h3>7. Write the CSS file for the following HTML page to set the color outline.</h3>
<p><strong>Note : </strong>IE8 supports the outline property only if a !DOCTYPE
is <br/>specified.</p>
</body>
</html>
```

## QUESTION 8

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Q8</title>

<style>

    .style1

    {

        border-style:solid;

        background-color:#E0FAFF;

        border-width:thick;

    }

    .style2

    {

        border-style:solid;

        background-color:#E0FAFF;

        border-width:medium;

    }

    .style3

    {

        border-style:solid;

        background-color:#E0FAFF;

        border-width:thin;

    }

</style>

</head>

<body>

<h3>8. Write the CSS file for the following HTML page to set the border width of the page</h3>

<p class="style1">Some text</p>

<p class="style2">Some text</p>

<p class="style3">Some text</p>

</body>

</html>
```