



Cyberscope

# Audit Report

## **BabyCAW**

June 2022

Type ERC20

Network Ethereum

Address 0x25cd00d22F2255235Ef6823cdA8ad003Dc68d859

Audited by © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>BC - Blacklisted Contracts</b>	<b>5</b>
Description	5
Recommendation	5
<b>Contract Diagnostics</b>	<b>6</b>
<b>CO - Code Optimization</b>	<b>7</b>
Description	7
Recommendation	7
<b>L01 - Public Function could be Declared External</b>	<b>9</b>
Description	9
Recommendation	9
<b>L02 - State Variables could be Declared Constant</b>	<b>10</b>
Description	10
Recommendation	10
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>11</b>
Description	11
Recommendation	11
<b>L07 - Missing Events Arithmetic</b>	<b>12</b>
Description	12
Recommendation	12
<b>L09 - Dead Code Elimination</b>	<b>13</b>
Description	13

<b>Recommendation</b>	<b>13</b>
<b>L14 - Uninitialized Variables in Local Scope</b>	<b>14</b>
<b>Description</b>	<b>14</b>
<b>Recommendation</b>	<b>14</b>
<b>Contract Functions</b>	<b>15</b>
<b>Contract Flow</b>	<b>21</b>
<b>Domain Info</b>	<b>22</b>
<b>Summary</b>	<b>23</b>
<b>Disclaimer</b>	<b>24</b>
<b>About Cyberscope</b>	<b>25</b>

## Contract Review

<b>Contract Name</b>	BabyCAW
<b>Compiler Version</b>	v0.8.14+commit.80d49f37
<b>Optimization</b>	200 runs
<b>Licence</b>	Unlicense
<b>Explorer</b>	<a href="https://etherscan.io/address/0x25cd00d22f2255235ef6823cda8ad003dc68d859">https://etherscan.io/address/0x25cd00d22f2255235ef6823cda8ad003dc68d859</a>
<b>Symbol</b>	BabyCAW
<b>Decimals</b>	18
<b>Total Supply</b>	333,333,333,333,333
<b>Domain</b>	babycawcoin.com

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	84340384b56953658f1a95bc857ec3ff9096045260605a8d048d739839afb292

## Audit Updates

<b>Initial Audit</b>	12th June 2022
<b>Corrected</b>	

# Contract Analysis

● Critical   ● Medium   ● Minor   ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## BC - Blacklisted Contracts

Criticality	critical
Location	contract.sol#L684

### Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `manage_blacklist` function.

```
if(blacklistMode){  
    require(!isBlacklisted[from] && !isBlacklisted[to], "Blacklisted");  
}
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	CO	Code Optimization
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L07	Missing Events Arithmetic
●	L09	Dead Code Elimination
●	L14	Uninitialized Variables in Local Scope

## CO - Code Optimization

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L714

### Description

There are code segments that could be optimized. A segment may be optimized so that it becomes a smaller size, consumes less memory, executes more rapidly, or performs fewer operations.

The contract swaps the tokens to receive ETH twice. Once for the auto generated liquidity pool and once for the sending funds to the team's wallets.

```
swapTokensForEth(halfLiquidityTokens);

uint256 newBalance = address(this).balance.sub(initialBalance);
addLiquidity(halfLiquidityTokens, newBalance);
emit SwapAndLiquify(halfLiquidityTokens, newBalance, halfLiquidityTokens);

initialBalance = address(this).balance;
uint256 totalTokens = balanceOf(address(this));
swapTokensForEth(totalTokens);
newBalance = address(this).balance.sub(initialBalance);

uint256 walletsTotal =
devTokensCollected.add(marketingTokensCollected).add(buybackTokensCollected);

uint256 ethForMarketing =
newBalance.mul(marketingTokensCollected).div(walletsTotal);
uint256 ethForBuyback =
newBalance.mul(buybackTokensCollected).div(walletsTotal);
uint256 ethForDev = newBalance.mul(devTokensCollected).div(walletsTotal);

transferToAddressETH(marketingWalletAddress, ethForMarketing);
transferToAddressETH(buybackWalletAddress, ethForBuyback);
transferToAddressETH(devWalletAddress, ethForDev);
```

### Recommendation



Rewrite some code segments so the runtime will be more performant. The contract could swap once the entire amount and distribute the proportional amount.

## L01 - Public Function could be Declared External

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L190,195,201,205,209,216,552,556,560,564,573,578,582,587,593,598,603,607,611,615,619,626,643,932,937,941,995,1028

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
manualBurn
setSwapAndLiquifyEnabled
includeInFee
excludeFromFee
isExcludedFromFee
excludeFromReward
reflectionFromToken
manage_blacklist
enable_blacklist
...
```

### Recommendation

Use the external attribute for functions never called from the contract.

## L02 - State Variables could be Declared Constant

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L468,466,467,1011,446

### Description

Constant state variables should be declared constant to save gas.

```
deadWallet  
deadAddress  
_symbol  
_name  
_decimals
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L260,261,277,298,615,619,896,900,976,980,985,990,995,471,474,477,480,483,488,489,490,491,492

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow `_` at the beginning of the `mixed_case` match for private variables and unused parameters.

```
_saleBuybackFee  
_saleMarketingFee  
_saleDevFee  
_saleLiquidityFee  
_saleTaxFee  
_buybackFee  
_marketingFee  
_devFee  
_liquidityFee  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

## L07 - Missing Events Arithmetic

**Criticality**

minor

**Location**

contract.sol#L945,962,976

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
minimumTokensBeforeSwap = _minimumTokensBeforeSwap  
_saleTaxFee = taxFee  
_taxFee = taxFee
```

### Recommendation

Emit an event for critical parameter changes.

## L09 - Dead Code Elimination

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L148,131,135,139,143,111,122,1014

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
swapETHForTokens  
sendValue  
isContract  
functionCallWithValue  
functionCall  
_functionCallWithValue
```

### Recommendation

Remove unused functions.

## L14 - Uninitialized Variables in Local Scope

**Criticality**

minor

**Location**

contract.sol#L620

### Description

These are variables that are defined in the local scope and are not initialized.

```
i
```

### Recommendation

All the local scoped variables should be initialized.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>SafeMath</b>	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
<b>Address</b>	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	



	_functionCallWithValue	Private	✓	
<b>Ownable</b>	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	getUnlockTime	Public		-
	getTime	Public		-
	lock	Public	✓	onlyOwner
	unlock	Public	✓	-
<b>IUniswapV2Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
<b>IUniswapV2Pair</b>	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-


	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
<b>IUniswapV2Router01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-

	getAmountsIn	External		-
<b>IUniswapV2Router02</b>	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>BabyCAW</b>	Implementation	Context, IERC20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	minimumTokensBeforeSwapAmount	Public		-
	enable_blacklist	Public	✓	onlyOwner
	manage_blacklist	Public	✓	onlyOwner
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-
	excludeFromReward	Public	✓	onlyOwner

	includeInReward	External	✓	onlyOwner
	_approve	Private	✓	
	_transfer	Private	✓	
	swapAndLiquify	Public	✓	lockTheSwap
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	
	_tokenTransfer	Private	✓	
	countUpFeeShare	Private	✓	
	_transferStandard	Private	✓	
	_transferToExcluded	Private	✓	
	_transferFromExcluded	Private	✓	
	_transferBothExcluded	Private	✓	
	_reflectFee	Private	✓	
	_getValues	Private		
	_getTValues	Private		
	_getRValues	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	_takeLiquidity	Private	✓	
	calculateTaxFee	Private		
	calculateLiquidityFee	Private		
	removeAllFee	Private	✓	
	restoreAllFee	Private	✓	
	setSaleFee	Private	✓	
	isExcludedFromFee	Public		-
	excludeFromFee	Public	✓	onlyOwner
	includeInFee	Public	✓	onlyOwner
	setAllFeePercent	External	✓	onlyOwner
	setSaleFeePercent	External	✓	onlyOwner
	setNumTokensSellToAddToLiquidity	External	✓	onlyOwner
	setMarketingWalletAddress	External	✓	onlyOwner
	setBuybackWalletAddress	External	✓	onlyOwner
	setDevWalletAddress	External	✓	onlyOwner
	setSwapAndLiquifyEnabled	Public	✓	onlyOwner
	transferToAddressETH	Private	✓	

	<Receive Ether>	External	Payable	-
	swapETHForTokens	Private	✓	
	manualBurn	Public	✓	onlyOwner

# Contract Flow



## Domain Info

<b>Domain Name</b>	babycawcoin.com
<b>Registry Domain ID</b>	2701665542_DOMAIN_COM-VRSN
<b>Creation Date</b>	2022-06-05T19:59:43Z
<b>Updated Date</b>	2022-06-05T19:59:44Z
<b>Registry Expiry Date</b>	2025-06-05T19:59:43Z
<b>Registrar WHOIS Server</b>	whois.publicdomainregistry.com
<b>Registrar URL</b>	www.publicdomainregistry.com
<b>Registrar</b>	PDR Ltd. d/b/a PublicDomainRegistry.com
<b>Registrar IANA ID</b>	303

The domain has been created in almost 3 years before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

The Smart Contract analysis reported one critical severity issue. The contract owner has the authority to massively blacklist addresses. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. There is also a limit of max 10% fees.



## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

# About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>