My Beamer LATEX Templete

A Demo for the theme

cycleke@gmail.com

Harbin Institute of Technology School of Science and Technology

December 26, 2019



- 1. Introduction
- 2. Background
- 3. Chinese
- 4. Code Block
- 5. Algorithm

cycleke Beamer Templete 2 / 12

Introduction

- 1. Introduction
- 2. Background
- 3. Chinese
- 4. Code Block
- 5. Algorithm

• This is just a short example

Introduction

- This is just a short example
- It works with xeLaTeX

-Background

- 1. Introduction
- 2. Background
- 3. Chinese
- 4. Code Block
- 5. Algorithm

Slides with LATEX

Beamer offers a lot of functions to create nice slides using LATEX.

The basis

This style uses the following default styles:

- split
- whale
- rounded
- orchid

- 1. Introduction
- 2. Background
- 3. Chinese
- 4. Code Block
- 5. Algorithm

• 本主题支持中文。

Code Block

- 1. Introduction
- 2. Background
- Chinese
- 4. Code Block
- Algorithm

-Code Block

- coding: utf-8 *-*

import torch # root package
import torch.autograd as autograd # computation graph
import torch.nn as nn # neural networks
import torch.nn.functional as F # layers, activations and more
import torch.optim as optim # optimizers e.g. gradient descent, ADAM, etc.
from torch import Tensor # tensor node in the computation graph
from torch.jit import script # hybrid frontend decorator and tracing jit
from torch.jit import trace

cycleke Beamer Templete 10 / 12

- 1. Introduction
- 2. Background
- Chinese
- 4. Code Block
- 5. Algorithm

```
— Algorithm
```

```
Input: HOSVD(X, R_1, R_2.....R_N)

Output: \mathcal{G}, A_{(1)}, A_{(2)}......A_{(N)}

1 for k = 1 to N do

2 A_{(n)} \leftarrow R_n left singular matrix of X_{(n)}

end

4 \mathcal{G} = \leftarrow X \times A_{(1)}^T \times A_{(2)}^T......\times A_{(N)}^T

5 return \mathcal{G}, A_{(1)}, A_{(2)}......A_{(N)}
```

Algorithm 1: HOSVD