

Jira Integration to fetch User Story and Generate Test Cases

1. Fetched User Story using Jira Connector

User Story to Tests

Generate comprehensive test cases from your user stories

Manual Input

Import from Jira

Jira Connection

Jira Base URL *

https://mohitsinghse10.atlassian.net/

Issue Key *

US-26

Email *

mohitsinghse10@gmail.com

API Token *

.....

Fetch Story from Jira

✓ Story fetched successfully from Jira. Fields populated below.

Story Title *

Core Deal Rummy Gameplay Loop - As a player, I want to play a Rummy match consisting of a fixed r

Network

fetch-issue

generate-tests

Request URL

http://localhost:8090/api/jira/fetch-issue

Request Method

POST

Status Code

200 OK

Remote Address

[::1]:8090

Referrer Policy

strict-origin-when-cross-origin

Response headers

Access-Control-Allow-Credentials

true

Access-Control-Allow-Origin

http://localhost:5173

Connection

keep-alive

Content-Length

972

Content-Type

application/json; charset=utf-8

Date

Sun, 21 Jun 2026 20:31:25 GMT

Etag

W/"3cc-h0tar3W68h5Ay2HivdqUchzC3Rs"

Keep-Alive

timeout=5

Vary

Origin

X-Powered-By

Express

Request Headers (17)

2. Generated test case of the User Story

Generated Test Cases

30 test case(s) generated • Model: openai/gpt-oss-120b • Input tokens: 593 • Output tokens: 2948 • Cost: \$0.002679 (est.)

Test Case ID	Title	Category	Expected Result
TC-001	Allocate equal starting chips to all players at match start	Positive	Each of the 4 players receives exactly 1000 chips displayed in their balance
TC-002	Valid declaration transfers correct chips from losers to winner	Positive	Player A receives 70 chips (70 from each loser if applicable) and losers' balances decrease accordingly
TC-003	Auto-start next deal after a deal ends	Positive	The next deal starts automatically without manual intervention
TC-004	Match ends after predefined number of deals	Positive	After second deal, the match stops and overall winner is displayed
TC-	Highest chip balance		Player B is declared overall

Network

fetch-issue

generate-tests

Request URL

http://localhost:8090/api/generate-tests

Request Method

POST

Status Code

200 OK

Remote Address

[::1]:8090

Referrer Policy

strict-origin-when-cross-origin

Response headers

Access-Control-Allow-Credentials

true

Access-Control-Allow-Origin

http://localhost:5173

Connection

keep-alive

Content-Length

8972

Content-Type

application/json; charset=utf-8

Date

Sun, 21 Jun 2026 20:31:38 GMT

Etag

W/"230c-1ddm5WhTdOcAMKpRUj80xft9IU"

Keep-Alive

timeout=5

Vary

Origin

X-Powered-By

Express

Request Headers (17)

Repo of the Program

<https://github.com/cyclone0077/User-Story-Test-Case-Generator.git>

PostMan

Created a New User Story in Jira

The screenshot shows a Jira User Story page for 'US-26'. The main title is 'Core Deal Rummy Gameplay Loop - As a player, I want to play a Rummy match consisting of a fixed number of deals so that a clear winner is determined based on the total chips accumulated at the end of all rounds.' Below the title is a 'Key details' section with a description of the Rummy game and acceptance criteria. The right sidebar contains a 'Details' section with fields for Reporter (Mohit Kumar), Priority (Medium), Labels (None), Due date (None), Assignee (Mohit Kumar), Time tracking (No time logged), and Start date (None). At the bottom, there is an 'Automation' section and a 'Configure' button.

US-26

Core Deal Rummy Gameplay Loop - As a player, I want to play a Rummy match consisting of a fixed number of deals so that a clear winner is determined based on the total chips accumulated at the end of all rounds.

Key details

Description

Deal Rummy is a variant played for a pre-decided number of deals (e.g., 2, 3, or 6 deals). At the beginning of the match, all seated players are allocated an equal, fixed number of chips. At the end of every individual deal, the winner claims chips from the losing players based on their unmelded card points. The match concludes only when the final deal is played, and the player holding the highest chip balance is declared the overall winner.

acceptanceCriteria

Allocate equal starting chips to all at game start. On valid declaration, transfer chips from losers to winner based on point value (max 80). Auto-start next deal until the set limit is reached. Highest chip balance after the final deal wins.

Details

Reporter: Mohit Kumar

Priority: Medium

Labels: None

Due date: None

Assignee: Mohit Kumar

Time tracking: No time logged

Start date: None

Automation Rule executions

Created 1 hour ago

Updated 1 hour ago

Configure

API Endpoint Specification

The designated endpoint for the search query is as follows:

<https://mohitsinghcse10.atlassian.net/rest/api/3/search/jql>

JSON Request Payload:

JSON

```
{
  "jql": "key = \"US-26\"",
  "fields": [
    "key",
    "summary",
    "description",
    "status",
    "reporter"
  ],
  "maxResults": 1
}
```

Response:

Jira Search Results (JSON):

JSON

```
{
  "issues": [
    {
      "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
      "id": "10070",
      "self":
"https://mohitsinghcse10.atlassian.net/rest/api/3/issue/10070",
      "key": "US-26",
      "fields": {
        "summary": "Core Deal Rummy Gameplay Loop - As a player, I want to play a Rummy match consisting of a fixed number of deals so that a clear winner is determined based on the total chips accumulated at the end of all rounds.",
        "description": {
          "type": "doc",
          "version": 1,

```

```

    "content": [
      {
        "type": "paragraph",
        "content": [
          {
            "type": "text",
            "text": "Deal Rummy is a variant played for a
pre-decided number of deals (e.g., 2, 3, or 6 deals). At the
beginning of the match, all seated players are allocated an equal,
fixed number of chips. At the end of every individual deal, the
winner claims chips from the losing players based on their unmelded
card points. The match concludes only when the final deal is
played, and the player holding the highest chip balance is declared
the overall winner."
          }
        ],
        "attrs": {
          "localId": "99be98982035"
        }
      }
    ],
    "reporter": {
      "self":
"https://mohitsinghcse10.atlassian.net/rest/api/3/user?accountId=60
f304b643c9560070696c98",
      "accountId": "60f304b643c9560070696c98",
      "emailAddress": "mohitsinghcse10@gmail.com",
      "avatarUrls": {
        "48x48":
"https://secure.gravatar.com/avatar/c51e033962e94022ec9a6ea5dd28895
1?d=https%3A%2F%2Favator-management--avatars.us-west-2.prod.public.
atl-paas.net%2Finitials%2FMK-1.png",
        "24x24":
"https://secure.gravatar.com/avatar/c51e033962e94022ec9a6ea5dd28895

```

```

1?d=https%3A%2F%2Favatar-management--avatars.us-west-2.prod.public.
atl-paas.net%2Finitials%2FMK-1.png",
    "16x16":
"https://secure.gravatar.com/avatar/c51e033962e94022ec9a6ea5dd28895
1?d=https%3A%2F%2Favatar-management--avatars.us-west-2.prod.public.
atl-paas.net%2Finitials%2FMK-1.png",
    "32x32":
"https://secure.gravatar.com/avatar/c51e033962e94022ec9a6ea5dd28895
1?d=https%3A%2F%2Favatar-management--avatars.us-west-2.prod.public.
atl-paas.net%2Finitials%2FMK-1.png"
    },
    "displayName": "Mohit Kumar",
    "active": true,
    "timeZone": "Asia/Calcutta",
    "accountType": "atlassian"
  },
  "status": {
    "self":
"https://mohitsinghcse10.atlassian.net/rest/api/3/status/10008",
    "description": "",
    "iconUrl": "https://mohitsinghcse10.atlassian.net/",
    "name": "To Do",
    "id": "10008",
    "statusCategory": {
      "self":
"https://mohitsinghcse10.atlassian.net/rest/api/3/statuscategory/2"
    },
    "id": 2,
    "key": "new",
    "colorName": "blue-gray",
    "name": "To Do"
  }
}
}
}
],

```

```
"nextPageToken":  
"EAEY9orG3-4zIg1rZXkgPSAiVVMtMjYiKgJbXTIgVEVOQU5UX05PVF9GT1V0RF9JT1  
9URU5BTlRfU1RPUKU=" ,  
  "isLast": false  
}
```

Issue:

AcceptanceCriteria was not fetching

Endpoint to search all fields like custom field

GET <https://mohitsinghcse10.atlassian.net/rest/api/3/field>

Response:

```
[  
  {  
    "id": "statuscategorychangedate",  
    "key": "statuscategorychangedate",  
    "name": "Status Category Changed",  
    "custom": false,  
    "orderable": false,  
    "navigable": true,  
    "searchable": true,  
    "clauseNames": [  
      "statusCategoryChangedDate"  
    ],  
    "schema": {  
      "type": "datetime",  
      "system": "statuscategorychangedate"  
    }  
  },  
]
```

```

{
  "id": "issuetype",
  "key": "issuetype",
  "name": "Issue Type",
  "custom": false,
  "orderable": true,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "issuetype",
    "type",
    "worktype"
  ],
  "schema": {
    "type": "issuetype",
    "system": "issuetype"
  }
},
{
  "id": "timespent",
  "key": "timespent",
  "name": "Time Spent",
  "custom": false,
  "orderable": false,
  "navigable": true,
  "searchable": false,
  "clauseNames": [
    "timespent"
  ],
  "schema": {
    "type": "number",
    "system": "timespent"
  }
},
{
  "id": "project",
  "key": "project",
  "name": "Project",

```

```

    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "project",
        "spaceJira"
    ],
    "schema": {
        "type": "project",
        "system": "project"
    }
},
{
    "id": "fixVersions",
    "key": "fixVersions",
    "name": "Fix versions",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "fixVersion"
    ],
    "schema": {
        "type": "array",
        "items": "version",
        "system": "fixVersions"
    }
},
{
    "id": "aggregatetimespent",
    "key": "aggregatetimespent",
    "name": "Σ Time Spent",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,

```



```

    "clauseNames": [],
    "schema": {
      "type": "number",
      "system": "aggregatetimespent"
    }
  },
  {
    "id": "statusCategory",
    "key": "statusCategory",
    "name": "Status Category",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
      "statusCategory"
    ],
    "schema": {
      "type": "statusCategory",
      "system": "statusCategory"
    }
  },
  {
    "id": "parent",
    "key": "parent",
    "name": "Parent",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
      "parent"
    ]
  },
  {
    "id": "resolution",
    "key": "resolution",
    "name": "Resolution",

```

```

        "custom": false,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "resolution"
        ],
        "schema": {
            "type": "resolution",
            "system": "resolution"
        }
    },
    {
        "id": "customfield_10035",
        "key": "customfield_10035",
        "name": "Atlassian Project",
        "untranslatedName": "Project",
        "custom": true,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "cf[10035]",
            "Project[AtlassianProject]"
        ],
        "schema": {
            "type": "atlas-project",
            "custom":
"com.atlassian.jira.plugin.system.customfieldtypes:atlas-project",
            "customId": 10035
        }
    },
    {
        "id": "customfield_10036",
        "key": "customfield_10036",
        "name": "Vulnerability",
        "untranslatedName": "Vulnerability",
        "custom": true,

```

```

        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "Vulnerability",
            "cf[10036]"
        ],
        "schema": {
            "type": "any",
            "custom":
"com.atlassian.jira.plugins.jira-development-integration-plugin:vulner
abilitycf",
            "customId": 10036
        }
    },
    {
        "id": "resolutiondate",
        "key": "resolutiondate",
        "name": "Resolved",
        "custom": false,
        "orderable": false,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "resolutiondate",
            "resolved"
        ],
        "schema": {
            "type": "datetime",
            "system": "resolutiondate"
        }
    },
    {
        "id": "workratio",
        "key": "workratio",
        "name": "Work Ratio",
        "custom": false,
        "orderable": false,

```

```

    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "workratio"
    ],
    "schema": {
        "type": "number",
        "system": "workratio"
    }
},
{
    "id": "lastViewed",
    "key": "lastViewed",
    "name": "Last Viewed",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [
        "lastViewed"
    ],
    "schema": {
        "type": "datetime",
        "system": "lastViewed"
    }
},
{
    "id": "watches",
    "key": "watches",
    "name": "Watchers",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [
        "watchers"
    ],
    "schema": {

```

```
        "type": "watches",
        "system": "watches"
    }
},
{
    "id": "issuerrestriction",
    "key": "issuerrestriction",
    "name": "Restrict to",
    "custom": false,
    "orderable": true,
    "navigable": false,
    "searchable": true,
    "clauseNames": [],
    "schema": {
        "type": "issuerrestriction",
        "system": "issuerrestriction"
    }
},
{
    "id": "thumbnail",
    "key": "thumbnail",
    "name": "Images",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": []
},
{
    "id": "created",
    "key": "created",
    "name": "Created",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "created",
```

```

        "createdDate"
    ],
    "schema": {
        "type": "datetime",
        "system": "created"
    }
},
{
    "id": "customfield_10021",
    "key": "customfield_10021",
    "name": "Flagged",
    "untranslatedName": "Flagged",
    "custom": true,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "Flagged",
        "Flagged[Checkboxes]",
        "cf[10021]"
    ],
    "schema": {
        "type": "array",
        "items": "option",
        "custom":
"com.atlassian.jira.plugin.system.customfieldtypes:multicheckboxes",
        "customId": 10021
    }
},
{
    "id": "priority",
    "key": "priority",
    "name": "Priority",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [

```

```

        "priority"
    ],
    "schema": {
        "type": "priority",
        "system": "priority"
    }
},
{
    "id": "labels",
    "key": "labels",
    "name": "Labels",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "labels"
    ],
    "schema": {
        "type": "array",
        "items": "string",
        "system": "labels"
    }
},
{
    "id": "customfield_10017",
    "key": "customfield_10017",
    "name": "Issue color",
    "untranslatedName": "Issue color",
    "custom": true,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "cf[10017]",
        "Issue color"
    ],
    "schema": {

```

```

        "type": "string",
        "custom": "com.pyxis.greenhopper.jira:jsw-issue-color",
        "customId": 10017
    },
    {
        "id": "customfield_10019",
        "key": "customfield_10019",
        "name": "Rank",
        "untranslatedName": "Rank",
        "custom": true,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "cf[10019]",
            "Rank"
        ],
        "schema": {
            "type": "any",
            "custom": "com.pyxis.greenhopper.jira:gh-lexo-rank",
            "customId": 10019
        }
    },
    {
        "id": "timeestimate",
        "key": "timeestimate",
        "name": "Remaining Estimate",
        "custom": false,
        "orderable": false,
        "navigable": true,
        "searchable": false,
        "clauseNames": [
            "remainingEstimate",
            "timeestimate"
        ],
        "schema": {
            "type": "number",

```



```

        "system": "timeestimate"
    },
    {
        "id": "aggregatetimeoriginalestimate",
        "key": "aggregatetimeoriginalestimate",
        "name": "Σ Original Estimate",
        "custom": false,
        "orderable": false,
        "navigable": true,
        "searchable": false,
        "clauseNames": [],
        "schema": {
            "type": "number",
            "system": "aggregatetimeoriginalestimate"
        }
    },
    {
        "id": "versions",
        "key": "versions",
        "name": "Affects versions",
        "custom": false,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "affectedVersion"
        ],
        "schema": {
            "type": "array",
            "items": "version",
            "system": "versions"
        }
    },
    {
        "id": "issuelinks",
        "key": "issuelinks",
        "name": "Linked Issues",

```

```

    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "issueLink",
        "workItemLink"
    ],
    "schema": {
        "type": "array",
        "items": "issuelinks",
        "system": "issuelinks"
    }
},
{
    "id": "assignee",
    "key": "assignee",
    "name": "Assignee",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "assignee"
    ],
    "schema": {
        "type": "user",
        "system": "assignee"
    }
},
{
    "id": "updated",
    "key": "updated",
    "name": "Updated",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": true,

```

```
    "clauseNames": [
      "updated",
      "updatedAt"
    ],
    "schema": {
      "type": "datetime",
      "system": "updated"
    }
  },
  {
    "id": "status",
    "key": "status",
    "name": "Status",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
      "status"
    ],
    "schema": {
      "type": "status",
      "system": "status"
    }
  },
  {
    "id": "components",
    "key": "components",
    "name": "Components",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
      "component"
    ],
    "schema": {
      "type": "array",
```

```

        "items": "component",
        "system": "components"
    }
},
{
    "id": "issuekey",
    "key": "issuekey",
    "name": "Key",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [
        "id",
        "issue",
        "issuekey",
        "key",
        "workItem",
        "workItemKey"
    ]
},
{
    "id": "timeoriginalestimate",
    "key": "timeoriginalestimate",
    "name": "Original estimate",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [
        "originalEstimate",
        "timeoriginalestimate"
    ],
    "schema": {
        "type": "number",
        "system": "timeoriginalestimate"
    }
},

```

```

{
  "id": "description",
  "key": "description",
  "name": "Description",
  "custom": false,
  "orderable": true,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "description"
  ],
  "schema": {
    "type": "string",
    "system": "description"
  }
},
{
  "id": "timetracking",
  "key": "timetracking",
  "name": "Time tracking",
  "custom": false,
  "orderable": true,
  "navigable": false,
  "searchable": true,
  "clauseNames": [],
  "schema": {
    "type": "timetracking",
    "system": "timetracking"
  }
},
{
  "id": "customfield_10015",
  "key": "customfield_10015",
  "name": "Start date",
  "untranslatedName": "Start date",
  "custom": true,
  "orderable": true,
  "navigable": true,

```

```

        "searchable": true,
        "clauseNames": [
            "cf[10015]",
            "Start date",
            "Start date[Date]"
        ],
        "schema": {
            "type": "date",
            "custom":
"com.atlassian.jira.plugin.system.customfieldtypes:datepicker",
            "customId": 10015
        }
    },
    {
        "id": "security",
        "key": "security",
        "name": "Security Level",
        "custom": false,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "level"
        ],
        "schema": {
            "type": "securitylevel",
            "system": "security"
        }
    },
    {
        "id": "attachment",
        "key": "attachment",
        "name": "Attachment",
        "custom": false,
        "orderable": true,
        "navigable": false,
        "searchable": true,
        "clauseNames": [

```

```

        "attachments"
    ],
    "schema": {
        "type": "array",
        "items": "attachment",
        "system": "attachment"
    }
},
{
    "id": "aggregatetimeestimate",
    "key": "aggregatetimeestimate",
    "name": "Σ Remaining Estimate",
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [],
    "schema": {
        "type": "number",
        "system": "aggregatetimeestimate"
    }
},
{
    "id": "summary",
    "key": "summary",
    "name": "Summary",
    "custom": false,
    "orderable": true,
    "navigable": true,
    "searchable": true,
    "clauseNames": [
        "summary"
    ],
    "schema": {
        "type": "string",
        "system": "summary"
    }
},

```

```
{
  "id": "creator",
  "key": "creator",
  "name": "Creator",
  "custom": false,
  "orderable": false,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "creator"
  ],
  "schema": {
    "type": "user",
    "system": "creator"
  }
},
{
  "id": "subtasks",
  "key": "subtasks",
  "name": "Sub-tasks",
  "custom": false,
  "orderable": false,
  "navigable": true,
  "searchable": false,
  "clauseNames": [
    "subtasks"
  ],
  "schema": {
    "type": "array",
    "items": "issuelinks",
    "system": "subtasks"
  }
},
{
  "id": "customfield_10041",
  "key": "customfield_10041",
  "name": "acceptanceCriteria",
  "untranslatedName": "acceptanceCriteria",
```



```

        "custom": true,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "acceptanceCriteria[Short text]",
            "cf[10041]",
            "acceptanceCriteria"
        ],
        "scope": {
            "type": "PROJECT",
            "project": {
                "id": "10002"
            }
        },
        "schema": {
            "type": "string",
            "custom":
"com.atlassian.jira.plugin.system.customfieldtypes:textfield",
            "customId": 10041
        }
    },
    {
        "id": "reporter",
        "key": "reporter",
        "name": "Reporter",
        "custom": false,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "reporter"
        ],
        "schema": {
            "type": "user",
            "system": "reporter"
        }
    }
},

```

```

{
  "id": "aggregateprogress",
  "key": "aggregateprogress",
  "name": "Σ Progress",
  "custom": false,
  "orderable": false,
  "navigable": true,
  "searchable": false,
  "clauseNames": [],
  "schema": {
    "type": "progress",
    "system": "aggregateprogress"
  }
},
{
  "id": "customfield_10000",
  "key": "customfield_10000",
  "name": "Development",
  "untranslatedName": "development",
  "custom": true,
  "orderable": true,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "cf[10000]",
    "development"
  ],
  "schema": {
    "type": "any",
    "custom":
      "com.atlassian.jira.plugins.jira-development-integration-plugin:devsummarycf",
    "customId": 10000
  }
},
{
  "id": "customfield_10001",
  "key": "customfield_10001",

```

```

        "name": "Team",
        "untranslatedName": "Team",
        "custom": true,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "Team[Team]",
            "cf[10001]",
            "Team"
        ],
        "schema": {
            "type": "team",
            "custom":
"com.atlassian.jira.plugin.system.customfieldtypes:atlassian-team",
            "customId": 10001,
            "configuration": {

"com.atlassian.jira.plugin.system.customfieldtypes:atlassian-team":
true
        }
    },
    {
        "id": "environment",
        "key": "environment",
        "name": "Environment",
        "custom": false,
        "orderable": true,
        "navigable": true,
        "searchable": true,
        "clauseNames": [
            "environment"
        ],
        "schema": {
            "type": "string",
            "system": "environment"
        }
    }

```

```
},
{
  "id": "duedate",
  "key": "duedate",
  "name": "Due date",
  "custom": false,
  "orderable": true,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "due",
    "duedate"
  ],
  "schema": {
    "type": "date",
    "system": "duedate"
  }
},
{
  "id": "progress",
  "key": "progress",
  "name": "Progress",
  "custom": false,
  "orderable": false,
  "navigable": true,
  "searchable": false,
  "clauseNames": [
    "progress"
  ],
  "schema": {
    "type": "progress",
    "system": "progress"
  }
},
{
  "id": "votes",
  "key": "votes",
  "name": "Votes",
```

```
    "custom": false,
    "orderable": false,
    "navigable": true,
    "searchable": false,
    "clauseNames": [
        "votes"
    ],
    "schema": {
        "type": "votes",
        "system": "votes"
    }
},
{
    "id": "comment",
    "key": "comment",
    "name": "Comment",
    "custom": false,
    "orderable": true,
    "navigable": false,
    "searchable": true,
    "clauseNames": [
        "comment"
    ],
    "schema": {
        "type": "comments-page",
        "system": "comment"
    }
},
{
    "id": "worklog",
    "key": "worklog",
    "name": "Log Work",
    "custom": false,
    "orderable": true,
    "navigable": false,
    "searchable": true,
    "clauseNames": [],
    "schema": {
```

```
        "type": "array",
        "items": "worklog",
        "system": "worklog"
    }
}
```

Found the custom field for AcceptanceCriteria field

JSON Snippet: Custom Field Identification

JSON

```
{
  "id": "customfield_10041",
  "key": "customfield_10041",
  "name": "acceptanceCriteria",
  "untranslatedName": "acceptanceCriteria",
  "custom": true,
  "orderable": true,
  "navigable": true,
  "searchable": true,
  "clauseNames": [
    "acceptanceCriteria[Short text]",
    "cf[10041]",
    "acceptanceCriteria"
  ]
}
```

Applied the same in code and then pushed in github under the repo

[https://github.com/cyclone0077/User-Story-Test-Case-Generator.
git](https://github.com/cyclone0077/User-Story-Test-Case-Generator.git)

Here's a summary of all changes made for the Jira integration:

New files added:

File	Purpose
<code>TS jiraClient.ts</code>	Jira REST API client — authenticates, fetches issues, parses ADF content, extracts acceptance criteria dynamically using <code>[🔗] ?expand=names</code>
<code>TS jira.ts</code>	<code>[🔗] POST /api/jira/fetch-issue</code> endpoint with Zod validation

Modified files:

File	What changed
<code>TS server.ts</code>	Imported and registered <code>[🔗] jiraRouter</code> at <code>/api/jira</code>
<code>TS types.ts</code>	Added <code>[🔗] JiraFetchRequest</code> and <code>[🔗] JiraStory</code> interfaces
<code>TS api.ts</code>	Added <code>[🔗] fetchJiraIssue()</code> function
<code>🔗 App.tsx</code>	Added tab switcher (Manual / Jira), Jira form fields (Base URL, Issue Key, Email, API Token), fetch handler, pre-filled defaults, and CSS for the Jira section

Unchanged files:

- `TS prompt.ts` — same prompt used for both manual and Jira flows
- `TS generate.ts` — no changes
- `TS groqClient.ts` — no changes
- `TS schemas.ts` — no changes
- `TS pricing.ts` — no changes