

Custom Chat Interface (Test Pilot)

Chat Interface for Test Case Creation built in CSS, HTML and React

It connect to Langflow workflow (BE) and generate the test cases


Accepts User Input via 3 Mediums

1. Jira Connector
2. Manually provided User Story in Chat Box
3. File Attachment (PRD)


A User can provide dynamic input using all 3 mediums mentioned above i.e. User can provide any Jira ID (under the project), Any User Scenario for test case generation, any universal PRD of any domain to generate the test case (Not restricted to single Jira, predefined User Story or Predefined attached PRD)

SS of the Chat Interface:


UI




Model Tweak:




Capable to Stop the Response and Edit the response
Storing the chat in the left side Panel



Providing quality test cases



Jira Connector Interface



The screenshot displays the TestPilot Jira Connector Interface. At the top center is a speech bubble icon. Below it, the text reads "TestPilot" in bold, followed by "Happy to help you in Testcase generation" and "Try a sample story, or type your own below." Below this text are three rounded rectangular buttons. The first button is labeled "BANKING" with a bank icon and "Fund Transfer". The second button is labeled "INSURANCE" with a shield icon and "Policy Claim Submission". The third button is labeled "FINANCE" with a bar chart icon and "Loan EMI Calculation". At the bottom of the interface is a large text input area with the placeholder text "I'm TestPilot — type your user story here". Below the input area are three buttons: "+ File", "Jira" (with a Jira icon), and "gemini-3-flash-preview" (with a dropdown arrow). A blue circular button with an upward arrow is located on the right side of the input area.

Click on Jira -> Opens the ID Provider

TestPilot

Happy to help you in Testcase generation

Try a sample story, or type your own below.

BANKING

Fund Transfer

INSURANCE

Policy Claim Submission

FINANCE

Loan EMI Calculation

Jira Connector

US-26

Fetch

Pulls Summary, Description & Acceptance Criteria from the ticket to seed generation.

I'm TestPilot — type your user story here

+ File

Jira

gemini-3-flash-preview

And fetches Summary, Description and AC before generating the test cases.

TestPilot

Happy to help you in Testcase generation

Try a sample story, or type your own below.

✓ Imported US-26

Change ticket

Close

SUMMARY

Core Deal Rummy Gameplay Loop - As a player, I want to play a Rummy match consisting of a fixed number of deals so that a clear

DESCRIPTION

Deal Rummy is a variant played for a pre-decided number of deals (e.g., 2, 3, or 6 deals). At the beginning of the match, all seated players are allocated an equal, fixed number of chips. At the end of every individual deal, the winner claims chips from the losing players based on their unmelded card points. The match concludes only when the final deal is played, and the player holding the highest chip balance is declared the overall winner.

ACCEPTANCE CRITERIA

Allocate equal starting chips to all at game start. On valid declaration, transfer chips from losers to winner based on point value (max 80). Auto-start next deal until the set limit is reached. Highest chip balance after the final deal wins.

Generate Test Cases →

I'm TestPilot — type your user story here

+ File

Jira

gemini-3-flash-preview

SS of Langflow Workflow (It includes one Custom Component)

