This document is uncontrolled when printed.



### DOCUMENT GSM-G-CPL.021

# HUMAN PERFORMANCE AND LIMITATIONS CHAPTER 13 – TOXIC HAZARDS

Version 1.0 September 2012

This is a controlled document. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission, in writing, from the Chief Executive Officer of Flight Training Adelaide.



## HUMAN PERFORMANCE AND LIMITATIONS

CONTENTS	PAGE
TOXIC HAZARDS	3
CARBON MONOXIDE	3
SOURCES	4
SYMPTOMS	4
PILOT ACTIONS IF CO CONTAMINATION IS SUSPECTED	4
OTHER TOXIC HAZARDS	
SYMPTOMS	5



### HUMAN PERFORMANCE AND LIMITATIONS

#### **TOXIC HAZARDS**

#### **CARBON MONOXIDE**


Carbon monoxide (CO) is a product of combustion of organic matter under conditions of restricted oxygen supply, which prevents complete oxidation to carbon dioxide (CO<sub>2</sub>). Carbon monoxide is colorless, odorless, tasteless, and non-irritating, making it difficult to detect. It is poisonous.



Carbon monoxide is a significantly toxic gas. Symptoms of mild poisoning include headaches and flu-like effects; while larger exposures can lead to significant toxicity of the central nervous system and heart, ultimately leading to death. Carbon monoxide can also have severe effects on the foetus of a pregnant woman.

CO inhalation has been the preferred method of suicide by many people.

When carbon monoxide is inhaled, it takes the place of oxygen in hemoglobin, the red blood pigment that normally carries oxygen to all parts of the body. Because carbon monoxide binds to hemoglobin several hundred times more strongly than oxygen, the oxygen will be displaced, causing oxygen starvation throughout the body. Prolonged exposure to fresh air (or pure oxygen) is required for the CO-tainted hemoglobin (carboxyhemoglobin) to clear.



The effects of sustained exposure to CO are cumulative.

Our susceptibility to CO poisoning increases with altitude, because of the lower levels of  $ppO_2$  available in the air.



### HUMAN PERFORMANCE AND LIMITATIONS

#### **SOURCES**

- · Cigarette smoke
- Exhaust gases (Often from faulty cockpit heating systems. Piston engines produce more CO than turbines, because of the incomplete burning of fuel in the cylinders.)

### **SYMPTOMS**

- Feeling too warm.
- Drowsiness
- Cherry-red, complexion
- Dimming or blurring of vision
- Severe Headaches
- Feelings of sluggishness
- Tightness across the forehead
- Pressure in temples
- Possible personality change
- Flu-like symptoms
- Weakness
- Dizziness impaired judgement
- Slower breathing rate, or breathlessness
- Loss of muscular power
- And eventually, unconsciousness, coma and death.

### PILOT ACTIONS IF CO CONTAMINATION IS SUSPECTED

- Shut off heating
- Open fresh air vents
- Avoid smoking
- Use O<sub>2</sub> if available
- Land if symptoms do not diminish



### HUMAN PERFORMANCE AND LIMITATIONS

### **OTHER TOXIC HAZARDS**

There are other toxic chemicals that we may be exposed to in aircraft operations, particularly in agricultural and general aviation activities. These include, but not limited to:

- Exhaust gases.
- Fuel vapour.
- Lubricants, hydraulic fluids.
- · Anti icing fluids.
- Fire extinguishing fluids.
- Agricultural chemicals (insecticides are particularly toxic).
- Poorly packed dangerous goods.
- Ozone (but removed by O<sub>3</sub> scrubbing devices in RPT aircraft).
- Products of combustion, particularly plastics.

#### **SYMPTOMS**

Depending on the chemical involved, there are many possible symptoms, including:

Anaphylactic shock, difficulty in breathing, chest pains and asthma, skin irritation, contact dermatitis, and hives or other forms of skin rash, headaches, "brain fog" (short term memory loss, cognitive dysfunction, including attention deficit), neurological symptoms (nerve pain, paralysis, weakness, trembling, restless leg syndrome, etc), tendonitis, seizures, visual disturbances (blurring, halo effect, inability to focus), extreme anxiety, panic and/or anger, suppression of immune system, digestive difficulties, nausea, indigestion/heartburn, vomiting, diarrhea, food intolerances, (e.g., lactose intolerance, celiac disease: commonly wheat and dairy), joint and muscle pains, extreme fatigue, lethargy and lassitude, vertigo/dizziness, abnormally acute sense of smell, sensitivity to natural plant fragrance, insomnia, dry mouth, dry eyes, and an overactive bladder.

As can be seen, the question of exposure to toxic chemicals is one of extreme importance. 'Dangerous Goods' training is essential for general aviation commercial pilots.