
a
SignalP/DeepTMHMM classification
No signal peptide, no TMR
Membrane, no SignalP SP
Classical-secretome candidate
SignalP SP with downstream TMR
Discordant prediction (review)
9,037
1,971
2,039
405
3
0
2,500
5,000
7,500
10,000
Representative proteins
b
Expression status of classical-secretome candidates
Pupa-up
Larva-up
Non-DE
Excluded: low count
NA adjusted P
597
544
790
105
3
0
200
400
600
800
Classical-secretome candidates
c
Expression status within focused families
GH12 cellulase/endoglucanase
Pectin/pectate lyase
Canonical GH18 chitinase
GH19 class-I chitinase
CAP-domain protein
8
3
2
2
5
8
2
4
7
4
4
1
4
5
6
1
0
4
8
12
16
Candidate genes
Pupa-up
Larva-up
Non-DE
Excluded: low count
d
Larva-up focused-family classical-secretome candidates
egapxtmp_003591 [GH12]
egapxtmp_001932 [GH12]
egapxtmp_012094 [CAP]
egapxtmp_006997 [GH18]
egapxtmp_001239 [GH18]
egapxtmp_014649 [Lyase]
egapxtmp_013028 [GH18]
egapxtmp_003886 [CAP]
egapxtmp_007822 [GH12]
egapxtmp_001086 [CAP]
egapxtmp_007704 [GH19]
egapxtmp_006228 [CAP]
egapxtmp_004785 [GH19]
egapxtmp_003426 [CAP]
-3.31
-8.59
-5.11
-2.15
-8.92
-8.44
-1.23
-2.60
-6.90
-9.21
-3.02
-2.52
-3.27
-6.29
100
1,000
10,000
Mean normalized count (baseMean; log scale)
Numbers: unshrunk log₂ fold change (pupa/larva).