Arrays

What is an array?

An array is an object that can store many values of the same type.

An array could be a list of ints or Strings or any other reference types you create.

An array store a fixed number of elements of the same type.

int[] scores

0	1	2	3	4
90	87	70	84	98

Making an array with default values

Square brackets [] with the number of elements in the array

int[] scores = new int[5];

Empty square brackets []

0	1	2	3	4
0	0	0	0	0

Making an array with default value

int[] scores = new int[5];

When you create an array in this manner, Java assigns default values to each item.

Туре	Default Value
int	0
double	0.0
boolean	false
Objects n	null

Making an Array with Initial Values

int[] scores = {90, 87, 79, 84, 98};

0	1	2	3	4	
90	87	70	84	98	

Making an array of any type

Array with default values:

Type[] variableName = new Type[numElements];

Array with initial value:

Type[] variableName = {initial values list};

Getting/Setting value at an index

int[] scores = {90, 87, 79, 84, 98};

Getting:

int myScore = score[1]; \Rightarrow 87

Setting:

 $score[1] = 92 \Rightarrow$

0	1	2	3	4

90	92	79	84	98
00	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7.5	0-7	50

Getting the array length

```
int[] scores = \{90, 87, 79, 84, 98\};
Int length = scores.length; //no parenthesis \Rightarrow 5
```

Last Index of Array


int lastIndex = array.length - 1;

Trying to access a value outside the index value list, you get an ArrayIndexOutOfBoundsException

Arrays are reference types

Store an address not a value.

When you make a copy of an array, the pointer (arrow) is copied, no the content.



Example

```
int[] arr1 = {1, 2, 3, 4, 5};
int[] arr2 = {10, 20, 30, 40, 50};
arr1 = arr2;
arr1[0] =100;
```

What is stored in arr1 and arr2 after after executing that code?

```
arr1 => { 100, 20, 30, 40, 50 } arr2 => { 100, 20, 30, 40, 50 }
```