


protonescmpri H2O+D2O /nmr/400p cgao801 54

4.15
4.13
4.13
4.12
4.12
4.10
4.05
4.02
3.99
3.98
3.94
3.93
3.92
3.90
3.89
3.87
3.86
3.84
3.84
3.83
3.82
3.82
3.80
3.79
3.77
3.76
3.74
3.73
3.73
3.71
3.70
3.68
3.67
3.65
3.64
3.61
3.60
3.59
3.59
3.58
3.57
3.56
3.50
3.48
3.44
2.41
2.09
2.05
1.48
1.42
1.36
1.35
1.34
1.33
1.32
1.31
1.31
1.01
0.99
0.97
0.96
0.95
0.87



Current Data Parameters
NAME 260921_NZFBS
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20260921
Time 16.57 h
INSTRUM Avance Neo
PROBHD Z163739_1067
PULPROG zgpg30
TD 16384
SOLVENT H2O+D2O
NS 64
DS 8
SWH 8196.721 Hz
FIDRES 1.000576 Hz
AQ 0.9994240 sec
RG 101
DW 61.000 usec
DE 6.50 usec
TE 300.0 K
D1 1.50000000 sec
D12 0.0002000 sec
D16 0.0002000 sec
TD0 1
SF01 400.4218864 MHz
NUC1 1H
P1 7.70 usec
P2 15.40 usec
P12 2000.00 usec
PLW0 0 W
PLW1 22.86300000 W
SPNAM[1] Squal00.1000
SPOAL1 0.500
SPOFFS1 0 Hz
SPW1 0.00135555 W
GPNAM[1] SMSQ10.100
GPZ1 31.00 %
GPNAM[2] SMSQ10.100
GPZ2 11.00 %
P16 1000.00 usec

F2 - Processing parameters
SI 16384
SF 400.4199647 MHz
WDW EM
SSB 0
LB 0.10 Hz
GB 0
PC 0.80

