


A. Input: the corrigendum's Table 1, the quantity entered as "SD", and the effect sizes it implies

Δ = mean change (pre minus post); SEM = sqrt(SD²pre/n + SD²post/n), the value entered as each arm's SD (purple); SDA = SD of the change score, r = 0.6. Published = Δ / SEM as in the corrected forest plot, sign reversed. Wright 2005 as in the corrigendum.

Study	n (e / f)	Δ	eCBT	SDA	Face-to-face CBT			Hedges' g (SE), positive favours face-to-face		
			SEM		Δ	SEM	SDA	Published	Change SMD	Post SMD
Andersson 2013	33 / 36	10.0	1.9	7.9	7.0	1.6	6.4	-1.70 (0.28)	-0.41 (0.24)	-0.39 (0.24)
Choi 2014	56 / 63	9.9	1.3	6.3	13.7	1.3	6.3	2.97 (0.27)	0.60 (0.19)	-0.05 (0.18)
Glueckauf 2012	7 / 7	8.0	3.5	7.8	2.8	3.5	6.1	-1.76 (0.66)	-0.69 (0.55)	-0.95 (0.56)
Himelhoch 2013	16 / 18	6.3	2.5	6.9	8.7	2.1	5.8	1.02 (0.37)	0.37 (0.35)	0.05 (0.34)
Kalapatapu 2014	50 / 53	9.4	1.5	7.4	10.0	1.1	5.8	0.45 (0.20)	0.09 (0.20)	0.12 (0.20)
Kay-Lambkin 2009	32 / 35	11.5	2.8	10.1	18.3	2.4	9.1	2.59 (0.34)	0.70 (0.25)	0.04 (0.24)
Luxton 2016	62 / 59	13.0	2.2	10.9	18.0	2.2	10.7	2.26 (0.23)	0.45 (0.18)	0.15 (0.18)
Mohr 2012	163 / 162	9.2	0.7	6.0	10.3	0.8	6.7	1.46 (0.13)	0.17 (0.11)	0.13 (0.11)
Nelson 2003	14 / 14	7.7	2.9	8.0	1.9	3.9	9.5	-1.64 (0.45)	-0.63 (0.39)	-0.54 (0.38)
Poppelaars 2016	51 / 50	4.7	2.4	11.0	4.0	2.4	10.9	-0.29 (0.20)	-0.06 (0.20)	-0.11 (0.20)
Sethi 2010	9 / 10	0.7	3.4	7.5	11.8	1.9	4.1	3.91 (0.85)	1.79 (0.54)	2.22 (0.58)
Sethi 2013	23 / 21	5.5	1.2	4.0	13.6	1.6	5.5	6.37 (0.77)	1.67 (0.35)	1.38 (0.34)
Wagner 2014	32 / 30	10.6	2.1	8.0	11.1	2.1	7.4	0.24 (0.26)	0.07 (0.25)	0.01 (0.25)
Wright 2005	15 / 15	20.4	3.0	7.3	14.7	2.8	7.0	-1.95 (0.45)	-0.78 (0.38)	0.12 (0.37)
Pooled (DL) [95% CI]								0.92 [0.09, 1.76]	0.23 [-0.05, 0.51]	0.10 [-0.13, 0.33]
I²								97%	78%	68%

B. Output: every reasonable analysis of the same 14 trials

2388 distinct specifications, sorted by estimate. Pooled Hedges' g with 95% CI. Positive favours face-to-face CBT. Dotted lines: the published pooled estimates, each placed as its own paper interpreted it; all divided mean differences by standard errors instead of SDs.



Data source	
Corrigendum Table 1 as published	
Kriston et al. 2022 re-extraction	
Reconciled extraction	
Effect size metric	
Change-score SMD, r = 0.6	
Change-score SMD, r = 0.3	
SMC, r = 0.7	
SMC, r = 0.5	
SMC, r = 0.3	
SMC, r = 0.9	
Adjusted where reported	
Post-test SMD	
Instrument	
primary	
clinician-rated preferred	
self-report preferred	
all instruments (3-level / RVE)	
Inclusion	
without arms n < 20	
all 14	
without Kalapatapu (Mohr subsample)	
without Choi (PST)	
without MoodGYM (Sethi x2)	
Estimator	
PM	
REML	
DL	
RVE (CR2)	
3-level	
Hartung-Knapp adjustment	
yes	
no	
Wright 2005 post-test	
derived post, borrowed SD	
change-score SMD	
as published (corrigendum)	
Wright 2005 time point	
as published (corrigendum)	
endpoint, ITT	
week 8, completers	
Specifications, sorted by estimate	