

# Certificate of Analysis

Report FX-484087 · issued 2026-01-02

Example Analytical

Fixture City

Placeholder issuer — no analysis was performed

**This document is a fixture.** It was generated to demonstrate how a certificate appears on the storefront. No sample was submitted, no analysis was performed, and every figure below is invented. It carries no issuing laboratory's authority and cannot be verified. Delete it when a real report exists.

## SAMPLE

|                    |                                     |
|--------------------|-------------------------------------|
| Client             | CryptoPeptides                      |
| Sample             | GHK-Cu 50mg                         |
| CAS number         | 89030-95-5                          |
| Lot number         | CP-2601-GHKCU-20                    |
| Lot filled         | 2026-01-02                          |
| Sample received    | 2025-12-29                          |
| Analysis conducted | 2026-01-02                          |
| Appearance         | White to off-white lyophilised cake |

## RESULTS

|                              |                                           |
|------------------------------|-------------------------------------------|
| Purity (RP-HPLC-UV, 214 nm)  | 98.270 %                                  |
| Identity (LC-MS, ESI-TOF)    | Observed mass consistent with theoretical |
| Net peptide content          | 93.2 %                                    |
| Water content (Karl Fischer) | -0.5 %                                    |

Authorised signatory — none; this is a fixture

EXA · FX-484087

Research use only. Not for human or veterinary consumption. A certificate of analysis describes the sample submitted for testing and is valid only for the lot named on it. This fixture describes nothing.